


# **SERIES TWO-WAY RADIO ACCESSORIES**

**UNLEASH THE POWER OF YOUR RADIO** 





# **TABLE OF CONTENTS**

MOTOTRBO PORTABLE RADIO ACCESSORIES	5
Remote Speaker Microphones (RSM)	6
Remote Speaker Microphones Accessories	
with Standard 3.5mm Jack	10
Remote Speaker Microphones Accessories with Threaded 3.5mm Jack	11
Public Safety Microphones	12
Public Safety Microphone Antennas	12
Surveillance Accessories and Earpieces	14
Surveillance Accessory Replacement Kits	18
Earpieces	22
Mag One™ Earpieces	22
Headsets	24
Tactical Headsets	26
Mag One™ Headsets	26
Heavy Duty Headsets	28
Audio Accessory Adapters	28
3M Peltor Headsets	30
PTT Adapter Configurations	30
3M Peltor Headsets – RSM Configurations	30
Headset Replacement Parts	30
Hearing Protection Accessories	30
Operations Critical Wireless Bluetooth® Accessories	32
Enhanced Operations Critical Wireless	36
Operations Critical Wireless Completely Discreet Kit	36
Operations Critical Wireless Replacement Parts	38
Motorola Original® Two-Way Radio Batteries	40
Charger Solutions	46
IMPRES Battery Management Tools	47/51
Carry Solutions	52
Screen Protectors	57
Antennas	57
Antenna Accessories	63
Programming Cables	64

MINITAL MAN IMAN MAN MAN MAN MAN MAN MAN MAN MAN MAN	00
Microphones	66
Microphone Accessories	68
External Push-to-Talk (PTT)	69
Long Range Wireless Mobile Accessory Kits	70
Long Range Wireless Chargers and Replacement Parts	72
Operations Critical Wireless Bluetooth® Accessories	74
Operations Critical Wireless Replacement Parts	78
Control Station Accessories	79
Installation and Mounting Accessories	80
External Speakers	81
Cables	82
Antennas	84
Antenna Accessories	89
GLOSSARY	90





# OPERATIONS CRITICAL PERFORMANCE FOCUSED ON DURABILITY AND FLEXIBILITY TO KEEP YOU CONNECTED, PRODUCTIVE AND SAFE ON THE JOB

MOTOTRBO™ radios are already best-in-class but, to help you work at your best, you need enhancements targeted to your specific workplace. Motorola Solutions has developed an expansive line of accessories with unique features designed to optimize the performance of your radio in your work environment to unleash the full power of MOTOTRBO, the industry's most advanced digital radio platform.

#### MOTOROLA'S EXCLUSIVE ENERGY AND AUDIO FEATURES ARE MADE FOR OPERATION CRITICAL JOBS

## IMPRES™ BATTERIES AND CHARGERS: YOUR BATTERY, SAFER, SMARTER, POWERED FOR LONGER

Eliminate the guesswork and get more from every battery. Maximize every charge and eliminate the surprise of "low battery alerts" with IMPRES Audio solutions. IMPRES chargers tell you exactly how much capacity is in an IMPRES battery before you attach it to your radio and exactly when an IMPRES battery has reached the end of service life. Enjoy 43% longer battery life from IMPRES over non-IMPRES batteries — without spending time and effort on maintenance or record keeping. With IMPRES Battery Fleet Management Software, you can check the status of 25 or 25,000 batteries at a glance, from one computer, giving you the power to manage your complex power solutions.

#### IMPRES™ AUDIO

Make sure every word is heard regardless of the level or direction you're speaking into the accessory. Eliminate repeating yourself with clear audio every time from Motorola exclusive IMPRES Audio technology. Whether you need to talk loudly or quietly, into or away from the accessory, IMPRES Audio lowers the loud talker level and raises the soft talker level automatically so listeners do not have to adjust the volume depending on who is talking. Policing a busy airport, fixing equipment on a noisy production floor or assisting guests in a quiet hotel, IMPRES Audio promises a high quality communication experience.

#### FLEXIBLE AND CUSTOMIZABLE: ACCESSORIZE YOUR DEVICE TO MAXIMIZE COMFORT AND USABILITY

#### **OPERATIONS CRITICAL WIRELESS: YOUR RADIO, UNLEASHED**

Work with your radio like never before. Place your radio on a desk or cart, in a purse, medical bag or backpack and converse seamlessly with your wireless earpiece up to 30 feet away from your radio. Put your wireless PTT where you want to — on a clipboard, steering wheel or coat pocket — without wires getting in the way. Motorola Bluetooth enabled radios allow both an Operations Critical Wireless PTT and audio accessory to be connected and used at the same time. And Operations Critical Wireless accessories last up to 10 hours — up to 3 times the battery life of commercial Bluetooth® headsets.



# MOTOROLA SOLUTIONS EXCLUSIVE AUDIO FEATURES THAT ENSURE YOUR MESSAGE IS HEARD IN THE MOST DEMANDING WORK CONDITIONS

#### IMPRES™ AUDIO: I HEAR YOU, HOWEVER YOU SPEAK

Ensure your voice is heard clearer, crisper, and louder regardless of level or direction you're speaking into the accessory.

## INTELLIGENT AUDIO: YOUR CALLS, ALWAYS AT THE PERFECT VOLUME

Set your volume once and depend on your accessory to listen for changes in background noise, adjusting the volume automatically so you hear every call.

#### DUAL MICROPHONE AUDIO: I HEAR YOU, EVEN WHEN YOU CAN'T HEAR YOURSELF

Virtually block out all background noise in demanding and extreme noise environments so you can always communicate clearly.

## WINDPORTING AND NOISE-CANCELING AUDIO: I HEAR YOU, NOT THE WIND

Reduce the effect of wind and other outdoor noises so your messages are always heard clearly.

# WHAT ARE THE BENEFITS OF THE INDUSTRIAL NOISE-CANCELING (INC) REMOTE SPEAKER MICROPHONE?

**SUPPRESSES HIGH NOISE SO YOU HEAR CLEARLY** – The dual-microphone design suppresses background noise so your message gets through. The large 1-watt speaker delivers the loudest, clearest audio available – up to 25% more than other MOTOTRBO RSMs.

**WEAR IT WHILE YOU WORK AND COMMUNICATE FREELY** – Best practices is always to speak directly into your RSM. This is especially important in high noise environments. In moderate noise environments the INC RSM allows you to clip the RSM to your shoulder or lapel and talk freely with a touch of the prominent pushto-talk button.

**EASY TO CLEAN DIRT, GRIT AND DEBRIS** – Debris and fine particles can clog remote speaker microphones and reduce the quality of your voice transmissions. With the INC RSM, simply vacuum out the speaker grill (when dry), then brush out the debris using soapy water, rinse and you are ready to go.

> Experience Dual-Microphone Noise Suppression

#### WHICH MICROPHONE IS RIGHT FOR ME?

**WINDPORTING** – for outdoor, demanding weather, high winds, rain (keep on the shoulder or in front of your mouth).

> Hear the Difference Windporting Makes

#### INDUSTRIAL NOISE-CANCELING (DUAL MICROPHONE NOISE

**SUPPRESSION)** – loud, industrial, outdoor, rain, dusty/dirty environments. To optimize its noise suppression capabilities, hold the RSM 1" directly in front of your mouth or turn your head toward the RSM on your shoulder and speak into the closest microphone on the RSM; also washable.

**NOISE-CANCELING** – noisy, indoor environments. To optimize its noise reduction capabilities, hold the microphone in the correct use position directly in front of your mouth, facing the source of the noise (as shown in photo).



#### **MOTOTRBO PORTABLE RADIO ACCESSORIES**

COMPATIBILITY	ACCESSORY			FEATURES									VERTICAL MAI	RKETS: Recommen	dations based or	typical use case	e for each of ve	rticals listed	
REMOTE SPEAKE communications eve	ER MICROPHONES Ou en in loud environments.	ır robust portfolio of Remote Speaker Micropho	ones and secondar	y audio accessor	ries are engin	eered to give you o	clearer	All remote sp	eaker microph	nones are b	uilt with to	p quality mate	erials including	g durable <b>Kev</b> l	l <b>ar</b> ® cables th	nat survive to	ough worki	ng conditions	•
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES IN	NTELLIGENT N AUDIO	WINDPORTING, NOISE-CANCELING OR DUAL MIC. NOISE SUPPRESSION	VOLUME CONTROL (HIGH/LOW)	PROGRAMMABLE BUTTON	AUDIO JACK (3.5 MM)	IP RATING	INTRINSIC SAFETY RATING**	DIMENSIONS (MM) H X L X D	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
	5	Windporting Remote Speaker Microphone	PMMN4029			Windporting				IP57		60 x 25 x 57	•	•	•		•	•	•
		Mag One Remote Speaker Microphone	PMMN4092							IP57		66 x 25 x 44	•	•	•		•	•	•
XIR P3688		Operations Critical Wireless Remote Speaker Microphone with Battery and Belt Clip (see page 50 for charger and power supplies)	RLN6561			Windporting				IP54		Large 88 x 63 x 26 (without clip)	•	•	•		•	•	•
XIR P8200 SERIES		Operations Critical Wireless Remote Speaker Microphone with Battery and Belt Clip and Dual Unit Charger (US plug)	RLN6562			Windporting				IP54		Large 88 x 63 x 26 (without clip)	•	•	•		•	•	•
		Operations Critical Wireless Remote Speaker Microphone with Battery and Belt Clip and Dual Unit Charger (AU/NZ plug)	PMLN7669			Windporting			_	IP54		Large 88 x 63 x 26 (without clip)	•	•	•		•	•	•
XIR P8600 XIR P8600i SERIES	9/	Windporting Remote Speaker Microphone, small (IP54)	PMMN4024		•	Windporting				IP54	FM TIA	Small 55 x 60 x 27 (without clip)	•	•	•		•	•	•
		IMPRES Windporting Remote Speaker Microphone, small (IP54)	PMMN4025	•	•	Windporting			<b>)</b> (	IP54	FM TIA	Small 55 x 60 x 27 (without clip)	•	•	•		•	•	•

COMPATIBILITY	ACCESSORY			FEATURES									VERTICAL MA	RKETS: Recomme	ndations based or	ı typical use case	e for each of ve	rticals listed	
REMOTE SPEAK communications ev	ER MICROPHONES Our en in loud environments.	robust portfolio of Remote Speaker Micropho	ones and secondar	y audio acces	sories are enç	gineered to give you o	elearer	All remote sp	eaker micropl	nones are b	uilt with to	p quality mat	erials includir	ng durable <b>Ke</b>	<b>vlar</b> ® cables 1	hat survive t	ough work	ing condition	S.
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	INTELLIGENT AUDIO	WINDPORTING, NOISE-CANCELING OR DUAL MIC. NOISE SUPPRESSION	VOLUME CONTROL (HIGH/LOW)	PROGRAMMABLE BUTTON	AUDIO JACK (3.5 MM)	IP RATING	INTRINSIC SAFETY RATING**	DIMENSIONS (MM) H X L X D	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
1	123	Windporting Remote Speaker Microphone, small, submersible (IP57)	PMMN4040		•	Windporting				<b>♦</b> IP57	FM TIA	Small 55 x 60 x 27 (without clip)	•	•	•	•			
		IMPRES Windporting Remote Speaker Microphone, large, submersible (IP57)	PMMN4046	•		Windporting				<b>♦</b> IP57	FM TIA	Large 60 x 78 x 28 (without clip)	•	•	•	•			
XIR P8200 SERIES	80	IMPRES Noise-Canceling Remote Speaker Microphone, large (IP54)	PMMN4050	•		Noise-Canceling				IP54	FM TIA	Large 60 x 78 x 28 (without clip)		•		•		•	•
XIR P8600 XIR P8600i SERIES	1	IMPRES Industrial Noise-Canceling (INC) Dual Mic. Noise Suppression Remote Speaker Microphone, submersible (IP57)	NNTN8382	•		Dual Mic. Noise Suppression				<b>♦</b> IP57	TIA	Large 60 x 78 x 28 (without clip)	•	•	•		•	•	•
		IMPRES Industrial Noise-Canceling (INC) Dual Mic. Noise Suppression Remote Speaker Microphone (IP54)	NNTN8383	•		Dual Mic. Noise Suppression	7		W	IP54	TIA	Large 60 x 78 x 28 (without clip)	•	•	•		•	•	•
	9	IMPRES Windporting Remote Speaker Microphone (IP64)	PMMN4067	•		Windporting	•			IP64	ATEX	Large 60 x 78 x 28 (without clip)	•	•	•	•	•	•	•
XiR P8600 EX SERIES		IMPRES ATEX Active Noise-Canceling Remote Speaker Microphone with Large front PTT and Side PTT (IP67)	PMMN4094	•	•	Noise-Canceling	•		Nexus and 3.5mm locking	<b>●</b> IP67	ATEX	Large 68 x 94 x 29 (without clip)	•	•	•	•	•		
	,,,	IMPRES ATEX Omni Remote Speaker Microphone with Large front PTT and side PTT (IP67)	PMMN4110	•	•	Windporting	•		Nexus and 3.5mm locking	<b>●</b> IP67	ATEX	Large 68 x 94 x 29 (without clip)	•	•	•	•	•		
		IMPRES Active Noise-Canceling Remote Speaker Microphone with Large front PTT and Side PTT (IP67)	PMMN4102	•	•	Noise-Canceling	•		Nexus and 3.5mm locking	<b>♦</b> IP67	TIA	Large 68 x 94 x 29 (without clip)	•	•	•		•		
Xir P8600i SERIES		IMPRES Omni Remote Speaker Microphone with Large front PTT and Side PTT (IP67)	PMMN4113	•	•	Windporting	•		Nexus and 3.5mm locking	<b>●</b> IP67	TIA	Large 68 x 94 x 29 (without clip)	•	•	•		•		
SERIES		IMPRES Windporting Remote Speaker Microphone, large, submersible (IP68)	PMMN4099	•		Windporting				<b>♦</b> IP68	TIA	Large 60 x 78 x 28 (without clip)	•	•	•	•	•	•	•


ACCESSORY			FEATURES									VERTICAL MAI	RKETS: Recommer	ndations based o	n typical use cas	e for each of ve	erticals listed.	
R MICROPHONES Out n in loud environments.	r robust portfolio of Remote Speaker Microph	iones and seconda	ry audio acces	essories are engir	neered to give you cl	earer	All remote sp	oeaker microp	hones are b	uilt with top	quality mate	erials includin	g durable <b>Ke</b> v	<b>vlar</b> ® cables	that survive	tough work	ing conditions	S.
DESCRIPTION		PART NUMBER	IMPRES	INTELLIGENT W AUDIO	VINDPORTING OR NOISE- CANCELING	VOLUME CONTROL (HIGH/LOW)	PROGRAMMABLE BUTTON	AUDIO JACK (3.5 MM)	IP RATING	INTRINSIC SAFETY RATING	DIMENSIONS (MM) H X L X D	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	D EDUCATIO (CAMPUSE
9	IMPRES Noise-Canceling Remote Speaker Microphone, large (IP54)	PMMN4071	•		Noise-Canceling				IP54	TIA	Large 60 x 78 x 28 (without clip)		•				•	•
	IMPRES Windporting Remote Speaker Microphone, small (IP55)	PMMN4073	•		Windporting				IP55	TIA	Small 55 x 60 x 27 (without clip)	•		•		•	•	•
0	Windporting Remote Speaker Microphone, small, submersible (IP57)	PMMN4075		•	Windporting				<b>♦</b> IP57	TIA	Small 55 x 60 x 27 (without clip)	•		•		•		
3	Windporting Remote Speaker Microphone, small (IP54)	PMMN4076		•	Windporting				IP54	TIA	Small 55 x 60 x 27 (without clip)	•		•		•	•	•
	Remote Speaker Microphone with 2.5mm connector	PMMN4125			Windporting				IP67		Large 58 x 84 x 24 (without clip)	•	•			•	•	•
	R MICROPHONES Out on in loud environments.	IMPRES Noise-Canceling Remote Speaker Microphone, large (IP54)  IMPRES Windporting Remote Speaker Microphone, small (IP55)  Windporting Remote Speaker Microphone, small, submersible (IP57)  Windporting Remote Speaker Microphone, small (IP54)	IMPRES Noise-Canceling Remote Speaker Microphones and secondary in loud environments.  IMPRES Noise-Canceling Remote Speaker Microphone, large (IP54)  IMPRES Windporting Remote Speaker Microphone, small (IP55)  Windporting Remote Speaker Microphone, small, submersible (IP57)  Windporting Remote Speaker Microphone, small (IP54)  Windporting Remote Speaker Microphone, small (IP54)  PMMN4075  PMMN4076	IMPRES Noise-Canceling Remote Speaker Microphones and secondary audio access in in loud environments.  IMPRES Noise-Canceling Remote Speaker Microphone, large (IP54)  IMPRES Windporting Remote Speaker Microphone, small (IP55)  Windporting Remote Speaker Microphone, small, submersible (IP57)  Windporting Remote Speaker Microphone, small (IP54)  Windporting Remote Speaker Microphone, small (IP54)  PMMN4075  Windporting Remote Speaker Microphone, small (IP54)  PMMN4076	R MICROPHONES Our robust portfolio of Remote Speaker Microphones and secondary audio accessories are engin in loud environments.  DESCRIPTION  IMPRES Noise-Canceling Remote Speaker Microphone, large (IP54)  IMPRES Windporting Remote Speaker Microphone, small (IP55)  Windporting Remote Speaker Microphone, small, submersible (IP57)  Windporting Remote Speaker Microphone, small (IP54)  PMMN4075  PMMN4076  Remote Speaker Microphone  PMMN4076	R MICROPHONES Our robust portfolio of Remote Speaker Microphones and secondary audio accessories are engineered to give you clear in loud environments.  DESCRIPTION  IMPRES Noise-Canceling Remote Speaker Microphone, large (IP54)  IMPRES Windporting Remote Speaker Microphone, small (IP55)  PMMN4073  Windporting Remote Speaker Microphone, small (IP57)  Windporting Remote Speaker Microphone, small (IP54)  PMMN4076  Windporting  Windporting  Windporting  Windporting	RMICROPHONES Our robust portfolio of Remote Speaker Microphones and secondary audio accessories are engineered to give you clearer in loud environments.  DESCRIPTION  IMPRES Noise-Canceling Remote Speaker Microphone, large (IP54)  IMPRES Windporting Remote Speaker Microphone, small (IP55)  PMMN4073  Windporting Remote Speaker Microphone, small, submersible (IP57)  Windporting Remote Speaker Microphone, small (IP54)  Windporting Remote Speaker Microphone, small, submersible (IP57)  PMMN4075  Windporting Remote Speaker Microphone, small (IP54)  Windporting Remote Speaker Microphone, small (IP54)	R MICROPHONES Our robust portfolio of Remote Speaker Microphones and secondary audio accessories are engineered to give you clearer in loud environments.  PART NUMBER  IMPRES  IMPRES  INTELLIGENT  AUDIO  IMPRES Noise-Canceling Remote Speaker  Microphone, large (IP54)  IMPRES Windporting Remote Speaker  Microphone, small (IP55)  PMMN4073  Windporting  Windporting  Windporting  Windporting Remote Speaker Microphone, small (IP54)  Windporting Remote Speaker Microphone, small (IP54)  PMMN4076  Windporting  Windporting	MICROPHONES Our robust portfolio of Remote Speaker Microphones and secondary audio accessories are engineered to give you clearer  All remote speaker microp in loud environments.  PART NUMBER  IMPRES INTELLIGENT WINDPORTING OR NOISE- CANCELING CANCELING MICROPHONES Our robust portfolio of Remote Speaker microphone, large (IPS4)  IMPRES Noise-Canceling Remote Speaker Microphone, grape (IPS4)  IMPRES Windporting Remote Speaker Microphone, small (IPS5)  PMMN4073  PMMN4075  Windporting Windporting Windporting Remote Speaker Microphone, small, submersible (IPS7)  Windporting Windporting Windporting Windporting Windporting Windporting Remote Speaker Microphone, small (IPS4)  PMMN4076  Windporting	MICROPHONES Our robust portfolio of Remote Speaker Microphones and secondary audio accessories are engineered to give you clearer  All remote speaker microphones are to in loud environments.  DESCRIPTION  PART NUMBER  IMPRES  IMPR	MICROPHONES Our robust portfolio of Remote Speaker Microphones and secondary audio accessories are engineered to give you clearer  All remote speaker microphones are built with top in loud environments.  DESCRIPTION  PART NUMBER  IMPRES  IMPRES	RMICROPHONES Our robust portfolio of Remote Speaker Microphones and secondary audio accessories are engineered to give you clearer  All remote speaker microphones are built with top quality materials of the part of the par	RMICROPHONES Our robust portfolio of Remote Speaker Microphones and secondary audio accessories are engineered to give you clearer in loud environments.    DESCRIPTION   PART NUMBER   MARKES   MARKES	R MICROPHONES Our robust portfolio of Remote Speaker Microphones and secondary audio accessories are engineered to give you clearer  All remote speaker microphones are built with top quality materials including durable Ker  in loud environments.  R MICROPHONES Our robust portfolio of Remote Speaker Microphones and secondary audio accessories are engineered to give you clearer  All remote speaker microphones are built with top quality materials including durable Ker  All remote speaker microphones are built with top quality materials including durable Ker  All remote speaker microphones are built with top quality materials including durable Ker  All remote speaker microphones are built with top quality materials including durable Ker  All remote speaker microphones are built with top quality materials including durable Ker  All remote speaker microphones are built with top quality materials including durable Ker  All remote speaker microphones are built with top quality materials including durable Ker  All remote speaker microphones are built with top quality materials including durable Ker  All remote speaker microphones are built with top quality materials including durable Ker  All remote speaker microphones are built with top quality materials including durable Ker  All remote speaker microphones are built with top quality materials including durable Ker  All remote speaker microphones are built with top quality materials including durable Ker  All remote speaker microphones are built with top quality materials including durable Ker  All remote speaker microphones are built with top quality materials including durable Ker  All remote speaker microphones are built with top quality materials including durable Ker  All remote speaker microphones are built with top quality materials including durable Ker  All remote speaker microphones are built with top quality materials including durable Ker  All remote speaker microphones are built with top quality materials including durable Ker  All remote speaker microphon	RMICROPHONES Our robust portfolio of Remote Speaker Microphones and secondary audio accessories are engineered to give you clearer in loud environments.    PMIT MUMBER   MANIES   MANI	RICROPHONES Our robust portfolio of Remote Speaker Microphones and secondary audio accessories are engineered to give you clearer in loud environments.    Control of the incident of the inci	RIMICROPHONES Our robust portfolio of Remote Speaker Microphones and secondary audio accessories are engineered to give you clearer in load environments.  PART NUMBER MARKS INTELLIGENT MINDEPRING OR NOISE CANCELING SECURITY  MIPHES Noise Canceling Remote Speaker Microphone, large (IPS4)  MiPHES Noise Canceling Remote Speaker Microphone, small (IPS5)  MiPHES Noise Speaker Microphone, small (IPS6)  Mindporting Remote Speaker Microphone, small (IPS7)  Mindporting Remote Speaker Microphone, small (IPS6)  Mindporting Remote Speaker Microphone, save small (IPS6)  Mindporting Remote Sp	RICCOPHONES Our robust portrolio of Remote Speaker Microphones and secondary audio accessories are engineered to give you clearer in load outvicoments.  RECOMPTION  PART NUMBER  NOTE: CANCELING  NOTE: CANCELING  NOTE: CANCELING  NOTE: CANCELING  NOTE: CANCELING  NOTE: CANCELING  NATIONAL CITY  NATIONAL CITY  NOTE: CANCELING  NATIONAL CITY  NATIONAL

COMPATIBILITY	ACCESSORY			FEATURES	
		ESSORIES WITH STANDARD 3.5MM vive radio communications more discreetly.	JACK		
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	INTRINSIC SAFETY RATING
	0	Receive-Only Covered Earbud with Coiled Cord	AARLN4885/ MDRLN4885	Foam Covered Earbud	FM TIA
XIR P3688 XIR E8600i SERIES	-	Receive-Only Earpiece with Translucent Tube and Rubber Eartip	RLN4941/ MDRLN4941	Clear Rubber Eartip	FM TIA
	(, e,	Receive-Only Earpiece with Translucent Tube and Rubber Eartip	PMLN7560	Clear Rubber Eartip	
Xir P8200 Xir P6600 Series Xir P6600i Series	69	Receive-Only Flexible Earpiece	WADN4190	Over-the-Ear	FM TIA
	50	Receive-Only D-Shell Earpiece	PMLN4620	Over-the-Ear	FM TIA
XIR P8600 AUDIO JACK XIR P8600i (3.5 MM) SERIES		D-Shell Adjustable Earpiece	PMLN7396	Over-the-Ear	
		Replacement Coil Cord Kit for PMMN4024 and PMMN4040	RLN6074		
XiR P8200 SERIES SERIES XIR P8600i SERIES		Replacement Coil Cord Kit for PMMN4025, PMMN4046 and PMMN4050	RLN6075		
XIR P8600 EX SERIES XIR P8600i SERIES	- B results	ATEX/IECEX 3.5 mm Earpiece with Translucent Tube (RX only) for PMMN4094, PMMN4110, PMMN4102 and PMMN4113	PMLN7188	Clear Rubber Eartip	ATEX

REMOTE SPEAK	ACCESSORY  ER MICROPHONE AC	CESSORIES WITH THREADED 3.5MN	I JACK	FEATURES	
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	INTRINSIC SAFETY RATINI
		One-wire Flexible Ear Receiver, Black. Compatible with NNTN8383 only.	BDN6719	Over-the-Ear	TIA
XIR P8200 SERIES		One-wire Earpiece, Black. Compatible with NNTN8383 only.	BDN6726	Over-the-Ear	TIA
XIR P8600 XIR P8600 XIR P8600I SERIES		Extra Loud One-wire Earpiece, Black. Compatible with NNTN8383 only.	BDN6727	Over-the-Ear	TIA

COMPATIBILITY	ACCESSORY			FEATURES	
REMOTE SPEAKE	R MICROPHONE ACC	CESSORIES WITH THREADED 3.5MM J	ACK		
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	INTRINSIC SAFETY RATING
XIR P8200 SERIES XIR P8600 XIR P8600 XIR P8600 SERIES	Constant of the second	One-wire Earpiece with Clear Acoustic Tube, Black. Compatible with NNTN8383 only.	RLN5313	Rubber Eartip	TIA

COMPATIBILITY	ACCESSORY			FEATURES			
PUBLIC SAFETY N	MICROPHONE ANTE	NNAS					
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	LENGTH (CM)	TYPE
	1	UHF Public Safety Microphone Antenna for the 403-433 MHz Range	PMAE4046	UHF	403-433	9	Stubby
	Xin P8200 SERIES	UHF Public Safety Microphone Antenna for the 430-470 MHz Range	PMAE4047	UHF	430-470	9	Stubby
XiR P8200		VHF Public Safety Microphone Antenna for 136-153 MHz Range	PMAD4087	VHF	136-153	11	Whip
		VHF Public Safety Microphone Antenna for 150-174 MHz Range	PMAD4086	VHF	150-174	11	Whip



COMPATIBILITY	ACCESSORY			FEATURES								VERTICAL MAR	KETS: Recommenda	ations based on typ	ical use case for ea	ach of verticals liste	d.	
	<b>AICROPHONES</b> Delive by) to improve reception.	er the same advanced features as our Remo	te Speaker Micropho	nes and also in	ncludes an antenna			All remote sp	eaker microp	hones are b	uilt with top o	quality materia	ls including du	rable <b>Kevlar</b> ®	cables that su	rvive tough wo	rking conditio	ns.
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	WINDPORTING OR NOISE-CANCELING	CABLE LENGTH (INCH)	VOLUME CONTROL (HIGH/LOW)	PROGRAMMABLE BUTTON	AUDIO JACK (3.5mm)	IP RATING	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
		IMPRES Windporting Public Safety Microphone with 3.5mm Audio Jack, large (IP54)	PMMN4041	•	Windporting	30				IP54	FM			•		•		•
		IMPRES Windporting Public Safety Microphone with 3.5mm Audio Jack, large (IP54)	PMMN4042	•	Windporting	24			7	IP54	FM			•		•		•
		IMPRES Windporting Public Safety Microphone with 3.5mm Audio Jack, large (IP54)	PMMN4043	•	Windporting	18				IP54	FM			•		•		•
XIR P8200 SERIES (UHF/VHF only)		IMPRES Windporting Public Safety Microphone, large, submersible (IP57)	PMMN4047	•	Windporting	30				<b>♦</b> IP57	FM			•		•		
	18	IMPRES Windporting Public Safety Microphone, large, submersible (IP57)	PMMN4048	•	Windporting	24				<b>♦</b> IP57	FM			•		•		
		IMPRES Windporting Public Safety Microphone, large, submersible (IP57)	PMMN4049	•	Windporting	18				<b>♦</b> IP57	FM			•		•		



#### **HOW DOES IMPRES IMPROVE AUDIO PERFORMANCE?**

IMPRES enhances the clarity and audio quality of Motorola accessories by reducing ambient noise and improving voice intelligibility.

If you speak quietly or normally, but not directly into a microphone, IMPRES Audio detects changes in your voice and automatically adjusts the transmitted volume so your listener won't have to adjust volume up and down.


> Experience IMPRES audio

## MOTOTRBO PORTABLE RADIO ACCESSORIES


OMPATIBILITY	ACCESSORY			FEATURES							VERTICAL M	ARKETS: Recomme	endations based o	on typical use case	for each of vertica	s listed.	
SURVEILLANCE A ables that withstand	ACCESSORIES AND EA d tough conditions. A quic	ARPIECES Transmit and receive discreetly v ck-disconnect, durable and comfortable transl	vith a variety of sur ucent tube enable	veillance kits t s easy sharing	that feature a s between shifts	treamlined design an	d rugged	Two-wire kits ha Three-wire kits	ave one wire for receivin feature separate wires fo	g transmissions ar or receiving transn	d one wire with	a combined mic talk and microp	rophone and pu hone.	ısh-to-talk.			
ORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	INTELLIGENT AUDIO	EARPIECE TYPE	MICROPHONE	PTT	PROGRAMMABLE BUTTON	INTRINSIC SAFETY RATING	TRANSPORTATIO AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES
1	Married	2-wire surveillance kit with translucent tube	PMLN6530		•	Earpiece									•	•	•
XIR P3688  XIR P2000  XIR P86000  XIR P86000  XIR P86000  XIR P86000  XIR P86000  XIR P86000		1-Wire Receive-only Earpiece, Black	PMLN6125		•	Earpiece				FM TIA					•	•	•
		1-Wire Receive-only Earpiece, Beige	PMLN6126		•	Earpiece				FM TIA					•	•	•
		IMPRES 2-Wire Earhook with Earbud earpiece, Black	PMLN6127	•	•	Earpiece	Ŷ			FM TIA					•	•	•
		IMPRES 2-Wire Earhook with Earbud earpiece, Biege	PMLN6128	•	•	Earpiece	7	7	7	FM TIA					•	•	•
		1-Wire Surveillance Kit with Translucent Tube, Black	NNTN8459			Clear Rubber Eartip				TIA					•	•	•

COMPATIBILITY	ACCESSORY			FEATURES							VERTICAL MARKETS: Recommendations based on	typical use case f	for each of vertical	s listed.	
SURVEILLANCE A	ACCESSORIES AND E	ARPIECES													
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	INTELLIGENT AUDIO	EARPIECE TYPE	MICROPHONE	РТТ	PROGRAMMABLE BUTTON	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS CONSTRUCTION UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
		IMPRES 2-Wire Surveillance Kit with Translucent Tube, Black	PMLN6129	•	•	Clear Rubber Eartip	Ť		•	FM TIA			•	•	•
XIR P8200 SERIES		IMPRES 2-Wire Surveillance Kit with Translucent Tube, Beige	PMLN6130	•	•	Clear Rubber Eartip	7	7	7	FM TIA			•	•	•
		IMPRES 3-Wire Surveillance Kit with Translucent Tube, Black	PMLN6123	•	•	Clear Rubber Eartip			4.0	FM TIA			•	•	•
XIR P8600 XIR P8600i Series	6	IMPRES 3-Wire Surveillance Kit with Translucent Tube, Beige	PMLN6124	•	•	Clear Rubber Eartip				FM TIA			•	•	•
		2-Wire Surveillance Kit with Translucent Tube, Black	PMLN7269		•	Clear Rubber Eartip	4	<b>63</b> A					•	•	•
		2-Wire Surveillance Kit with Translucent Tube, Beige	PMLN7270		•	Clear Rubber Eartip							•	•	•
XIR P6600 XIR P6600 XIR P6600i SERIES		IMPRES 3-Wire Surveillance Kit with Quick Disconnect Translucent Tube, Black	PMLN6754	•	•	Clear Rubber Eartip	<b>A</b>		4.0				•	•	•
	6	IMPRES 3-Wire Surveillance Kit with Quick Disconnect Translucent Tube, Beige	PMLN6755	•	•	Clear Rubber Eartip			A STATE OF THE PARTY OF THE PAR				•	•	•
SIIM	5	1-Wire Surveillance Kit, Black	PMLN7158			Clear Rubber Eartip					•		•	•	•
SL1M SL2M SL1K SL2K	3	2-Wire Surveillance Kit, Black	PMLN7157			Clear Rubber Eartip	1	9			•		•	•	•

COMPATIBILITY	ACCESSORY			FEATURES	
SURVEILLANCE A	CCESSORY REPLACEM	MENT KITS			
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	COMPATIBLE SURVEILLANCE KITS
		Low Noise Kit with Translucent Tube and 1 Clear Rubber Eartip	RLN6242	Clear Rubber Eartip	PMLN6123 RLN4941 PMLN6124 PMLN726 PMLN6125 PMLN727 PMLN6126 PMLN675 PLMN6127 PMLN675 PMLN6128 PMLN715
XIR P3688 XIR P8600 EX SERIES	Q • b	<b>Note:</b> for High Noise Kit Solution Combine Low Noise Kit and 5080384F72 Replacement Foam Plugs	RLN6242	Foam Eartip	PMLN6129 PMLN715 PMLN6130 PMLN756 NNTN8459 PMLN718
XIR P6600 XIR P8200 XIR P6600i SERIES		Replacement Standard Clear Rubber Eartip. Pack of 50	RLN6282	Clear Rubber Eartip	PMLN5111 RLN5882 PMLN5112 RLN5883 PMLN6123 RLN4941 PMLN6124 PMLN726 PMLN6125 PMLN727
XIR P8600 SL1K XIR P8600 SL2K SERIES		Replacement Foam Plugs for RLN6242. Noise reduction = 24 dB. Pack of 50 pairs	5080384F72	Foam Eartip	<ul> <li>PMLN6126 PMLN675</li> <li>PLMN6127 PMLN675</li> <li>PMLN6128 PMLN715</li> <li>PMLN6129 PMLN715</li> <li>PMLN6130 PMLN756</li> <li>NNTN8459 PMLN718</li> </ul>
XIR P8200 XIR P8600 SERIES XIR P8600i SERIES	Western Company of the Company of th	Low Noise Kit with 1 Clear Rubber Eartip	RLN5886	Clear Rubber Eartip	RLN5882 RLN5883 PMLN5111 PMLN5112
XIR E8600i SERIES XIR P6600 / XIR P6600i SERIES SL1K / SL2K	9	Replacement Standard Clear Rubber Eartip. Pack of 10 (replacement for PMLN5724/PMLN5726 and PMLN5957)	67009254001	Clear Rubber Eartip	PMLN5724 PMLN5726 PMLN5957
XIR E8600i SERIES XIR P6600 / XIR P6600i SERIES	C may	Replacement Quick Disconnect Translucent Tube with 1 Clear Rubber Eartip (replacement for PMLN5724/26)	HKLN4608	Clear Rubber Eartip	PMLN5724 PMLN5726
SL1K SL2K	5	Replacement Quick Disconnect Translucent Tube with 1 Clear Rubber Eartip (replacement for PMLN5957)	PMLN6175	Clear Rubber Eartip	PMLN5957



COMPATIBILITY	ACCESSORY	FMFNIT WITO		FEATURES	
PORTABLE RADIOS	DESCRIPTION	EMENI KIIS	PART NUMBER	EARPIECE TYPE	COMPATIBLE SURVEILLANCE KITS
		Small Custom Earpiece - Right Ear	RLN4760	Clear, Comfortable Earpiece	
ı		Medium Custom Earpiece - Right Ear	RLN4761	Clear, Comfortable Earpiece	
		Large Custom Earpiece - Right Ear	RLN4762	Clear, Comfortable Earpiece	RLN6242
XiR P3688		Small Custom Earpiece - Left Ear	RLN4763	Custom Earpiece	
XIR P8200 SERIES		Medium Custom Earpiece - Left Ear	RLN4764	Custom Earpiece	
XIR P8600 XIR P8600i SERIES		Large Custom Earpiece - Left Ear	RLN4765	Custom Earpiece	
SL1K SL2K		Clear EP7-Small Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction =28 dB	RLN6511	Comply <sup>™</sup> foam eartip	RLN5313 PMLN6128 RLN5314 PMLN6129
		Clear EP7-Medium Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction =28 dB	RLN6512	Comply <sup>™</sup> foam eartip	RLN4941 PMLN6130 NNTN8459 PMLN7269 RLN5882 PMLN7270 RLN5883 PMLN6754 PMLN6123 PMLN6755 PMLN6124 PMLN7157 PMLN6125 PMLN7158 PMLN6126 PMLN7560
		Clear EP7-Large Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction =28 dB	RLN6513	Comply™ foam eartip	PMLN6127 RLN6242



#### **OPTIMIZED FOR DIGITAL**

Make sure to only use Motorola approved and certified MOTOTRBO audio accessories, as these accessories have been optimized for performance in both digital and analog modes. You may experience chopper noise if Motorola digital approved accessories are not used.

21

> See what Chopper Noise sounds like

COMPATIBILITY	ACCESSORY			FEATURES				VERTICA use case	AL MARKETS: Recome for each of verticals	mendations base s listed.	ed on typical
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	MICROPHONE	РТТ	INTRINSIC SAFETY RATING	PRIVATE SECURITY	MANUFACTURING AND CONSTRUCTION	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
XIR P6600 XIR P66001 SERIES		Adjustable D-Style Earpiece with In-Line Microphone and Push-To-Talk, Black	PMLN6757	Adjustable D-Style	In-Line	In-Line		•	•	•	•
XIR P8200 SERIES XIR P8600 XIR P8600i SERIES		D-Style Earset with Boom Microphone and In-Line Push-To-Talk	PMLN5096	D-Style	Boom	In-Line	FM TIA	•	•	•	•
SL1M SL2M SL1K SL2K	Res	Swivel Earpiece with In-Line Microphone and Push-To-Talk	PMLN7189	Over-the-Ear	In-Line	In-Line		•		•	•
SL1K SL2K		Adjustable D-style Earpiece with In-Line Microphone and Push-To-Talk, Black	PMLN7159	Adjustable D-Style	In-Line	In-Line		•		•	•
MAG ONE™ EARP	PIECES										
SL1M SL2M	12	Mag One Earbud with In-Line Microphone and Push-To-Talk, Black	PMLN7156	Earbud	In-Line	In-Line		•		•	•
		Mag One Earpiece with In-Line Microphone and Push-To-Talk	PMLN6531	Over-the-Ear	In-Line	In-Line		•		•	•
1	C	Mag One Earbud with Microphone and Push-to-Talk	PMLN6533	Earbud	Boom	In-Line		•		•	•
		Mag One Earbud with In-Line Microphone and Push-To-Talk	PMLN6534	Earbud	Boom	In-Line		•		•	•
XIR P3688		Shell earpiece with in-line microphone and Push-to-Talk	PMLN6535	Over-the-Ear	Boom	In-Line		•		•	•
		Mag One Earset with Boom microphone and Push-To-Talk	PMLN6537	Over-the-Ear	Boom	In-Line		•		•	•
		Mag One Earbud with In-Line Microphone and Push-To-Talk	PMLN5733	Earbud	In-Line	In-Line		•		•	•
XIR E8600i SERIES		Mag One Swivel Earpiece with In-Line Microphone and Push-To-Talk	PMLN5727	Over-the-Ear	In-Line	In-Line		•		•	•
XIR P6600 XIR P6600i SERIES		Mag One Earset with Boom Microphone and In-Line Push-To-Talk	PMLN5732	Earset	Boom	In-Line		•		•	•



#### **HOW DO TEMPLE TRANSDUCERS WORK?**

These headsets use transducers that rest on your temple to convert audio into sound vibration and transmit it to your inner ear. If you're using hearing protection or directing heavy traffic, you can hear the audio from your radio and the surrounding environment. Since the transducer sits in front of your ears, you can also wear earplugs and still hear the radio.

COMPATIBILITY	ACCESSORY			FEATURES					MARKETS: Recomn for each of verticals		ed on typical
MAG ONE™ EARP	PIECES										
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	INTRINSIC SAFETY RATING	PRIVATE SECURITY	MANUFACTURING AND CONSTRUCTION	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
	3	Mag One Earbud with In-Line Microphone and Push-To-Talk	PMLN6069	Earbud	In-Line	In-Line		•		•	•
	100	Mag One Flexible Earpiece with In-Line Microphone and Push-To-Talk	PMLN5973	Over-the-Ear	In-Line	In-Line		•		•	•
XIR P8600 XIR P8600i SERIES	2	Mag One Swivel Earpiece with In-Line Microphone and Push-To-Talk	PMLN5975	Over-the-Ear	In-Line	In-Line		•		•	•
		Mag One Earset with Boom Microphone and In-Line Push-To-Talk	PMLN5976	Earset	In-Line	In-Line		•		•	•



COMPATIBILITY	ACCESSORY			FEATURES									VEDTICAL MAD	KETS: Recommend	ations based	tunical uso assa	for each of	rticala liatad	
	ACCESSORY			FEATURES									VENTICAL IVIAN	KE13: Neconilliena	auons Daseu on	typical use case	ioi eacii oi ve	rucais listeu.	
HEADSETS																			
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	HEADSET TYPE	EARPIECE STYLE	IMPRES	INTELLIGENT AUDIO	NOISE REDUCTION RATING	MICROPHONE	РТТ	WEIGHT	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
	6	Lightweight Over-the-Head Headset Single Muff with In-Line Push-To-Talk and Boom Microphone	PMLN6635	Over-the-Head	Single-Ear				Boom	In-Line	Lightweight	TIA		•	•		•	•	•
a.A.		Heavy Duty Behind-the-Head Headset with Noise-Canceling Boom Microphone (See user guide for replacement parts)	PMLN6760	Behind-the-Head	Dual-Muff		•	24 dB	Boom	On Ear Cup	Heavy Duty		•	•	•	•			
XIR P6600 XIR P6600i SERIES		Heavy Duty Behind-the-Head Headset with Noise-Canceling Boom Microphone	PMLN6763	Behind-the-Head	Dual-Muff		•	24 dB	Boom	On Ear Cup	Heavy Duty	TIA	•	•	•	•			
	8	Heavy Duty Over-the-Head Headset with Noise-Canceling Boom Microphone (See user guide for replacement parts)	PMLN7464	Over-the-Head	Dual-Muff		•	24 dB	Boom	On Ear Cup	Heavy Duty		•	•	•	•			
XIR E8600i SERIES	6	Heavy Duty Over-the-Head Headset with Noise-Canceling Boom Microphone (See user guide for replacement parts)	PMLN7465	Over-the-Head	Dual-Muff		•	24 dB	Boom	On Ear Cup	Heavy Duty	TIA	•	•	•	•			
1		Mag One behind-the-head-style receiver with boom microphone and in-line Push-To-Talk	PMLN6542	Behind-the-Head	Single-Ear		•		Boom	In-Line	Ultra Lightweight			•	•		•	•	•
	\$	Mag One Ultra-Lite Behind-the-Head Headset (Replacement parts: 6104000K01— Windscreen; 4204005K01—Clothing clip)	PMLN6761	Behind-the-Head	Single-Ear		•		Boom	In-Line	Ultra Lightweight			•	•		•	•	•
XiR P3688 XiR P6600 XiR P6600i SERIES		IMPRES Temple Transducer with Boom Microphone and In-Line Push-To-Talk	PMLN6759	Behind-the-Head	Bone Conduction	•	•		Boom	In-Line	Lightweight		•	•	•		•	•	•

COMPATIBILITY	ACCESSORY			FEATURES									VERTICAL MAR	KETS: Recommend	lations based on	ypical use case	for each of ve	rticals listed.	
HEADSETS																			
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	HEADSET TYPE	EARPIECE STYLE	IMPRES	INTELLIGENT AUDIO	NOISE REDUCTION RATING	MICROPHONE	РТТ	WEIGHT	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	
Ī		Heavy Duty Behind-the-Head Headset with Noise-Canceling Boom Microphone (See user guide for replacement parts)	PMLN6852	Behind-the-Head	Dual-Muff		•	24 dB	Boom	On Ear Cup	Heavy Duty		•	•	•	•			
		Heavy Duty Over-the-Head Headset with Noise-Canceling Boom Microphone (See user guide for replacement parts)	PMLN7466	Over-the-Head	Dual-Muff		•	24 dB	Boom	On Ear Cup	Heavy Duty		•	•	•	•			
XIR P8200 SERIES		IMPRES Temple Transducer Headset	PMLN5101	Behind-the-Head	Bone Conduction	•	•		Boom	In-Line	Lightweight	FM	•	•	•	•	•		•
		Lightweight Over-the-Head Headset	RMN5058	Over-the-Head	Single-Ear		•		Boom	In-Line	Lightweight	FM TIA		•	•		•	•	•
XIR P8600 XIR P8600i Series		Ultra-Lite Behind-the-Head Headset (Replacement parts: 6104000K01-Windscreen; 4204005K01-Clothing clip)	PMLN5102	Behind-the-Head	Single-Ear		•		Boom	In-Line	Ultra Lightweight	FM TIA		•	•		•	•	•
		Heavy Duty Behind-the-Head Headset with Noise-Canceling Boom Microphone (See user guide for replacement parts)	PMLN6853	Behind-the-Head	Dual-Muff		•	24 dB	Boom	On Ear Cup	Heavy Duty	TIA	•	•	•	•			
XIR P8600 XIR P8600 SERIES		Heavy Duty Over-the-Head Headset with Noise-Canceling Boom Microphone (See user guide for replacement parts)	PMLN7467	Over-the-Head	Dual-Muff		•	24 dB	Boom	On Ear Cup	Heavy Duty	TIA	•	•	•	•			
TACTICAL HEADS	SETS																		
- 1		Tactical PTT Only Interface Module	PMLN6827										•	•	•		•		•
XIR P8200 SERIES	6	Tactical Temple Transducer with Noise- Canceling Boom Microphone (requires interface module PMLN6827)	PMLN6833	Over-the-Head	Bone Conduction				Boom	Interface module PMLN6827	Heavy Duty		•	•	•		•		•
		Tactical Remote Body PTT (for use with interface module PMLN6827)	PMLN6767										•	•	•		•		•
XIR P8600 XIR P8600i SERIES		Tactical Remote Ring PTT (for use with interface module PMLN6827)	PMLN6830										•	•	•		•		•
MAG ONE™ HEAD	SETS																		
m A W	1	Mag One Lightweight Over-the-Head Headset	PMLN5974	Over-the-Head	Single-Ear				Boom	In-Line	Lightweight			•	•		•	•	•
XIR P8600 XIR P8600i SERIES	6	Mag One Ultra-Lite Behind-the-Head Headset	PMLN5979	Behind-the-Head	Single-Ear				Boom	In-Line	Ultra Lightweight			•	•		•	•	•

COMPATIBILITY	ACCESSORY			FEATURES							VERTICAL MARK	(ETS: Recommendation	ns based on typical (	use case for each of	verticals listed.		
HEAVY DUTY HE	ADSETS																
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	HEADSET TYPE	CONNECTOR TYPE	SPEAKER	SIGNAL NOISE RATING (SNR)	MICROPHONE	PTT	INTRINSIC SAFETY RATING		MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
		Heavy Duty Headset with Over-The-Head Headband and Boom Microphone (ATEX)	PMLN6087	Over-the-Head	Nexus	Dual-Ear	SNR=33 dB H=33 dB M=31 dB L=23 dB	Boom	Requires RSM PMMN4094 or PMMN4110 OR Adapter PMLN6368 or PMLN6803	ATEX	•	•	•	•			
		Heavy Duty Headset with Helmet Attachment and Boom Microphone (ATEX)	PMLN6092	Helmet Attach	Nexus	Dual-Ear	SNR=32 dB H=33 dB M=32 dB L=24 dB	Boom	Requires RSM PMMN4094 or PMMN4110 OR Adapter PMLN6368 or PMLN6803	ATEX	•	•	•	•			
		Twin Cup Heavy Duty Headset with Helmet Attachment, Boom Microphone and Extra High-Attenuating Twin Shells (ATEX)	PMLN6333	Helmet Attach	Nexus	Dual-Ear	SNR=33 db H=33 db M=31 db L=24 db	Boom	Requires RSM PMMN4094 or PMMN4110 OR Adapter PMLN6368 or PMLN6803	ATEX	•	•	•	•			
		Tactical Heavy Duty Headset with Over-The-Head Headband and Boom Microphone, Includes Volume Control (ATEX)	PMLN6090	Over-the-Head	Nexus	Dual-Ear	SNR=30 dB H=33 dB M=28 dB L=20 dB	Boom	Requires RSM PMMN4094 or PMMN4110 OR Adapter PMLN6368 or PMLN6803	ATEX	•	•	•	•			
XIR P8600 EX SERIES		Tactical Heavy Duty Headset with Helmet Attachment and Boom Microphone, Includes Volume Control (ATEX)	PMLN6089	Helmet Attach	Nexus	Dual-Ear	SNR=31 dB H=32 dB M=29 dB L=20 dB	Boom	Requires RSM PMMN4094 or PMMN4110 OR Adapter PMLN6368 or PMLN6803	ATEX	•	•	•	•			
		Tactical Heavy Duty Headset with Neck Band and Boom Microphone and Volume Control (ATEX)	PMLN7535	Over-the-Head	Nexus	Dual-Ear	SNR=33 dB H=35 dB M=31 dB L=23 dB		Requires RSM PMMN4094 or PMMN4110 OR Adapter PMLN6368 or PMLN6803	ATEX	•	•	•	•			
	3	HC-1 Helmet-COM Bone Conduction Microphone with Single Speaker (ATEX)	RMN5123	Helmet Attach	Bone Conduction	Single-Ear			Requires RSM PMMN4094 or PMMN4110 OR Adapter PMLN6368 or PMLN6803	ATEX	•	•	•	•			
		HC-2 Helmet-COM Bone Conduction Microphone with Dual Speaker (ATEX)	GMMN4580	Helmet Attach	Bone Conduction	Dual-Ear			Requires RSM PMMN4094 or PMMN4110 OR Adapter PMLN6368 or PMLN6803	ATEX	•	•	•	•			

COMPATIBILITY	ACCESSORY		
AUDIO ACCESSOR	RY ADAPTERS		
PORTABLE RADIOS	DESCRIPTION		PART NUMBER
XIR P8600 EX SERIES		ATEX Push-to-Talk Adapter, must be ordered with any Heavy Duty Headset	PMLN6368







COMPATIBILITY	ACCESSORY				FEATURES							VERTICAL MARK	<b>(ETS:</b> Recommendat	ions based on typi	cal use case for	each of vertica	als listed.	
3M PELTOR HEAD	DSETS																	
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	PELTOR PART NUMBER	HEADSET TYPE	CONNECTOR TYPE	SPEAKER	NOISE REDUCTION RATING (NRR)	MICROPHONE	PTT (MOTOTRI	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSE)
XIR P8200 SERIES XIR P8600 XIR P8600 SERIES		MT Series Hard Hat Attached Headset, Direct Radio Connect (XiR P8200 Series is not TIA approved)	RMN5139		Hard Hat Attached	Connects directly to Radio	Dual-Ear	21 dB	Boom	On Ear Cu	o TIA	•	•	•	•			
PTT ADAPTER CO	ONFIGURATIONS																	
XIR P8200 XIR P8600 XIR P8600 SERIES		PTT Nexus Adapter	PMLN6095	FL5063-34	N/A	N/A	N/A	N/A	N/A	N/A		•	•	•	•			
COMPATIBILITY	ACCESSORY				FEATURES							VERTICAL MARKET	S: Recommendation	s based on typical	use case for eac	ch of verticals l	listed.	
3M PELTOR HEAD	DSETS – RSM CONFI	GURATIONS								_	_							
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	PELTOR PART NUMBER	HEADSET TYPE	CONNECTOR TYPE	SPEAKER		REDUCTION NG (NRR)	MICROPHONE	PTT (MOTOTRBO)	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS		HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES
XIR E8600i SERIES XIR P6600 SERIES SERIES		HT Series Listen Only Neckband Headset with 3.5mm NON Threaded Connector	RMN5132	HTM79B-34	Neckband	3.5mm NON threaded	Dual-Ear	24	4 dB (	(Listen-Only)	MOTOTRBO radios require RSM: PMMN4024, PMMN4025, PMMN4041,	•	•	•	•			
XiR P8200 XiR P8600		HT Series Listen Only Hard Hat Attached Headset with 3.5mm NON Threaded Connector	RMN5133	HTM79P3E-34	Hard Hat Attached	3.5mm NON threaded	Dual-Ear	23	3 dB (	(Listen-Only)	PMMN4042, PMMN4043, PMMN4050, PMMN4071, PMMN4073 or PMMN4076	•	•	•	•			

COMPATIBILITY	ACCESSORY			
HEADSET REPLAC	EMENT PARTS			
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	PELTOR PART NUMBER
XIR P8200 SERIES XIR P8600 XIR P8600I SERIES		Earmuff Hygiene Kit Black Earseals	RLN4923	HY79

COMPATIBILITY	ACCESSORY			FEATURES	
HEARING PROTE	CTION ACCESSORIE	S – CAN BE USED ALONE OR IN CON	JUNCTION WITH	HEAVY-DUTY HEADSE	TS
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	COMPATIBLE SURVEILLANCE KITS
l i		Clear EP7-Small Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28 dB	RLN6511	Comply™ foam eartip	RLN5313, RLN5314, RLN4941, NNTN8459, RLN5882, RLN5883,
		Clear EP7-Medium Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28 dB	RLN6512	Comply <sup>™</sup> foam eartip	PMLN6123, PMLN6124, PMLN6125, PMLN6126, PMLN6127, PMLN6218, PMLN6129, PMLN6130,
XIR P8200 XIR P8600 SERIES XIR P8600i SERIES		Clear EP7-Large Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28 dB	RLN6513	Comply™ foam eartip	RLN4941, PMLN7269, PMLN7270, PMLN6754, PMLN6755, PMLN7560



OMPATIBILITY	ACCESSORY			FEATURES												VERTICAL MA	RKETS: Recomme	ndations based o	n typical use case	e for each of ver	ticals listed.	
		LUETOOTH® ACCESSORIES the flexibility to remove the radio from your	r belt and stay con	nected within 3	0 feet.					Note: Blue	tooth is emb	oedded in t	he radio u	nless other	wise indi	cated and the	n requires a s	eparate exte	rnal adapter			
ORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	DIMENSIONS (MM) H X L X D	OPERATIONS CRITICAL/ ENHANCED OPERATIONS CRITICAL	TOUCH/ STANDARD PAIRING	RANGE (FEET LINE OF SIGHT)	IP RATING	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATIO (CAMPUS)
XIR P8200 SERIES*		Operations Critical Wireless Bluetooth Adapter	PMLN5712	N/A	N/A	On Adapter			30	65 x 22 x 20	Operations Critical	Standard		<b>♦</b> IP57		•	•	•		•	•	•
1 1	SERIES*	Operations Critical Wireless Remote Speaker Microphone with Battery and Belt Clip (see page 74 for charger and power supplies)	RLN6561	N/A	Omni directional, Windporting equivalent	On Microphone	28	3	158	88 x 63 x 26	Operations Critical	Touch	30	IP54		•	•	•		•	•	•
		Operations Critical Wireless Remote Speaker Microphone with Battery and Belt Clip and Dual Unit Charger (US plug)	RLN6562	N/A	Omni directional, Windporting equivalent	On Microphone	28	3	158	88 x 63 x 26	Operations Critical	Touch	30	IP54		•	•	•		•	•	•
XIR P8600 SERIES* XIR P8600 XIR P8600i SERIES		Operations Critical Wireless Remote Speaker Microphone with Battery and Belt Clip and Dual Unit Charger (AU/NZ plug)	PMLN7669	N/A	Omni directional, Windporting equivalent	On Microphone	28	3	158	88 x 63 x 26	Operations Critical	Touch	30	IP54		•	•	•		•	•	•
		XBT Operations Critical Wireless Behind-the-Neck Headset	RLN6490	Dual-Muff	Boom	On Ear Cup	22	7	429		Operations Critical	Standard	30	IP54		•	•	•				
XIR P8200 XIR P8600 SERIES XIR P8600 SERIES SERIES	8.	XBT Operations Critical Wireless Headband Style Headset	RLN6491	Dual-Muff	Boom	On Ear Cup	22	7	422		Operations Critical	Standard	30	IP54		•	•	•				

<sup>\*</sup> Bluetooth is not embedded in radio. Separate external adapter is required.



#### **HOW DO OPERATIONS CRITICAL WIRELESS ACCESSORIES HELP ME?**

They free you from being physically connected to the radio. This means a line worker can put the radio on a shelf and communicate. A receptionist can place her radio out of sight and confer unobtrusively with staff while welcoming guests. Or a sports trainer can leave the radio in a medical bag while he tends to injured athletes on the field.

> <u>See Operations Critical Wireless Accessories in action</u>

#### **MOTOTRBO PORTABLE RADIO ACCESSORIES**

COMPATIBILITY																VERTICAL MA	RKETS: Recommen	dations based o	n typical use case	for each of ve	rticals listed.	
OPERATIONS CRI	TICAL WIRELESS BL	UETOOTH® ACCESSORIES								Note: Blue		edded in t	he radio u	nless oth	erwise indi	cated and the	n requires a se	eparate exte	rnal adapter.			
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	MICROPHONE	РТТ	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	DIMENSIONS (MM) HXLXD	OPERATIONS CRITICAL/ ENHANCED OPERATIONS CRITICAL	TOUCH/ STANDARD PAIRING	RANGE (FEET LINE OF SIGHT)	IP RATING	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS		UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY ANI RETAIL	D EDUCATION (CAMPUSES)
XiR P8200 XiR P8600 SERIES** XiR P8600i SERIES		Operations Critical Wireless Push-To-Talk Pod without Charger (see page 40 for power supplies)	NNTN8191	N/A	N/A	On PTT Pod	10	3	43	70 x 41 x 25	Operations Critical	Standard	30	IP54	FM	•	•	•		•	•	•
SL1K SL2K		Operations Critical Wireless Push-To-Talk Pod (with US charger)	NNTN8127	N/A	N/A	On PTT Pod	10	3	43	70 x 41 x 25	Operations Critical	Standard	30	IP54	FM	•	•	•		•	•	•
		Operations Critical Wireless Push-To-Talk Pod without Charger with 12 inch cable (see page 40 for power supplies)	NNTN8189	N/A	N/A	On PTT Pod	10	3	43	70 x 41 x 25	Operations Critical	Standard	30	IP54	FM	•	•	•		•	•	•
XIR E86001 SL2M XIR P6600 SL1K XIR P66001 SL2K SERIES XIR P6600 XIR P86001 SERIES	A	Operation Critical Wireless Bluetooth Earpiece with PTT	PMLN7851	Over-the-Ear (Swivel)	Boom	On Boom Mic	8	3	23	107 x 72 x 26	Operations Critical	Standard	30			•	•	•		•	•	•
1 1	(I)C	Bluetooth Accessory Kit with Swivel Earpiece and Battery Clip	PMLN6463	Over-the-Ear (Swivel)	In-line	Radio only*	8		18	Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16	Operations Critical	Standard	30			•	•	•		•	•	•
		Bluetooth Accessory Kit with Flexible Earpiece, Bluetooth Pod and Charging Cradle	PMLN7181	Over-the-Ear (Swivel)	Boom	Radio only*	8		18	Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16	Operations Critical	Standard	30			•	•	•		•	•	•
XIR P8200 XIR P8600 SERIES** XIR P8600 SERIES		Operations Critical Wireless 1-Wire Surveillance Kit with Translucent Tube	PMLN7052	Clear Rubber Eartip	In-line	On Pod (order separately)					Operations Critical and Enhanced Operations Critical					•	•	•		•	•	•
SLIK SL2K		Operations Critical Wireless Earbud with 11.5 inch Cable	NNTN8294	Earbud	In-line	On Pod (order separately)	10				Operations Critical and Enhanced Operations Critical					•	•	•		•	•	•

<sup>\*</sup>Note: PTT on radio or with separate wireless PTT

<sup>\*\*</sup> Bluetooth is not embedded in radio. Separate external adapter is required.



# BLEND IN PERFECTLY WITH YOUR ENVIRONMENT



> Experience the Completely
Discreet Wireless Kit



## MOTOTRBO PORTABLE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY			FEATURES								VERTICAL MA	RKETS: Recomn	nendations based	on typical use case	e for each of ver	ticals listed.	
OPERATIONS CR	ITICAL WIRELESS BLU	JETOOTH® ACCESSORIES						Note: Bluetooth is embe	edded in the ra	dio unless oth	erwise ind	icated and the	en requires	a separate e	kternal adapte	er.		
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	TALK TIME CHARGE (HOURS) TIME (GRAMS) (GRAMS)	DIMENSIONS OPERATIONS (MM) CRITICAL / ENHANCED H X L X D OPERATIONS CRITICAL	STANDARD (FEET	ANGE LINE OF IP RATING IGHT)	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURIN AND CONSTRUCTION	DITELLE CEDVIC	E OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
1 :	3	Operations Critical Wireless Earbud with 45 inch Cable	NNTN8295	Earbud	In-line	On Pod (order separately)	10	Operations Critical and Enhanced Operations Critical				•	•	•		•	•	•
XIR P8200 SERIES** XIR P8600 SERIES SERIES		Wireless Covert Kit (includes 2 sets of two-wire earbud (1 black and 1 white), a single-wire black earbud and a 3.5mm adapter to plug in any consumer off-the- shelf headphones)	NNTN8296	Earbud	In-line	On Pod (order separately)		Operations Critical and Enhanced Operations Critical								•		
SERIES	~~@	Swivel Earpiece with In-line microphone Multi-Pack (3 pack) for MOTOTRBO Bluetooth Accessory Kit	RLN6550	Over-the-Ear (Swivel)	Boom	Radio Only*		Operations Critical				•	•	•		•	•	•
SL1K SL2K		Flexible Fit Swivel Earpiece with Boom Microphone Multi-Pack (3 pack) for MOTOTRBO Bluetooth Accessory Kit	PMLN7203	Over-the-Ear (Swivel)	Boom	Radio Only*		Operations Critical				•	•	•		•	•	•
ENHANCED OPER	RATIONS CRITICAL WI	IRELESS		1				Note: Bluetooth is embe	edded in the ra	dio unless oth	erwise ind	icated and the	en requires	a separate e	kternal adapte	er.		
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	TALK TIME CHARGE (HOURS) TIME (GRAMS)	DIMENSIONS OPERATIONS (MM) CRITICAL/ENHANCED H X L X D OPERATIONS CRITICAL	STANDARD (FEET	ANGE LINE OF IP RATING IGHT)	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURIN AND CONSTRUCTION	DITELLE CEDVIC		PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
OPERATIONS CR	ITICAL WIRELESS CON	MPLETELY DISCREET KIT Must order a	all 3 items for the	complete solu	ition - PMLN76	96, NNTN838	5 and NNTN8127											
		Completely Discreet Earpiece Kit (includes RLN4920 Phonak Inductive Neckloop and RLN4921 Phonak Phonito)	PMLN7696		On Y-adapter order separately	On Pod (order separately)		Operations Critical o Operations Critical and Enhanced Operations Critical	r							•		
		Wireless Neckloop Y-adapter and Retention Hook	NNTN8385		Separate wire	On Pod (order separately)		Operations Critical o Operations Critical and Enhanced Operations Critical	r							•		
XIR P8200 SL1M SERIES* SL2M (EXCEPT XIR P8200)		Operations Critical Wireless Push-to-Talk Pod (see page 40 for power supplies)	NNTN8127	(	On Y-adapter order separately	On PTT Pod		Operations Critical Operations Critical								•		

<sup>\*</sup>Note: PTT on radio or with separate wireless PTT

<sup>\*\*</sup> Bluetooth is not embedded in radio. Separate external adapter is required.

COMPATIBILITY  OPERATIONS CRI	ACCESSORY TICAL WIRELESS REP	LACEMENT PARTS	
PORTABLE RADIOS	DESCRIPTION		PART NUMBER
	5	Replacement Wireless Earpiece 12 inch Cable for NNTN8189	NTN2572
	0000000000	Ear Strap for Comport Earpiece (pack of 10)	NTN8988
XIR P8200 SERIES		Swivel clip for Operations Critical and Enhanced Operations Critical Wireless Pods	PMLN6246
		Replacement or Spare Micro-USB Plug-in Charger for Wireless Pod (US plug)	PS000042A11
XIR P8600 XIR P8600i SERIES		Replacement or Spare Micro-USB Plug-in Charger for Wireless Pod (AU/NZ)	PS000042A14
SL1K SL2K		Replacement or Spare Micro-USB Plug-in Charger for Wireless Pod (EU/UK)	PS000042A13
		Replacement or Spare Micro-USB Plug-in Charger for Wireless Pod (PRC)	PS000042A16
		Replacement or Spare Micro-USB Plug-in Charger for Wireless Pod (Korea)	PS000042A17
		Replacement or Spare Micro-USB Plug-in Charger for Wireless Pod (EU)	PS000042A12
	200	Neckloop retention hook (pack of 10)	NNTN8457
Xir P8200 SERIES* (EXCEPT Xir P8200)		Replacement Phonak Inductive Neckloop for PMLN7696	RLN4920

COMPATIBILITY	ACCESSORY		
OPERATIONS CR	ITICAL WIRELESS R	EPLACEMENT PARTS	
PORTABLE RADIOS	DESCRIPTION		PART NUMBER
XIR P8200 SERIES*		Replacement Phonak Nano Ear Receiver, brown* for PMLN7696	GMLN5262
XIR P8200 SERIES* (EXCEPT XPR 6100) SL1M SL2M	<i>&gt;</i>	Replacement Phonak Nano Ear Receiver, beige* for PMLN7696	GMLN5261
		Replacement 1.4 Volt Battery for PMLN7696 (pack of 6)	RNN4005
		Replacement Universal 5V Power Supply for XBT Headsets	RLN6498
XIR P8200 SERIES*		Replacement Hygiene Kit for XBT Headsets	RLN6497
		Replacement Cooling Pads for XBT Headsets	RLN6496
XIR P8600 XIR P8600i SERIES	•	Replacement Boom Microphone for XBT Headsets	RLN6495
SL1K SL2K		Replacement Swivel Earpiece with Inline Microphone (pack of 3) for RLN6500	PRLN6550

\* Bluetooth is not embedded in radio. Separate external adapter is required.

Note: XiR P8600/XiR P8600i and SL1K/SL2K portable radios have Bluetooth embedded in the radio and do not require a separate external adapter. XiR P8200 Series require separate external adapter for Bluetooth.



<sup>\*</sup> Bluetooth is not embedded in radio. Separate external adapter is required.

Note: XiR P8600/XiR P8600i and SL1K/SL2K portable radios have Bluetooth embedded in the radio and do not require a separate external adapter. XiR P8200 Series require separate external adapter for Bluetooth.

COMPATIBILITY  MOTOROLA ORIG	ACCESSORY  INAL® TWO-WAY RA	ADIO BATTERIES The only batteries develor be test after lab test, to withstand shocks, kno	oped, tested and ce	FEATURES	rformance with y	our MOTOTRB	O radio.			
PORTABLE RADIOS	DESCRIPTION	o test arei Tau test, to withstand shocks, kno	PART NUMBER	IMPRES	CHEMISTRY	TYPICAL RATED CAPACITY (mAh)	DIMENSIONS (MM) H X L X D	WEIGHT (GRAMS)	INTRINSIC SAFETY RATING**	IP RATING
XIR P3688	n •	Motorola Original Li-Ion 2250mAh Battery	NNTN4497		Li-lon	2250	119 x 60 x 23	135		<b>≬</b> IP54
		IMPRES Li-Ion 1700mAh IP57 Battery	PMNN4066	•	Li-lon	1700	129 x 55 x 21	145		<b>♦ IP57</b>
1		IMPRES Li-Ion 1400mAh IP57 FM Battery	PMNN4069	•	Li-lon	1400	129 x 55 x 23	155	FM	<b>♦ IP57</b>
XIR P8200 SERIES		IMPRES Li-lon 2400mAh IP57 Battery	PMNN4077	•	Li-lon	2400	129 x 55 x 23	155		<b>♦ IP57</b>
SERIES		NiMH 1400 mAh Battery	NNTN4851		NiMH	1400	111 x 60 x 34	138		IP54
	10	Li-lon 1700 mAh Battery	NNTN4970		Li-lon	1700	120 x 57 x 19			IP54
XIR P6600 XIR P6600 SERIES		Motorola Original Li-lon 2450mAh IP68 Battery	PMNN4543		Li-lon	2450	113 x 52 x 23	149		<b>♦ IP68</b>
XIR P8600 XIR P8600I SERIES		IMPRES Li-Ion 2450mAh IP68 Battery	PMNN4544	•	Li-lon	2450	113 x 52 x 23	150		<b>● IP68</b>




# WHAT IS THE LONG-LIFE COLD TEMPERATURE BATTERY?

The Motorola Original® Long-Life Cold Temperature Lithium Manganese battery has up to 1000 full charge/discharge cycles and is rated to withstand extreme temperatures down to -30 degrees C. Maintenance-free and lightweight, this battery does not require reconditioning or hazardous waste disposal.



COMPATIBILITY	ACCESSORY			FEATURES						
MOTOROLA ORIG	INAL® TWO-WAY RA	DIO BATTERIES The only batteries develo test after lab test, to withstand shocks, knoc	ped, tested and cer ks. drops and shak	rtified for optimal pe es and outperform t	erformance with y the other brands.	our MOTOTRB	O radio.			
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	CHEMISTRY	TYPICAL RATED CAPACITY (mAh)	DIMENSIONS (MM) H X L X D	WEIGHT (GRAMS)	INTRINSIC SAFETY RATING	IP RATING
	•	IMPRES Li-Ion 2100mAh IP68 Battery	PMNN4491	•	Li-lon	2100	113 x 52 x 18	135		<b>♦ IP68</b>
XIR P6600 XIR P6600 XIR P6600i SERIES		IMPRES Li-Ion 3000mAh IP68 Battery	PMNN4493	•	Li-lon	3000	113 x 52 x 23	155		<b>♦ IP68</b>
XiR P8600 XIR P8600i SERIES		IMPRES Li-lon 3000mAh IP68 Battery (for use with Silent Alert Belt Clip PMLN7296)	PMMN4488	•	Li-lon	3000	113 x 52 x 23	155		<b>♦ IP68</b>
		IMPRES Li-Ion 1950mAh IP68 -30°C Battery	PMNN4525	•	Li-lon	1950	113 x 52 x 23	150		<b>♦ IP68</b>
		IMPRES Li-lon 2350mAh IP67 FM Battery	NNTN8129	•	Li-lon	2350	113 x 52 x 23	150	FM	<b>♦ IP67</b>
XIR P8600 SERIES		IMPRES Li-lon 2500mAh IP67 TIA4950 Battery	NNTN8560	•	Li-lon	2500	113 x 52 x 23	195	TIA	<b>♦</b> IP67


#### ONLY IMPRES BATTERIES CAN BE CHARGED 150 TIMES MORE THAN STANDARD BATTERIES AND LAST 43% LONGER




**CHARGE CYCLES** 

# HOW DO IMPRES BATTERIES AND CHARGERS SAVE MONEY?

They reduce the number of spare batteries you buy and increase the time before you need replacements. Only IMPRES batteries can be charged 150 additional times versus a standard battery — a 43% increase in charge cycles. If you charge radios two to three times a week, you'll get more than an extra year out of every IMPRES battery.



COMPATIBILITY	ACCESSORY			FEATURES						
MOTOROLA ORIG MOTOTRBO batteries	SINAL® TWO-WAY R. s are Proven Tough, in la	ADIO BATTERIES The only batteries develo ab test after lab test, to withstand shocks, knoc	ped, tested and ce ks, drops and shak	rtified for optimal po es and outperform	erformance with y	your MOTOTRB	30 radio.			
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	CHEMISTRY	TYPICAL RATED CAPACITY (mAh)	DIMENSIONS (MM) H X L X D	WEIGHT (GRAMS)	INTRINSIC SAFETY RATING	IP RATING
XIR P8600i SERIES	٠	IMPRES Li-Ion 2900mAh IP68 TIA4950 Battery	PMNN4489	•	Li-lon	2900	113 x 52 x 23	210	TIA	<b>●</b> IP68
XIR P6600 XIR P6600i SERIES	و نود	IMPRES Li-Ion 2900mAh IP68 Battery	PMNN4490	•	Li-lon	2900	113 x 52 x 23	210	TIA	<b>●</b> IP68
SL1M SL1K SL2M SL2K	© MOTORCEA © C (€ SI SI	Motorola Original Li-Ion 2300mAh Battery	PMNN4468		Li-lon	2300	12 x 36 x 54	50		
SL1K SL2K	0	Replacement Battery Cover for PMNN4468	PMLN6745							
		IMPRES Li-Ion 2900mAh IP68 Battery	PMNN4511	•	Li-lon	2900	96 x 56 x 23	155	TIA	• IP68
XIR E8600i SERIES		Motorola Original Li-lon 1700mAh IP68 Battery	PMNN4440		Li-lon	1700	96 x 56 x 15	110		<b>●</b> IP68
		IMPRES Li-Ion 3000mAh IP68 Battery	PMNN4502	•	Li-lon	3000	96 x 56 x 23	155		<b>♦</b> IP68
XIR P8600 EX SERIES		IMPRES Li-Ion 2075mAh IP67 ATEX Battery	NNTN8359	•	Li-lon	2075	135 x 57 x 23	220	ATEX	<b>●</b> IP67



COMPATIBILITY	ACCESSORY			FEATU	RES			
	ONS Choose from a varieto go the moment you nee	ety of solutions including single-unit, multi-ued it.	unit, travel and in-veh	icle charç	gers and be	confident yo	ur radio	
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) HXLXD	NUMBER OF POCKETS
		Single-Unit Rapid Rate Charger with Power Supply, Linear PRC Plug	NNTN8224		Li-lon, NiMh		61 x 97 x 163	1
		Single-Unit Rapid Rate Charger with Power Supply, Linear, US Plug	NNTN8226		Li-lon, NiMh	110 VAC	61 x 97 x 163	1
		Single-Unit Rapid Rate Charger with Power Supply, Linear, EURO Plug	NNTN8292		Li-lon, NiMh	220-240 VAC	61 x 97 x 163	1
XIR P6600 XIR P8600 XIR P6600i XIR P8600i SERIES SERIES	_	Single-Unit Rapid Rate Charger with Power Supply, Linear, UK Plug	NNTN8293		Li-lon, NiMh	230 VAC	61 x 97 x 163	1
		Single-Unit Rapid Rate Charger with Power Supply, Linear, INDIA Plug	PMLN7249AI		Li-lon, NiMh	230 VAC	61 x 97 x 163	1
1		IMPRES Single-Unit Charger, UK Plug	AZWPLN4233	•	Li-lon, NiMh	230 VAC	52 x 96 x 147	1
4	-	IMPRES Single-Unit Charger, EURO Plug	AZWPLN4234	•	Li-lon, NiMh	120 VAC	52 x 96 x 147	1
XIR P8600 EX SERIES		IMPRES Single-Unit Charger, AU/NZ Plug	WPLN4256	•	Li-lon, NiMh	120 VAC	52 x 96 x 147	1
<del></del>	8	IMPRES Single-Unit Charger, CHN Plug	WPLN4245	•	Li-lon, NiMh	120 VAC	52 x 96 x 147	1
	_	IMPRES Single-Unit Charger, Korea Plug	WPLN4249	•	Li-lon, NiMh	120 VAC	52 x 96 x 147	1
	-	IMPRES Single-Unit Charger, India Plug	AZWPLN4255AI	•	Li-lon, NiMh	120 VAC	52 x 96 x 147	1
XiR P8200 SERIES		IMPRES Single-Unit Charger, US Plug	AZWPLN4232	•	Li-lon, NiMh	120 VAC	52 x 96 x 147	1
CLINES		IMPRES 2 Multi-Unit Fast Charger with 1 Display, US Plug	PMPN4284	•	Li-lon, NiMh	100-240 VAC	153 x 445 x 292	6
1		IMPRES 2 Multi-Unit Fast Charger with <b>1 Display</b> , KOREA Plug	PMPN4294	•	Li-lon, NiMh	100-240 VAC	153 x 445 x 292	6
III.		IMPRES 2 Multi-Unit Fast Charger with <b>1 Display</b> , EURO Plug	PMPN4289	•	Li-lon, NiMh	100-240 VAC	153 x 445 x 292	6
XIR P8600 XIR P8600i SERIES		IMPRES 2 Multi-Unit Fast Charger with <b>1 Display</b> , AU/NZ Plug	PMPN4293	•	Li-lon, NiMh	100-240 VAC	153 x 445 x 292	6
SERIES	REAL	IMPRES 2 Multi-Unit Fast Charger with <b>1 Display</b> , UK Plug	PMPN4290	•	Li-lon, NiMh	100-240 VAC	153 x 445 x 292	6
		IMPRES 2 Multi-Unit Fast Charger with 1 Display, China Plug	PMPN4296	•	Li-lon, NiMh	100-240 VAC	153 x 445 x 292	6
		IMPRES Multi-Unit Fast Charger with 1 Display, Japan Plug	PMPN4295	•	Li-lon, NiMh	100-240 VAC	153 x 445 x 292	6
XIR P6600i SERIES		IMPRES Multi-Unit Fast Charger with  1 Display, Taiwan Plug	PMPN4462	•	Li-lon, NiMh	100-240 VAC	153 x 445 x 292	6
		IMPRES Multi-Unit Fast Charger with 1 Display, India Plug	PMPN4289	•	Li-lon, NiMh	100-240 VAC	153 x 445 x 292	6




#### **IMPRES BATTERY MANAGEMENT TOOLS?**


With the unique IMPRES Battery Reader and IMPRES Battery Fleet Management systems, efficiently manage your batteries with real-time data not available with other manufacturers' batteries. Our easy-to-use software applications show you if there is enough capacity for a full shift, alert you to low capacity batteries, prevent downtime and eliminate throwing batteries out prematurely.

Now over-the-air capable with XiR P8600 and XiR P6600 Series models.

#### **IMPRES BATTERY FLEET MANAGEMENT SOFTWARE REPORTS**



IMPRES battery fleet management active battery report



IMPRES battery data reader, general information screen

COMPATIBILITY	ACCESSORY			FEATUR	RES			
	ONS Choose from a va	riety of solutions including single-unit, multi-unit, to	ravel and in-vehicl	e charger	s and be c	onfident you	r radio	
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS
	46	Display Module for IMPRES Multi-Unit Charger	RLN5382	•				
XIR P6600 EX XIR P6600 SERIES XIR P6600 SERIES		Wall Mount Bracket for IMPRES 2 Multi-Unit Charger	BR000272A01					
XIR P8200 SERIES XIR P8600 SERIES XIR P8600 SERIES	400000	Interchangeable Charging Pocket	AS000129A01	•				3
		Single-Unit Rapid Rate Desk Charger, UK Plug	PMLN7163		Li-ion	100-240 VAC	52 x 70 x 70	1
		Single-Unit Rapid Rate Desk Charger, EU Plug	PMLN7110		Li-ion	100-240 VAC	52 x 70 x 70	1
		Single-Unit Rapid Rate Desk Charger, US/JP Plug	PMLN7115		Li-ion	100-240 VAC	52 x 70 x 70	1
		Single-Unit Rapid Rate Desk Charger, China Plug	PMLN7108A		Li-ion	100-240 VAC	52 x 70 x 70	1
		Single-Unit Rapid Rate Desk Charger, AU/NZ Plug	PMLN7111		Li-ion	100-240 VAC	52 x 70 x 70	1
1		Single-Unit Rapid Rate Desk Charger, Korea Plug	PMLN7113		Li-ion	100-240 VAC	52 x 70 x 70	1
		Single-Unit Rapid Rate Desk Charger, US Plug	PMLN7109		Li-ion	100-240 VAC	52 x 70 x 70	1
		Compact Multi-Unit Charger, US Plug	PMLN7101		Li-ion	100-240 VAC	66 x 450 x 92	6
SL1M SL2M		Compact Multi-Unit Charger, JP Plug	PMLN7107		Li-ion	100-240 VAC	66 x 450 x 92	6
		Compact Multi-Unit Charger, TW Plug	PMLN7896		Li-ion	100-240 VAC	66 x 450 x 92	6
	2000000	Compact Multi-Unit Charger, CN Plug	PMLN7100		Li-ion	100-240 VAC	66 x 450 x 92	6
		Compact Multi-Unit Charger, KR Plug	PMLN7105		Li-ion	100-240 VAC	66 x 450 x 92	6
		Compact Multi-Unit Charger, EU Plug	PMLN7102		Li-ion	100-240 VAC	66 x 450 x 92	6
		Compact Multi-Unit Charger, UK Plug	PMLN7162		Li-ion	100-240 VAC	66 x 450 x 92	6
		Compact Multi-Unit Charger, AU/NZ Plug	PMLN7103		Li-ion	100-240 VAC	66 x 450 x 92	6
		Standard Micro-USB Single-Unit Rapid Rate, Plug-In Charger, US Plug	PS000042A11		Li-lon	120 VAC		1
		Micro-USB Plug-in Charger for Wireless Pod (China Plug)	PS000042A16					
SL1K SL2K		Standard Micro-USB Single-Unit Rapid Rate, Plug-In Charger, EU Plug	PS000042A12		Li-lon	120 VAC		1
SL2K		Micro-USB Plug-in Charger for Wireless Pod (Korea Plug)	PS000042A17					
		Standard Micro-USB Single-Unit Rapid Rate, Plug-In Charger, UK Plug	PS000042A13		Li-lon	120 VAC		1

COMPATIBILITY	ACCESSORY			FEATURES			
	TIONS Choose from a very to go the moment you	ariety of solutions including single-unit, multi-un	it, travel and in-veh	icle chargers and b	e confident yo	our radio	
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES CHEMISTR	POWER SOURCE	DIMENSIONS (MM) HXLXD	NUMBE OF POCKET
		Tri-Unit Rapid Rate Charger (Simultaneously charge radio, spare battery and a Bluetooth device), US Plug	PMLN6701	Li-lon	120 VAC	52 x 93 x 113	2+1
		Tri-Unit Rapid Rate Charger (Simultaneously charge radio, spare battery and a Bluetooth device), EU Plug	PMLN6705	Li-lon	220-240 VAC	52 x 93 x 113	2+1
		Tri-Unit Rapid Rate Charger (Simultaneously charge radio, spare battery and a Bluetooth device), UK Plug	PMLN6704	Li-lon	230 VAC	52 x 93 x 113	2+1
		Tri-Unit Rapid Rate Charger (Simultaneously charge radio, spare battery and a Bluetooth device), PRC Plug	PMLN6703	Li-lon		52 x 93 x 113	2+1
		Tri-Unit Rapid Rate Charger (Simultaneously charge radio, spare battery and a Bluetooth device), AU/NZ Plug	PMLN6700	Li-lon	220-240 VAC	52 x 93 x 113	2+1
SL1K SL2K		Tri-Unit Rapid Rate Charger (Simultaneously charge radio, spare battery and a Bluetooth device), KOR Plug	PMLN6699	Li-lon	110-230 VAC	52 x 93 x 113	2+1
		Six-Pocket Multi-Unit Rapid Rate Charger, US Plug	PMLN6687	Li-lon	120 VAC	65 x 424 x 110	6
		Six-Pocket Multi-Unit Rapid Rate Charger, EU Plug	PMLN6688	Li-lon	220-240 VAC	65 x 424 x 110	6
		Six-Pocket Multi-Unit Rapid Rate Charger, UK Plug	PMLN6686	Li-lon	230 VAC	65 x 424 x 110	6
		Six-Pocket Multi-Unit Rapid Rate Charger, PRC Plug	PMLN6692	Li-lon		65 x 424 x 110	6
		Six-Pocket Multi-Unit Rapid Rate Charger, JAPAN Plug	PMLN6694	Li-lon		65 x 424 x 110	6
		Six-Pocket Multi-Unit Rapid Rate Charger, AU/NZ Plug	PMLN6690	Li-lon	220-240 VAC	65 x 424 x 110	6
		Six-Pocket Multi-Unit Rapid Rate Charger, KOR Plug	PMLN6691	Li-lon	110-230 VAC	65 x 424 x 110	6
		Six-Pocket Multi-Unit Rapid Rate Charger, Taiwan Plug	PMLN7895	Li-lon	120 VAC	65 x 424 x 110	6
		Single Unit Charger, US Plug	PMTN4024	Li-lon, NiMh	120 VAC	56 x 97 x 147	1
		Single Unit Charger, Euro Plug	PMTN4025	Li-lon, NiMh	230 VAC	56 x 97 x 147	1
<u></u>		Single Unit Charger, UK Plug	PMTN4026	Li-lon, NiMh	230 VAC	56 x 97 x 147	1
XIR E86001 SERIES		IMPRES Single Unit Rapid Rate Charger, US Plug	AZWPLN4182	Li-lon, NiMh	120 VAC	56 x 97 x 147	1
	11, 21	IMPRES Single Unit Rapid Rate Charger, UK Plug	AZWPLN4183	Li-lon, NiMh	230 VAC	56 x 97 x 147	1
		IMPRES Single Unit Rapid Rate Charger, EU Plug	AZWPLN4184	Li-lon, NiMh	220-240 VAC	56 x 97 x 147	1
		IMPRES Single Unit Rapid Rate Charger, China Plug	NNTN7470	Li-lon, NiMh	120 VAC	56 x 97 x 147	1
				1			

COMPATIBILITY	ACCESSORY			FEATU	RES			
CHARGER SOLUTI	ONS Choose from a va	riety of solutions including single-unit, multi-u	nit, travel and in-veh	icle charç	jers and b	e confident yo	our radio	
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS
		IMPRES Single Unit Rapid Rate Charger, India Plug	PMLN5188	•	Li-lon, NiMh	220-240 VAC	56 x 97 x 147	1
	u B	IMPRES Single Unit Rapid Rate Charger, JP Plug	NECHG0001C	•	Li-lon, NiMh	230 VAC	56 x 97 x 147	1
		IMPRES Single Unit Rapid Rate Charger, KOREA Plug	NNTN7471	•	Li-lon, NiMh	120 VAC	56 x 97 x 147	1
		IMPRES Single Unit Rapid Rate Charger with AU/NZ Switch Mode Power Supply	PMLN5199	•	Li-lon, NiMh	220-240 VAC	56 x 97 x 147	1
	858888	Charger Insert for XiR E8600i Series IMPRES 2 Multi Unit Charger	HW001385A01					3
		IMPRES 2 Multi-Unit Charger (Single Display), US/NA Plug Power Cord	PMPN4285	•	Li-lon	100-240 VAC	116 x 445 x 170	6
XIR E8600i SERIES		IMPRES 2 Multi-Unit Charger (Single Display), KOREA Plug Power Cord	PMPN4302	•	Li-lon	100-240 VAC	116 x 445 x 170	6
<u></u>		IMPRES 2 Multi-Unit Charger (Single Display), CHINA Plug Power Cord	PMPN4304	•	Li-lon	100-240 VAC	116 x 445 x 170	6
	TITLE	IMPRES 2 Multi-Unit Charger (Single Display), EU Plug Power Cord	PMPN4297	•	Li-lon	100-240 VAC	116 x 445 x 170	6
		IMPRES 2 Multi-Unit Charger (Single Display), UK/HK Plug Power Cord	PMPN4298	•	Li-lon	100-240 VAC	116 x 445 x 170	6
		IMPRES 2 Multi-Unit Charger (Single Display), AUS/NZ Plug Power Cord	PMPN4301	•	Li-lon	100-240 VAC	116 x 445 x 170	6
		IMPRES 2 Multi-Unit Charger (Single Display), Japan Plug	PMPN4303	•	Li-lon	230 VAC	116 x 445 x 170	6
		IMPRES 2 Multi-Unit Charger (Single Display), Taiwan Plug	PMPN4496	•	Li-lon	100-240 VAC	116 x 445 x 170	6
XIR P6600 XIR P8200 XIR P6600 SERIES SERIES		IMPRES Single-Unit Rapid Rate Vehicular Charger, Heavy-Duty Permanent Mount	NNTN7616*	•	Li-lon, NiMh	12 VDC (hardwire)	200 x 83 x 97	1
XIR P8600 XIR P8600i SERIES		Travel Charger, Rapid Rate with Voltage Regulated Adapter, Custom Charger Base, Mounting Bracket and Coil Cord	NNTN8525		Li-lon, NiMh	12 VDC Cigarette Lighter Adapter	58 x 64 x 67	1

CHARGER SOLUTI in-vehicle chargers a	ACCESSORY  ONS Choose from a variety of solutions including single-unit, multing be confident your radio is charged and ready to go the moment your radio is charged and ready to go the your radio is charged and ready to go the your radio is charged and ready to go the your radio is charged and	-unit, travel and ou need it.
PORTABLE RADIOS	DESCRIPTION	PART NUMBER
IMPRES BATTERY	MANAGEMENT TOOLS	
XiR P6600 Xir P6600i SERIES	IMPRES Battery Fleet Management Software, Asia	NNTN7979
XIR P8200 SERIES  XIR P8600 XIR P8600 XIR P86001 SERIES	IMPRES Battery Fleet Management License Key, Asia	HKVN4039




COMPATIBILITY	ACCESSORY			FEATUR	ES			
CARRY SOLUTION Our carry accessorie	IS Carrying cases are av s keep your hands-free, s	ailable in sizes designed to fit your radio and b so you can concentrate on the task at hand.	pattery and permit a	udio to be	heard clea	rly.		
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS
		Hard Leather Case with 2.5 inch Swivel Belt Loop for Non-Display Atex Model	PMLN6096	Hard Leather	2.5	Swivel	Non-Display	
		Hard Leather Case with 2.5 inch Swivel Belt Loop for Display ATEX Model	PMLN6097	Hard Leather	2.5	Swivel	Display	
XIR P8600 EX SERIES		Soft Leather Case with 2.5 inch Swivel Belt Loop for Non-Display ATEX Model	PMLN6098	Soft Leather	2.5	Swivel	Non-Display	
		Soft Leather Case with 2.5 inch Swivel Belt Loop for Display ATEX Model	PMLN6099	Soft Leather	2.5	Swivel	Display	
		Heavy-Duty Belt Clip	PMLN7128	Plastic	N/A	N/A	N/A	
SL1M SL2M	Í	Swivel Carry Holster	PMLN7190	Plastic	N/A	Swivel	Display	
- 1		Carry Holster with Belt Clip	PMLN7559	Plastic	N/A	Fixed	N/A	
XIR E8600i		Synthetic Leather Case with 3 inch Fixed Belt Loop for Standard Battery	PMLN7536	Synthetic Leather	3	Fixed	Non-Display	
SERIES		Synthetic Leather Case with 3 inch Fixed Belt Loop for High Capacity Battery	PMLN7537	Synthetic Leather	3	Fixed	Non-Display	
		Nylon Case with 3 inch Fixed Belt Loop (limited keypad model)	PMLN5869	Nylon	3	Fixed	Display	
XiR P6600		Hard Leather Case with 2.5 inch Swivel Belt Loop (limited keypad model)	PMLN5867	Hard Leather	2.5	Swivel	Display	
XIR P6600 XIR P6600i SERIES		Hard Leather Case with 3 inch Swivel Belt Loop (limited keypad model)	PMLN5865	Hard Leather	3	Swivel	Display	
		Hard Leather Carry Case with 3 inch Fixed Belt Loop (limited keypad model)	PMLN5863	Hard Leather	3	Fixed	Display	

Carrying cases are a keep your hands-free,	vailable in sizes designed to fit your radio and b					
	so you can concentrate on the task at hand.	battery and permit	audio to be neard	clearly.		
DESCRIPTION		PART NUMBER	MATERIAL	BELT LOOP / CLIP DIMENSION (INCHES)	SWIVEL / FIXED	DISPLAY/ NON- DISPLAY
	Soft Leather Case with 2.5 inch Swivel Belt Loop (display model)	PMLN5016	Soft Leather	2.5	Swivel	Display
	Soft Leather Case with 3 inch Swivel Belt Loop (display model)	PMLN5017	Soft Leather	3	Swivel	Display
	Soft Leather Case with 3 inch fixed Belt Loop (display model)	PMLN5018	Soft Leather	3	Fixed	Display
	Nylon Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5870	Nylon	3	Fixed	Non- Display
	Hard Leather Case with 2.5 inch Swivel Belt Loop (non-display model)	PMLN5868	Hard Leather	2.5	Swivel	Non- Display
	Hard Leather Case with 3 inch Swivel Belt Loop (non-display model)	PMLN5866	Hard Leather	3	Swivel	Non- Display
T	Hard Leather Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5864	Hard Leather	3	Fixed	Non- Display
	Soft Leather Case with 2.5 inch Swivel Belt Loop (non-display model)	PMLN5025	Soft Leather	2.5	Swivel	Non- Display
	Soft Leather Case with 3 inch Swivel Belt Loop (non-display model)	PMLN5026	Soft Leather	3	Swivel	Non- Display
	Soft Leather Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5027	Soft Leather	3	Fixed	Non- Display
	Nylon Case with 3 inch Fixed Belt Loop (display model)	PMLN5015	Nylon	3	Fixed	Display
	Nylon Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5024	Nylon	3	Fixed	Non-Display
	Hard Leather Case with 2.5 inch Swivel Belt Loop (display model)	PMLN5019	Hard Leather	2.5	Swivel	Display
		Soft Leather Case with 3 inch Swivel Belt Loop (display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Hard Leather Case with 2.5 inch Swivel Belt Loop (non-display model)  Hard Leather Case with 3 inch Swivel Belt Loop (non-display model)  Hard Leather Case with 3 inch Swivel Belt Loop (non-display model)  Soft Leather Case with 3 inch Fixed Belt Loop (non-display model)  Soft Leather Case with 3 inch Swivel Belt Loop (non-display model)  Soft Leather Case with 3 inch Swivel Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Hard Leather Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)	Soft Leather Case with 3 inch Swivel Belt Loop (display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Hard Leather Case with 3 inch Swivel Belt Loop (non-display model)  Hard Leather Case with 3 inch Swivel Belt Loop (non-display model)  PMLN5868  Hard Leather Case with 3 inch Swivel Belt Loop (non-display model)  PMLN5868  FMLN5868  Soft Leather Case with 3 inch Fixed Belt Loop (non-display model)  Soft Leather Case with 3 inch Fixed Belt Loop (non-display model)  PMLN5864  Soft Leather Case with 3 inch Swivel Belt Loop (non-display model)  PMLN5025  Soft Leather Case with 3 inch Swivel Belt Loop (non-display model)  PMLN5026  Soft Leather Case with 3 inch Fixed Belt Loop (non-display model)  PMLN5027  Nylon Case with 3 inch Fixed Belt Loop (display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  PMLN5024	Soft Leather Case with 3 inch fixed Belt Loop (display model)  Soft Leather Case with 3 inch fixed Belt Loop (display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Hard Leather Case with 2.5 inch Swivel Belt Loop (non-display model)  Hard Leather Case with 3 inch Fixed Belt Loop (non-display model)  Hard Leather Case with 3 inch Swivel Belt Loop (non-display model)  Hard Leather Case with 3 inch Fixed Belt Loop (non-display model)  Hard Leather Case with 3 inch Fixed Belt Loop (non-display model)  Soft Leather Case with 3 inch Swivel Belt Loop (non-display model)  Soft Leather Case with 3 inch Swivel Belt Loop (non-display model)  PMLN5025  Soft Leather  Soft Leather Case with 3 inch Fixed Belt Loop (non-display model)  PMLN5026  Soft Leather  Nylon Case with 3 inch Fixed Belt Loop (display model)  Nylon Case with 3 inch Fixed Belt Loop (display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)	Soft Leather Case with 2.5 inch Swivel Belt Loop (display model)  Soft Leather Case with 3 inch Swivel Belt Loop (display model)  Soft Leather Case with 3 inch Swivel Belt Loop (display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Hard Leather Case with 2.5 inch Swivel Belt Loop (non-display model)  Hard Leather Case with 3 inch Fixed Belt Loop (non-display model)  Hard Leather Case with 3 inch Swivel Belt Loop (non-display model)  PMLNS888 Hard Leather 3  Hard Leather Case with 3 inch Swivel Belt Loop (non-display model)  PMLNS886 Hard Leather 3  Soft Leather Case with 3 inch Fixed Belt Loop (non-display model)  Soft Leather Case with 3 inch Fixed Belt Loop (non-display model)  Soft Leather Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)	Soft Leather Case with 3 inch Swivel Belt Loop (display model)  Soft Leather Case with 3 inch Swivel Belt Loop (display model)  Soft Leather Case with 3 inch Swivel Belt Loop (display model)  Soft Leather Case with 3 inch Fixed Belt Loop (non-display model)  PMLNS970  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Hard Leather Case with 3 inch Swivel Belt Loop (non-display model)  PMLNS988  Hard Leather Case with 3 inch Swivel Belt Loop (non-display model)  Hard Leather Case with 3 inch Swivel Belt Loop (non-display model)  PMLNS988  Hard Leather Case with 3 inch Swivel Belt Loop (non-display model)  PMLNS988  Fixed  Soft Leather Case with 3 inch Swivel Belt Loop (non-display model)  PMLNS984  Fixed  Soft Leather Case with 3 inch Swivel Belt Loop (non-display model)  PMLNS925  Soft Leather Case with 3 inch Swivel Belt Loop (non-display model)  PMLNS926  Soft Leather Case with 3 inch Swivel Belt Loop (non-display model)  PMLNS927  Soft Leather 3 Swivel  Nylon Case with 3 inch Fixed Belt Loop (display model)  Nylon Case with 3 inch Fixed Belt Loop (display model)  Nylon Case with 3 inch Fixed Belt Loop (display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)  Nylon Case with 3 inch Fixed Belt Loop (non-display model)

COMPATIBILITY	ACCESSORY			FEATURES			
CARRY SOLUTION yet still easy to access	S Choose from a wide rass.	ange of nylon cases, leather cases, straps, ho	Isters and clips, all	designed to keep	your radio prote	cted,	
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	MATERIAL	BELT LOOP / CLIP DIMENSION (INCHES)	SWIVEL / FIXED	DISPLAY / NON- DISPLAY
		Hard Leather Case with 3 inch Swivel Belt Loop (display model)	PMLN5020	Hard Leather	3	Swivel	Display
1		Hard Leather Case with 3 inch Fixed Belt Loop (display model)	PMLN5021	Hard Leather	3	Fixed	Display
XIR P8200		Hard Leather Case with 2.5 inch Swivel Belt Loop (non-display model)	PMLN5028	Hard Leather	2.5	Swivel	Non-Display
SERIES		Hard Leather Case with 3 inch Swivel Belt Loop (non-display model)	PMLN5029	Hard Leather	3	Swivel	Non-Display
		Hard Leather Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5030	Hard Leather	3	Fixed	Non- Display
		Nylon Case with 3 inch Fixed Belt Loop (full keypad model)	PMLN5844	Nylon	3	Fixed	Display
		Hard Leather Case with 2.5 inch Swivel Belt Loop (full keypad model)	PMLN5842	Hard Leather	2.5	Swivel	Display
		Hard Leather Case with 3 inch Swivel Belt Loop (full keypad model)	PMLN5840	Hard Leather	3	Swivel	Display
XIR P8600 XIR P8600 SERIES		Hard Leather Case with 3 inch Fixed Belt Loop (full keypad model)	PMLN5838	Hard Leather	3	Fixed	Display
		Nylon Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5845	Nylon	3	Fixed	Non- Display
		Hard Leather Case with 2.5 inch Swivel Belt Loop (non-display model)	PMLN5843	Hard Leather	2.5	Swivel	Non- Display
		Hard Leather Case with 3 inch Swivel Belt Loop (non-display model)	PMLN5846	Hard Leather	3	Swivel	Non- Display
		Hard Leather Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5839	Hard Leather	3	Fixed	Non- Display

COMPATIBILITY	ACCESSORY			FEATURES		
CARRY SOLUTION					BELT LOOP / CLIP	
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	MATERIAL	DIMENSION (INCHES)	SWIVEL / FIXED
		2.5 inch Belt Clip for ATEX models	PMLN6086	Plastic	2.5	
XIR P8600 EX SERIES		2.5 inch Replacement Leather Swivel Belt Loop	PMLN5610	Hard Leather	2.5	Swivel
		Silent Alert Belt Clip for use with IMPRES Battery PMMN4488, Clip only	PMLN7296	Plastic		
XiR P6600		Spring Action 2 inch Belt Clip	PMLN4651	Plastic	2	
XIR P6600 XIR P6600i SERIES		Spring Action 2.5 inch Belt Clip	PMLN7008	Plastic	2.5	
		Replacement 2.5 inch Swivel Belt Loop	PMLN5610	Hard Leather	2.5	Swivel
XIR P8600 XIR P8600i Series		Replacement 3 inch Leather Swivel Belt Loop	PMLN5611	Hard Leather	3	Swivel
		Replacement 2.5 inch Leather Swivel Belt Loop	PMLN5022	Hard Leather	2.5	Swivel
	, ,	Replacement 3 inch Leather Swivel Belt Loop	PMLN5023	Hard Leather	3	Swivel
XiR P8200 SERIES		Spring Action 2.5 inch Belt Clip	PMLN4652	Plastic	2.5	
d		Carry Holder/Holster for SL Series Radio with Swivel Belt Loop	PMLN5956	Plastic		Swivel
SL1K SL2K	I	Soft Leather Case with 1.5 inch Quick Release Swivel Belt Clip	PMLN7040	Soft Leather	1.5	Swivel
SLIM SLIK SLZM SLZK	~	Nylon Wrist Strap for Securely Carrying Motorola Two-Way Radios	PMLN6074	Nylon		
SL1M SL2M		Flexible Hand Strap	PMLN7076	Nylon		

COMPATIBILITY	ACCESSORY			FEATURES
CARRY SOLUTION	S			
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	MATERIAL
		Waterproof Bag with Large Strap for Securely Carrying Motorola Two-Way Radios	HLN9985	
		1.75 inch Wide Leather Belt	4200865599	Leather
ا		Universal Chest Pack with Radio Holder, Pen Holder and Velcro Secured Pouch	HLN6602	
XIR P6600 XIR P6600i SERIES	M	Break-a-Way Chest Pack with Radio Holder Pen Holder and Velcro Secured Pouch	RLN4570	
		Radio Pack Radio Utility Case	RLN4815	
XIR P8200 SERIES		Radio Pack Extension Belt for Waists Larger than 40 inches	4280384F89	
XiR P8500		Adjustable Nylon Carrying Strap	NTN5243	Nylon
XIR P8600 XIR P8600I SERIES		Leather Radio Strap	RLN6486	Leather
		Leather Radio Strap - XL	RLN6487	Leather
	Obe	Anti-Sway Strap for Leather Radio Straps	RLN6488	Leather





COMPATIBILITY	ACCESSORY			FEATURES				
ANTENNAS Get to offer superior performance of the control of the c	he best possible reception rmance over XiR P8200 S	on wherever you operate. New stubby antenderies stubby antennas.	nas for the XiR P86	600 and XiR P6	600 series ra	idios		
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE
		UHF/GPS Combination Folded Monopole Whip Antenna for the 403-433 MHz Range	PMAE4018	UHF	403-433	•	14	Whip
	1	UHF/GPS Combination Folded Monopole Whip Antenna for the 430-470 MHz Range	PMAE4024	UHF	430-470	•	14	Whip
		UHF/GPS Combination Folded Monopole Whip Antenna for the 450-495 MHz Range	PMAE4050	UHF	450-495	•	14	Whip
		UHF/GPS Combination Folded Monopole Whip Antenna for the 495-527 MHz Range	PMAE4051	UHF	495-527	•	14	Whip
		VHF/GPS Combination Helical Whip Antenna for the 136-147 MHz Range	PMAD4067	VHF	136-147	•	16	Helical
XIR P8200 SERIES		VHF/GPS Combination Helical Whip Antenna for the 147-160 MHz Range	PMAD4068	VHF	147-160	•	16	Helical
		VHF/GPS Combination Helical Whip Antenna for the 160-174 MHz Range	PMAD4069	VHF	160-174	•	16	Helical
	/	GPS/800/900 MHz Combination Helical Antenna	PMAF4003	800/900 MHz	806-941	•	18	Helical

COMPATIBILITY	ACCESSORY			FEATURES				
ANTENNAS  PORTABLE RADIOS	DESCRIPTION		PART NUMBER	UHF/VHF/ (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	ТҮРЕ
		UHF Wideband Flexible Whip Antenna for the 403-470 MHz Range	PMAE4022	UHF	403-470		16	Whip
	/	UHF Wideband Flexible Whip Antenna for the 450-512 MHz Range	PMAE4049	UHF	450-512		16	Whip
		VHF Wideband Flexible Whip Antenna for the 136-174 MHz Range	PMAD4088	VHF	136-174		21	Whip
		UHF/GPS Combination Stubby Antenna for the 403-433 MHz Range	PMAE4021	UHF	403-433	•	9	Stubby
		UHF/GPS Combination stubby antenna for the 430-470 MHz Range	PMAE4023	UHF	430-470	•	9	Stubby
XIR P8200 SERIES		UHF/GPS Combination Stubby Antenna for the 450-512 MHz Range	PMAE4048	UHF	450-512	•	9	Stubby
		VHF Stubby Antenna for the 136-147 MHz Range	PMAD4093	VHF	136-147		11	Stubby
		VHF Stubby Antenna for the 147-160 MHz Range	PMAD4094	VHF	147-160		11	Stubby
		VHF Stubby Antenna for the 160-174 MHz Range	PMAD4095	VHF	160-174		11	Stubby
		Whip 350-400 MHz + GPS Fld Mnp Antenna 16.5cm	PMAD4112	VHF	350-400	•	16.5	Whip

COMPATIBILITY  ANTENNAS	ACCESSORY			FEATURES		-		-
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	ТҮРЕ
		UHF/GPS Combination Wideband Slim Whip Antenna (403-527 MHz)	PMAE4079	UHF	403-527	•	15	Whip
		VHF/GPS Combination Helical Antenna (136-155 MHz)	PMAD4117	VHF	136-155	•	15	Helical
		VHF/GPS Combination Helical Antenna (144-165 MHz)	PMAD4116	VHF	144-165	•	15	Helical
		VHF/GPS Combination Helical Antenna (152-174 MHz)	PMAD4118	VHF	152-174	•	15	Helical
XIR P6600 XIR P6600 SERIES		UHF/GPS Combination Stubby Antenna (403-450 MHz)	PMAE4069	UHF	403-450	•	11	Stubby
		UHF/GPS Combination Stubby Antenna (440-490 MHz)	PMAE4070	UHF	440-490	•	11	Stubby
XIR P8600 XIR P8600i Series		UHF/GPS Combination Stubby Antenna (470-527 MHz)	PMAE4071	UHF	470-527	•	11	Stubby
		VHF/GPS Combination Stubby Antenna (136-148 MHz)	PMAD4119	VHF	136-148	•	9	Stubby
		VHF/GPS Combination Stubby Antenna (146-160 MHz)	PMAD4120	VHF	146-160	•	9	Stubby
		VHF Stubby Antenna (320-360 MHz)	PMAD4135	VHF	320-360			Stubby
		VHF Stubby Antenna (300-337 MHz)	PMAD4137	VHF	300-337			Stubby

COMPATIBILITY  ANTENNAS	ACCESSORY			FEATURES				
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE
	/	UHF Folded Monopole Whip Antenna for ATEX Radio (403-433 MHz)	PMAE4081	UHF	403-433			Whip
	/	UHF Folded Monopole Whip Antenna for ATEX Radio (430-470 MHz)	PMAE4082	UHF	430-470			Whip
	/	UHF Stubby Antenna for ATEX Radio (403-433 MHz)	PMAE4083	UHF	403-433			Stubby
	1	UHF Stubby Antenna for ATEX Radio (430-470 MHz)	PMAE4084	UHF	430-470			Stubby
Щ	/	UHF Wideband Whip Antenna for ATEX Radio (403-470 MHz)	PMAE4085	UHF	403-470			Whip
XIR P8600 EX SERIES	/	VHF/GPS Helical Whip Antenna for ATEX Radio (136-147 MHz)	PMAD4126	VHF	136-147			Whip
	/	VHF/GPS Helical Whip Antenna for ATEX Radio (147-160 MHz)	PMAD4127	VHF	147-160			Whip
	/	VHF/GPS Helical Whip Antenna for ATEX Radio (160-174 MHz)	PMAD4128	VHF	160-174			Whip
	/	VHF Stubby Antenna for ATEX Radio (136-147 MHz)	PMAD4129	VHF	136-147		11	Stubby
	/	VHF Stubby Antenna for ATEX Radio (147-160 MHz)	PMAD4130	VHF	147-160		11	Stubby
	/	VHF Stubby Antenna for ATEX Radio (160-174 MHz)	PMAD4131	VHF	160-174		11	Stubby




COMPATIBILITY	ACCESSORY			FEATURES			
ANTENNAS							
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED LENGTH GPS (CM)	TYPE
XIR P8600 EX SERIES		VHF Wideband Antenna for ATEX Radio (136-174 MHz)	PMAD4132	VHF	136-174		Whip
		VHF Stubby Antenna (160-174 MHz)	PMAD4121	VHF	160-174		Stubby
XIR E8600i SERIES		VHF Stubby Antenna (350-380 MHz)	PMAD4136	VHF	350-380		Stubby
XIR P6600 XIR P6600i SERIES		VHF Stubby Antenna (360-400 MHz)	PMAD4133	VHF	360-400		Stubby
		VHF Whip Antenna (300-360 MHz)	PMAD4138	VHF	300-360		Whip
XIR P8600 XIR P8600i SERIES		VHF Whip Antenna (350-400 MHz)	PMAD4139	VHF	350-400		Whip

COMPATIBILITY  ANTENNAS	ACCESSORY			FEATURES				
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	ТҮРЕ
		800 MHz Flexible Whip Antenna (806-870 MHz)	PMAF4011	800/ 900 MHz	806-870		14	Whip
XIR P8600 XIR P8600 SERIES		900 MHz Flexible Whip Antenna (896-941 MHz)	PMAF4012	800/ 900 MHz	896-941		16.4	Whip
	/	800/900 Stubby Antenna (806-870 MHz)	PMAF4009	800/ 900 MHz	806-870			Stubby
		UHF Antenna Kit for the 403-425 MHz Range	PMAE4078	UHF	403-425		1.9	Stubby
		UHF Antenna Kit for the 420-445 MHz Range	PMAE4076	UHF	420-445		1.9	Stubby
d		UHF Antenna Kit for the 438-470 MHz Range	PMAE4077	UHF	438-470		1.9	Stubby
SLIK SLZK		UHF Stubby Antenna Kit for the 450-490 MHz Range	PMAE4091	UHF	450–490		1.9	Stubby
		UHF Stubby Antenna Kit for the 480-527 MHz Range	PMAE4092	UHF	480–527		1.9	Stubby
		Antenna Kit for the 800 MHz Range	PMAF4017	800/ 900 MHz	806-870		1.1	Stubby



COMPATIBILITY	ACCESSORY		
ANTENNA ACCES	SORIES		
PORTABLE RADIOS	DESCRIPTION		PART NUMBER
		Gray Antenna ID Bands (pack of 10pcs)	32012144001
		Yellow Antenna ID Bands (pack of 10pcs)	32012144002
XIR P6600 XIR P6600i SERIES		Green Antenna ID Bands (pack of 10pcs)	32012144003
XIR P8600 XIR P8600i SERIES		Blue Antenna ID Bands (pack of 10pcs)	32012144004
		Purple Antenna ID Bands (pack of 10pcs)	32012144005





# **MOTOTRBO MOBILE RADIO ACCESSORIES**



XIR M8600 SERIES XIR M8600i SERIES

#### **UNRIVALED VOICE AND DATA ON THE GO**

#### XIR M8600 / XIR M8600i SERIES

The XiR M8600 series shares the same connector as the XiR M8200 series accessories enabling easy migration. This portfolio is enhanced with integrated Bluetooth®, giving more flexibility than ever before. Now your drivers can check on packages or walk around the loading dock and stay connected within 30 feet of their radio. A new IMPRES keypad microphone features a four-way navigation button that makes accessing critical features on the large color display, dialing phone numbers and sending text messages easy.



XiR M8200 SERIES



XIR M6660 SERIES

#### INTEGRATED VOICE AND DATA ON THE GO

#### XIR M8200 SERIES


Handling dispatch for a delivery company or hauling freight across the country, accessories must meet challenging installation and operational requirements. XiR M8200 series mobile accessories are specifically designed for hassle-free communication in a vehicle, for dispatch-enabled communication, and for easy installation.

#### XIR M6660 SERIES


The XiR M6660 features a durable telco accessory connector that enables microphones, external speakers and vehicular solutions. Many of the XiR M6660 microphones feature Intelligent Audio. Intelligent Audio listens to sounds in the background and automatically raises or lowers your radio volume so you can always hear clearly. If you're driving an empty bus that quickly fills with chattering children — you will still be able to hear important communication without taking your hands off the wheel to adjust the radio volume.



COMPATIBILITY MICROPHONES	ACCESSORY Keypad microphones let	you easily navigate menus on your XPR 4550 o	r XPR 5550, dial phone	FEATURES numbers and send text message	s.
The heavy-duty mic	rophone is easy to use w	hile wearing gloves and the telephone-style ha	PART NUMBER	Screet communication.  MICROPHONE STYLE	IMPRES
		IMPRES Keypad Microphone with 4-way Navigation Button	RMN5127	Keypad + Navigation	•
XIR M8600 XIR M8600i SERIES		MOTOTRBO Mobile Handheld Control Head Upgrade Kit with 3M Straight Cable	PMLN7131		
		MOTOTRBO Mobile Handheld Control Head Upgrade Kit without Transceiver Adaptor	PMLN7209		
XIR M8200 SERIES		IMPRES Keypad Microphone	RMN5065	Keypad	•













certified and approved for

XPR<sup>™</sup> 2500 mobile radios.



#### **LONG RANGE WIRELESS SOLUTIONS**

Designed for customers who depend on their high power mobile radio for system connection but must work outside of their vehicle. The Long Range Wireless solution allows you to maintain critical communications even on remote job site.

# **MOTOTRBO MOBILE RADIO ACCESSORIES**

COMPATIBILITY	ACCESSORY			FEATURES												VERTICAL MA each of vertica	RKETS: Recommen	dations based	on typical us	e case for
LONG RANGE WIR Bluetooth gateway. The never thought possible	he Long Range Wireless	e Wireless Remote Speaker Microphone (RSI RSM works up to 100 meters away line-of-sig	M) pairs instantly v ht from the mobile	vith touch pairing radio, keeping yo	to the mobile mounic	nicrophone with ation where you		Plug and Voice pro	play - Just a ompts will wa	ttach the m alk you thro	obile gateway mid ugh pairing quickl	crophone to you y.	ır radio, align t	he two devic	es where indic	ated by the blue	dot and you are	ready to go.		
MOBILE RADIOS	DESCRIPTION		PART NUMBER	WINDPORTING/ NOISE- CANCELING	VOLUME CONTROL	ORANGE PROGRAMMABLE BUTTON	AUDIO JACK (3.5MM)	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	DIMENSIONS (MM) H X L X D	OPERATIONS CRITICAL/ ENHANCED OPERATIONS CRITICAL	TOUCH / STANDARD PAIRING	RANGE (FEET LINE OF SIGHT)	IP RATING/ SUBMERSIBLE	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	PRIVATE SECURITY	EDUCATION (CAMPUSES
		Long Range Wireless Kit with charger Includes: Long Range Wireless RSM; Mobile Microphone Bluetooth Gateway; Vehicular Charger	MDRLN6551	Windporting				28	3	158	88 x 26 x 63	Enhanced Operations Critical	Touch	300	IP55	•	•	•	•	•
XIR M8600 XIR M8600i SERIES		Mobile Microphone with Bluetooth Gateway	PMMN4097									Enhanced Operations Critical	Touch	300	IP55	•	•	•	•	•
XIR M8200 SERIES		Wireless RSM (Remote Speaker Microphone) with Battery and Clip	RLN6544	Windporting				28	3	158	88 x 26 x 63	Enhanced Operations Critical	Touch	300	IP55	•	•	•	•	•
	battery only	Wireless RSM Battery, 1750 mAh Li-lon 3.6 VDC	PMNN4461					28	3							•	•	•	•	•

COMPATIBILITY	ACCESSORY			FEATURES	
LONG RANGE WII	RELESS CHARGERS A	ND REPLACEMENT PARTS			
MOBILE RADIOS	DESCRIPTION		PART NUMBER	CHARGE TIME (HOURS)	POWER SUPPLY
		Dual Unit Charger with Power Supply	PMLN7120	3	US
		Dual Unit Charger with Power Supply	PMLN7121	3	EU
		Dual Unit Charger with Power Supply	PMLN7122	3	UK
		Dual Unit Charger with Power Supply	PMLN7123	3	PRC
		Dual Unit Charger with Power Supply	PMLN7124	3	AU/NZ
XIR M8600 XIR M8600i SERIES		Dual Unit Charger with Power Supply	PMLN7127	3	KOR
		Power Supply for Dual Unit Charger	25012022003		UK
XIR M8200 Series		Power Supply for Dual Unit Charger	25012022009		KOR
		Power Supply for Dual Unit Charger	25012022002		EU
		Power Supply for Dual Unit Charger	25012022006		AU/NZ
		Power Supply for Dual Unit Charger	25012022001		US/JAPAN TAIWAN
		Power Supply for Dual Unit Charger	25012022004		PRC

COMPATIBILITY  LONG RANGE W	ACCESSORY  IRELESS CHARGERS	S AND REPLACEMENT PARTS	
MOBILE RADIOS	DESCRIPTION		PART NUMBER
		Vehicular Charger with Coil Cord Cigarette Lighter Plug	PMLN6716
		D Ring Swivel Clip	4200931200
	5	Receive-Only Earpiece with Comfort Eartube	PMLN7560
XIR M8500 XIR M85001 SERIES XIR M8200 SERIES		Clear EP7 Hearing Protectors [Sonic Defenders] Ultra Earplugs with Comply™ Foam Eartip Noise Reduction = 28dB for RLN4941/PMLN7560 - Small	RLN6511
		Clear EP7 Hearing Protectors [Sonic Defenders] Ultra Earplugs with Comply™ Foam Eartip Noise Reduction = 28dB for RLN4941/PMLN7560 - Medium	RLN6512
		Clear EP7 Hearing Protectors [Sonic Defenders] Ultra Earplugs with Comply™ Foam Eartip Noise Reduction = 28dB for RLN4941/PMLN7560 - Large	RLN6513
		Receive-Only Earbud	AARLN4885



#### **MAINTAIN CRITICAL COMMUNICATIONS EVEN ON REMOTE JOB SITES**

#### **SITUATION**

Keep in touch even on remote job sites when you depend on your high power mobile radio but have to work outside your vehicle. You are a utility worker and need to check the meter readings. You have to park your truck about 100 meters away from the utility box due to access restrictions, yet you stay connected to your radio with your Long Range Wireless Remote Speaker Microphone. You communicate key readings immediately to dispatch. Get your job done safely and more efficiently.

#### **SOLUTION**

The Long Range Wireless Remote Speaker Microphone (RSM) pairs instantly with touch pairing to the mobile microphone with Bluetooth gateway. The Bluetooth microphone is compatible with MOTOTRBO XiR M8200 and XiR M8600 series mobile radios. The Long Range Wireless RSM works up to 100 meters away from the mobile radio, keeping you in communication where you never thought possible.



#### **HOW DO MOBILE WIRELESS ACCESSORIES HELP ME?**

Use your mobile radio like never before and freely move around your vehicle. This means a driver can sort through packages on the back of the delivery truck, a bus driver can check on students in the back of the bus, or a city worker can trim trees from a cherry picker and all can still remain connected to their mobile radio. And by removing the wired connection to a desktop mobile, a dispatcher can walk around the office and manage calls.

## **MOTOTRBO MOBILE RADIO ACCESSORIES**

COMPATIBILITY	ACCESSORY			FEATURES												VERTICAL MA	RKETS: Recomme	ndations based o	n typical use cas	e for each of ve	erticals listed.	
OPERATIONS CRI your truck or walk aw	TICAL WIRELESS BL vay from your desk and s	UETOOTH® ACCESSORIES This portfolio is still remain connected to your radio up to 30 fee	s a game changer t away.	for your busine	ess as you hav	e the flexib	oility to leav	ve														
MOBILE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	MICROPHONE	РТТ	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	DIMENSIONS (MM) H X L X D	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL	TOUCH/ STANDARD PAIRING	RANGE (FEET LINE OF SIGHT)	F IP RATING	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AN RETAIL	D EDUCATION (CAMPUSES)
		XBT Operations Critical Wireless Behind- the-Neck Headset	RLN6490	Dual-Muff	Boom	On Ear Cup	22	7	429		Operations Critical	Standard	30	IP54		•	•	•				
XiR M8600 XiR M8600i SERIES	8.	XBT Operations Critical Wireless Headband Style Headset	RLN6491	Dual-Muff	Boom	On Ear Cup	22	7	422		Operations Critical	Standard	30	IP54		•	•	•				
		Operations Critical Wireless Push-To-Talk Pod without Charger	NNTN8191	N/A	N/A	On PTT Pod	10	3	43	70 x 41 x 25	Operations Critical	Standard	30	IP54	FM	•	•	•		•	•	•
		Operations Critical Wireless Push-To-Talk Pod (with US charger)	NNTN8127	N/A	N/A	On PTT Pod	10	3	43	70 x 41 x 25	Operations Critical	Standard	30	IP54	FM	•	•	•		•	•	•

Note: XiR M8600/XiR M8600i Series mobile radios have Bluetooth embedded in the radio.




COMPATIBILITY	ACCESSORY			FEATURES											VERT	ICAL MAR	RKETS: Recomme	ndations based or	n typical use cas	e for each of ve	erticals listed.	
OPERATIONS CRI	ITICAL WIRELESS BLU	JETOOTH® ACCESSORIES																				
MOBILE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	MICROPHONE	РТТ	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	VEIGHT GRAMS)	DIMENSIONS (MM) HXLXD	OPERATIONS CRITICAL/ ENHANCED OPERATIONS CRITICAL	TOUCH/ STANDARD PAIRING	RANGE (FEET LINE OF IP RA SIGHT)	INTRIN: TING SAFET RATIN	TRANSPI AND LC	ORTATION IGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY ANI RETAIL	D EDUCATION (CAMPUSES)
		Bluetooth Accessory Kit with Flexible Earpiece, Bluetooth Pod and Charging Cradle	PMLN7181	Over-the-Ear (Swivel)	Boom	Radio only*	8		18	Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16	Operations Critical	Standard	30			•	•	•		•	•	•
		Operations Critical Wireless 1-Wire Surveillance Kit with Translucent Tube	PMLN7052	Clear Rubber Eartip	In-line	On Pod (order separately)					Operations Critical and Enhanced Operations Critical					•	•	•		•	•	•
		Operations Critical Wireless Earbud with 11.5 inch Cable	NNTN8294	Earbud	In-line	On Pod (order separately)	10				Operations Critical and Enhanced Operations Critical					•	•	•		•	•	•
XIR M8600 XIR M8600i SERIES		Operations Critical Wireless Earbud with 45 inch Cable	NNTN8295	Earbud	In-line	On Pod (order separately)	10				Operations Critical and Enhanced Operations Critical					•	•	•		•	•	•
	~~@	Swivel Earpiece with In-Line Microphone Multi-Pack (3 pack) for MOTOTRBO Bluetooth Accessory Kit	RLN6550	Over-the-Ear (Swivel)	Boom	Radio Only*					Operations Critical						•	•		•	•	•
		Flexible Fit Swivel Earpiece with Boom Microphone Multi-Pack (3 pack) for MOTOTRBO Bluetooth Accessory Kit	PMLN7203	Over-the-Ear (Swivel)	Boom	Radio Only*					Operations Critical						•	•		•	•	•

\*Note: PTT on radio or with separate wireless PTT.



COMPATIBILITY	ACCESSORY		
	TICAL WIRELESS REP	PLACEMENT PARTS	ALDY WILLIAM
MOBILE RADIOS	DESCRIPTION	Replacement Wireless Earpiece 12 inch Cable for NNTN8189	NTN2572
	000000000000000000000000000000000000000	Ear Strap for Comport Earpiece (pack of 10)	NTN8988
		Swivel clip for Operations Critical and Enhanced Operations Critical Wireless Pods	PMLN6246
		Replacement or Spare Micro-USB Plug-In Charger for Wireless Pod (US plug)	PS000042A11
XiR M8600 XiR M8600i SERIES		Replacement or Spare Micro-USB Plug-In Charger for Wireless Pod (AU/NZ)	PS000042A14
	8	Replacement or Spare Micro-USB Plug-In Charger for Wireless Pod (UK)	PS000042A13
		Replacement or Spare Micro-USB Plug-In Charger for Wireless Pod (PRC)	PS000042A16
		Replacement or Spare Micro-USB Plug-In Charger for Wireless Pod (Korea)	PS000042A17
		Replacement or Spare Micro-USB Plug-In Charger for Wireless Pod (EU)	PS000042A12



ACCESSORY COMPATIBILITY

INSTALLATION AND MOUNTING ACCESSORIES Mount your radio in your vehicle without compromising safety. Trunnion kits give you the flexibility to mount the radio under your dash, in your dash, between the seats or on the floor. Remote mount kits allow the radio be mounted in the trunk when dash space is limited.										
MOBILE RADIOS	DESCRIPTION		PART NUMBER							
Xir M8200 SERIES  XIR M8600 XIR M86001 SERIES  XIR M6660 SERIES		Low Profile Trunnion Kit Keeps Radio Tucked Up Under Dash (Box)	RLN6466							
XiR M8200 SERIES		High Profile Trunnion Kit with Under Dash or Floor Mount	RLN6078							
XIR M8600 XIR M8600i SERIES XIR M6660 SERIES		High Profile Trunnion Kit with Under Dash or Floor Mount	RLN6467							
XiR M8200 SERIES		Key Lock Trunnion Kit Provides Extra Protection from Theft	RLN6079							
XIR M8600 XIR M8600i SERIES XIR M6660 SERIES	G. 3	Key Lock Trunnion Kit Provides Extra Protection from Theft	RLN6468							





COMPATIBILITY	ACCESSORY		
INSTALLATION A	AND MOUNTING ACC	ESSORIES	
MOBILE RADIOS	DESCRIPTION		PART NUMBER
		Power Cable to Battery - 10 foot, 15 amp 14 AWG	HKN4137
		Power Cable to Battery - 10 foot, 20 amp 12 AWG	HKN4191
XIR M6660 SERIES		Power Cable to Battery - 20 foot, 20 amp 10 AWG	HKN4192
		Ignition Sense Cable	HKN9327

COMPATIBILITY	ACCESSORY		
EXTERNAL SPEAK speakers. Different wa	ERS Boost audio at you att speakers can be cust	r control station on your desk or in your vehi omized to your environment.	cle with external
MOBILE RADIOS	DESCRIPTION		PART NUMBER
		13W External Speaker	RSN4002
XIR M8600 XIR M8600i SERIES		7.5W External Speaker	RSN4003
XIR M8200 SERIES		5W External Speaker	RSN4004
		7.5W External Speaker	HSN8145
XIR M6660 SERIES		13W External Speaker	RSN4001
SEINES	Q	Speaker Extension Cable	GMKN4084

MOTOTRBO MOBILE RADIO ACCESSORIES								
CABLES	ACCESSORY							
MOBILE RADIOS	DESCRIPTION		PART NUMBER					
		Mobile Remote Mount 5-Meter Cable Kit	PMKN4073					
XIR M8200 SERIES		Mobile Remote Mount 3-Meter Cable Kit	PMKN4074					
		Mobile Remote Mount 5-Meter Cable Kit	PMKN4144					
		Mobile Remote Mount 3-Meter Cable Kit	PMKN4143					
Xir M8600 Xir M8600i SERIES		IMPRES Mobile MAP Non-PC Adapter	PMKN4070					
		IMPRES Mobile MMP Non-PC Adapter	PMKN4072					
		Power Cable to Battery, 10 foot, 20 amp for 1 to 60W radios, 12 AWG	HKN4191					
	γ <sub>γ</sub>	Power Cable to Battery, 20 foot, 20 amp for 1 to 60W radios, 10 AWG	HKN4192					
XIR M8600 XIR M8600i SERIES		Power Cable to Battery, 10 foot, 15 amp for 1 to 25W radios, 14 AWG	HKN4137					
XiR M8200 SERIES	070	Ignition Sense Cable	RKN4136					
		Mobile Rear Accessory Connector Universal Cable	PMKN4018					



COMPATIBILITY	ACCESSORY		
CABLES			
MOBILE RADIOS	DESCRIPTION		PART NUMBER
XiR M8600 XiR M8800i SERIES XiR M8200 SERIES		Hardware Kit for Rear Accessory Connector	PMLN5072
		Rear Accessory Connector Seal with Connector and Pins	GMBN1021
	THE THE PARTY OF T	16 Pin Accessory Connector Kit	HLN9457
XIR M6660 SERIES		Hardware Connection Kit (Pins and Removal Tool) APAC only	HLN9491
		Connector Extender, 20 pieces	PMLN5620
		Generic Option Board (APAC, EMEA, LACR)	PMLN6544




COMPATIBILITY	ACCESSORY			FEATURES			
ANTENNAS A vai	riety of antennas ensure th	ne best possible reception wherever you oper	ate. Choose from a	ntennas with in	tegrated GPS to	o standalone R	F antennas.
MOBILE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE
<b>COMBINATION</b>	GPS/UHF ANTENNAS					1	
	00	Combination GPS/UHF 403-430 MHz, 1/4 Wave, Through-Hole Mount, BNC	PMAE4035	UHF	403-430	•	Through-Hole
	000	Combination GPS/UHF 406-420 MHz, 3.5 dB Gain, Through-Hole Mount, BNC	PMAE4036	UHF	406-420	•	Through-Hole
	000	Combination GPS/UHF 450-470 MHz, 1/4 Wave, Through-Hole Mount, BNC	PMAE4037	UHF	450-470	•	Through-Hole
	000	Combination GPS/UHF 450-470 MHz, 5 dB Gain, Through-Hole Mount, BNC	PMAE4038	UHF	450-470	•	Through-Hole
XIR M8600 XIR M8600i SERIES	000 m	Combination GPS/UHF 470-494 MHz, 3.5 dB Gain, Through-Hole Mount, BNC	HAE6025	UHF	470-494	•	Through-Hole
XIR M8200 SERIES	000	Combination GPS/UHF 494-512 MHz, 3.5 dB Gain, Through-Hole Mount, BNC	HAE6023	UHF	494-512	•	Through-Hole
	000	Combination GPS/UHF 403-527 MHz, 2 dB Gain, Through-Hole Mount, BNC	HAE6017	UHF	403-527	•	Through-Hole
		Combination GPS/UHF 470-527 MHz, 1/4 Wave, Through-Hole Mount, BNC	HAE6018	UHF	470-527	•	Through-Hole
XIR M8600 XIR M8600i SERIES		Antenna, Mobile, Combination GPS/ GALILEO/OZSS/GLONASS, UHF 320-360 MHz, 1/4 Wave, Through-Hole Mount, BNC	PMAD4143	UHF	320-360	•	Through-Hole
UHF ANTENNA	AS (RF ONLY)						
XIR M8600 XIR M8600i SERIES		UHF Wide Area Through-Hole Mount Antenna for the 445-470 MHz Range, 5 dB Gain, Mini-U	RAE4004ARB	UHF	445-470		Through-Hole
		UHF Urban Roof Mount 1/4 Wave Antenna for the 403-430 MHz Range, Mini-U	HAE4002	UHF	403-430		Roof Mount
XIR M8200 SERIES		UHF Urban Roof Mount 1/4 Wave Antenna for the 450-470 MHz Range, Mini-U	HAE4003	UHF	450-470		Roof Mount
XIR M6660 SERIES		UHF Urban Roof Mount 1/4 Wave Antenna for the 470-512 MHz Range, Mini-U	HAE4004	UHF	470-512		Roof Mount



COMPATIBILITY	ACCESSORY			FEATURES				
ANTENNAS								
MOBILE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE	
<b>UHF ANTENNAS</b>	(RF ONLY)							
	000	UHF, 403-430 MHz, 1/4 Wave, Through- Hole Mount, BNC	RAE4151	UHF	403-430		Through-Hole	
XIR M8600 XIR M8600i SERIES	000	UHF, 450-470 MHz, 1/4 Wave, Through- Hole Mount, BNC	RAE4152	UHF	450-470		Through-Hole	
XIR M8200 SERIES	0000:	UHF, 450-470 MHz, 5 dB Gain, Through- Hole Mount, BNC	RAE4154	UHF	450-470		Through-Hole	
XIR M6660 SERIES	000 :	UHF, 406-420 MHz, 3.5 dB Gain, Through- Hole Mount, BNC	RAE4158	UHF	406-420		Through-Hole	
XIR M8500 XIR M8500i SERIES		UHF Wide Area Roof Mount Antenna for the 494-512 MHz Range, 3.5 dB Gain	HAE4013	UHF	494-512		Through-Hole	


COMPATIBILITY	ACCESSORY			FEATURES			
ANTENNAS							
MOBILE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE
UHF ANTENNAS (	RF ONLY)						
		UHF/GPS Antenna, 350-400 MHz 1/4 Wave	PMAD4102	300/400	350-400		Through-Ho
		UHF Antenna, 350-400 MHz 1/4 Wave	PMAD4107	300/400	350-400		Through-Ho
		UHF Antenna, 300-340 MHz, 1/4 Wave, BNC	PMAD4140	300/400	300-340		Through-Ho
XIR M8600 XIR M8600i SERIES		UHF Mobile Antenna, 320-360 MHz, 1/4 Wave, BNC	PMAD4141	300/400	320-360		Through-Ho
COMBINATION G	PS/VHF ANTENNAS	5					
		GPS/VHF Through-Hole Mount Antenna for the 146-172 MHz Range, 3 dB Gain	RAD4218	VHF	146-172	•	Through-Ho
XIR M8600 XIR M8600i SERIES		Combination GPS/VHF 136-144 MHz, 1/4 Wave, Through-Hole Mount, BNC	RAD4219	VHF	136-144	•	Through-Ho
		Combination GPS/VHF 146-150.8 MHz, 1/4 Wave, Through-Hole Mount, BNC	RAD4220	VHF	146-150.8	•	Through-Ho
XiR M8200 SERIES		Combination GPS/VHF 150.8-162 MHz, 1/4 Wave, Through-Hole Mount, BNC	RAD4221	VHF	150.8-162	•	Through-H
	0	Combination GPS/VHF 162-174 MHz, 1/4 Wave, Through-Hole Mount, BNC	RAD4222	VHF	162-174	•	Through-H
VHF ANTENNAS (	RF ONLY)						
		VHF Urban Roof Mount 1/4 Wave Antenna for the 136-144 MHz Range, Mini-U	HAD4006	VHF	136-144		Roof Mou
	8:	VHF Urban Roof Mount 1/4 Wave Antenna for the 146-150.8 MHz Range, Mini-U	HAD4007	VHF	146-150.8		Roof Mou
XIR M8600 XIR M8600i SERIES		VHF Urban Roof Mount 1/4 Wave Antenna for the 150.8-162 MHz Range, Mini-U	HAD4008	VHF	150.8-162		Roof Mou
	8.	VHF Urban Roof Mount 1/4 Wave Antenna for the 162-174 MHz Range, Mini-U	HAD4009	VHF	162-174		Roof Mou
XIR M8200 SERIES		VHF Wide Area Through-Hole Mount Antenna for the 132-174 MHz Range 3 dB Gain, Mini-U	HAD4022	VHF	132-174		Through-H
XIR M6660 SERIES	*	VHF, 146-150.8 MHz, 1/4 Wave, Through- Hole Mount, BNC	RAD4199	VHF	146-150.8		Through-H



COMPATIBILITY	ACCESSORY			FEATURES			
ANTENNAS							
MOBILE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE
VHF ANTENNAS (	RF ONLY)						
XIR M8600 XIR M8600i SERIES XIR M8200 SERIES		VHF Antenna Kit 150.8-162 MHz, 1/4 Wave	RAD4224	VHF	150.8-162		Through-Hole
STANDALONE GP	S ANTENNAS						
		Fixed Mount GPS Active Antenna	PMAN4000	N/A	N/A	•	Fixed
XIR M8600 XIR M8600i SERIES		Glass Mount GPS Active Antenna	PMAN4001	N/A	N/A	•	Glass
XIR M8200 SERIES		Magnetic Mount GPS Active Antenna	PMAN4002	N/A	N/A	•	Magnetic
<b>COMBINATION G</b>	PS/800/900 ANTENNA	AS					
		GPS/800/900 MHz 1/4 Wave Through-Hole Mount Combination Antenna for the 806-941 MHz Range	HAF4029	800/900	806-941	•	Through-Hole
XiR M8600 XiR M8600i SERIES		GPS/800/900 MHz Through-Hole Mount Combination Antenna for the 806-941 MHz Range, 3 dB Gain	HAF4030	800/900	806-941	•	Through-Hole
		GPS/800/900 MHz Stubby Antenna for the 806-941 MHz Range	HAF4032	800/900	806-941	•	Through-Hole
XIR M8200 SERIES		GPS/800/900 MHz Through-Hole Mount Antenna for the 806-941 MHz Range, 5 dB Gain	HAF4033	800/900	806-941	•	Through-Hole
800/900 VHF ANTE	NNAS (RF ONLY)						
	0	Wide Area Through-Hole Mount Stubby Antenna for the 806-941 MHz Range, 3 dB Gain	HAF4013	800/900	806-941		Through-Hole
XIR M8600 XIR M8600i SERIES		Urban Through-Hole Mount 1/4 Wave Antenna for the 806-941 MHz Range	HAF4025	800/900	806-941		Through-Hole
XIR M8200 SERIES	, m	Wide Area Through-Hole Mount Antenna for the 806-941 MHz Range, 3 dB Gain	HAF4026	800/900	806-941		Through-Hole



COMPATIBILITY	ACCESSORY			FEATURES						
ANTENNAS										
MOBILE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE			
800/900 VHF ANTENNAS (RF ONLY)										
	-,111)	Wide Area Through-Hole Mount Antenna for the 806-941 MHz Range, 5 dB Gain	HAF4027	800/900	806-941		Through-Hole			
XIR M8600 XIR M8600i SERIES	000 <del>**</del>	Kit, Combination GPS+RF, Base Only, Through-Hole Mount, BNC	PMAN4003	N/A	N/A	•	Through-Hole			
XIR M8200 Series	000	Kit, Combination GPS+RF, Base Only, Through-Hole Mount, Mini-U	PMAN4004	N/A	N/A	•	Through-Hole			



## **GLOSSARY**

#### **FREQUENCY BAND**

Most antennas only cover a portion of a frequency band. Our wideband UHF and VHF antennas offer coverage across the entire band, enhancing your communication flexibility.

#### **IMPRES**

Get the most out of every battery and eliminate the surprise of "low battery alerts". IMPRES chargers tell you exactly how much capacity is in an IMPRES battery before you attach it to your radio and exactly when an IMPRES battery has reached the end of service life.

IMPRES Battery Fleet Management is now over the air capable with XiR P8600 and XiR P6600 radios (must use MOTOTRBO software update 2.4 or greater).

#### IMPRES AUDIO (MOTOROLA EXCLUSIVE)

Ensure your voice is heard clearer, crisper, and louder regardless of level or direction you're speaking into the accessory.

#### **IMPRES BATTERIES AND CHARGERS**

Get the most out of every battery and eliminate the surprise of "low battery alerts". IMPRES chargers tell you exactly how much capacity is in an IMPRES battery before you attach it to your radio and exactly when an IMPRES battery has reached the end of service life.

#### **INTEGRATED GPS**

To support GPS capability in the radio, the GPS antenna is integrated into the RF antenna. (The XiR P6600/XiR P6600i Series radios do not have GPS capability, but use these antennas.)

## INTELLIGENT AUDIO (MOTOROLA EXCLUSIVE)

Set your volume once. Depend on your accessory to listen for changes in background noise, adjusting the volume automatically so you hear every call.

#### **INTRINSIC SAFETY RATING**

Motorola-approved accessories are a critical part of the overall radio system certified by a recognized testing organization as intrinsically safe. Non-Motorola approved accessories may not be certified for MOTOTRBO and if used, could result in equipment that is NOT approved or unsafe in a hazardous environment.

\*\*NOTE: TIA = TIA4950 Intrinsic Safety Rating; FM = FM 1988 Intrinsic Safety rating Accessories with these ratings are approved for FM or TIA when connected to Intrinsically safe FM or TIA radio/battery system.

#### **IP RATING**

International Protection (IP) is a global standard for rating dust and water protection. The first digit IP5x or IP6x represents increased levels of dust protection. The second digit, IPx7 or IPx8 represents increased levels of water protection.

- IPx7 represents withstanding submersion in 1 meter of fresh water for 30 minutes.
- ▶ **IPx8** represents heating accessory to 27°C higher than the water temperature for 2 hours then immediately immersing it to a depth of 1 meter for another 2 hours.
- **IPx8+Rugged** represents exceeding industry specs by heating accessory to 27°C higher than the water temperature for 2 hours then immediately immersing it to a depth of 2 meters for another 4 hours.

#### **MATERIAL**

Choose from comfortable and flexible nylon cases, rugged, durable hard leather cases or carry holsters.

#### **MICROPHONE NOISE SUPPRESSION**

Multi Mic Noise Suppression: Five integrated microphones and Adaptive Audio Engine automatically change the level of noise suppression, microphone gain, Windporting and speaker equalization to produce clear and loud audio in any environment.

**Dual Mic Noise Suppression:** Dual-microphone design tracks your voice so that you can keep your eye on what's in front of you while speaking. A digital signal processor (DSP) algorithm helps suppress background noise so you can be heard clearly regardless of the noise around you.

#### Windporting (Motorola Exclusive):

Windporting reduces the effect of wind and other outdoor noises on your microphone performance and prevents water from clogging the microphone and distorting your transmission.

**Noise-cancelling** microphones negate crowd or machinery noise so your voice comes through loud and clear anytime you speak directly into the microphone.

#### OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL

This Bluetooth® solution specifically for businesses features simple pairing, high quality audio and fast push-to-talk to ensure every word is transmitted. Enhanced Operations Critical Wireless has all this, plus instant pairing with just a touch of the accessory to the radio's Bluetooth adapter, and intrinsically safe certification for hazardous environments. This means multiple workers on shifts who need graband-go device can all pair at the same time without connecting to the wrong radio.

#### **SIGNAL NOISE RATING**

Signal-to-noise ratio (often abbreviated SNR or S/N) is a measure used in science and engineering that compares the level of a desired signal to the level of background noise. It is defined as the ratio of signal power to the noise power, often expressed in decibels.

#### **SWIVEL OR FIXED LOOP**

Secure to a belt loop and the case swings freely from side to side. The swivel latch system also allows the radio and case to be removed from the belt loop by simply inverting, lifting it up and out of the belt loop. Fixed loops provide a sturdy attachment to your belt.





For more information on Motorola accessories, visit motorolasolutions.com/mototrbo.



**Motorola Solutions Singapore Pte Ltd** 80 Pasir Panjang Road #18-81 Mapletree Business City II Singapore 117372

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. © 2019 Motorola Solutions, Inc. All rights reserved. 09-2020

