



2014


CHAUVET.₃
World Class Lighting
DJs • Bands • Clubs • Events



Accessories

Cables & Clamp.....15, 73
 CBB-6 COLORband™ Mounting Bracket.....19
 Portable Stands.....73

Atmospherics p.60 - 66

Bubble King™.....66
 Bubble Machine.....66
 Geyser™ RGB.....62
 Geyser™ RGB Jr.62
 Hurricane™ 700.....65
 Hurricane™ 901.....65
 Hurricane™ 1101.....65
 Hurricane™ 1301.....65
 Hurricane™ 1800 Flex.....65
 Hurricane™ Haze 2D.....64
 Hurricane™ Haze 3D.....64
 Nimbus™.....60
 Nimbus™ Cart.....60
 Nimbus™ Jr.60

Atmospheric Fluids p.67
Atmospheric Remotes p.67

Controllers p.68

NEW D-Fi™ Hub.....70
NEW D-Fi™ Stream 6.....70
 Data Stream™ 4.....72
 DMX-4.....72
NEW FlareCON™ Air.....69
 IRC-6.....70
 Obey™ 3.....71
 Obey™ 4.....71
 Obey™ 4 D-Fi 2.4.....70
 Obey™ 6.....71
 Obey™ 10.....71
 Obey™ 40.....71
NEW Obey™ 40 D-Fi 2.4.....70
 Obey™ 70.....71
 PC-08 Power Panel.....72
 Pro-D6.....72
 ShowXpress™.....68
 Stage Designer™ 50.....72
 Xpress™ 100.....68
 Xpress™ 512.....68
 Xpress™ 512 Plus.....68

VIP Gear Bags p.74 - 75

CHS-25.....74
 CHS-30.....74
 CHS-40.....74
 CHS-50.....75
 CHS-60.....75
NEW CHS-FR4.....75
 CHS-SP4.....75

LIGHTING FIXTURES

Blacklights p.56 - 57

18" Blacklights.....56
NEW Freedom™ Par Hex-4 (battery operated).....10
 Handheld Blacklight.....56
 LED Shadow™.....56
 SlimBANK™ UV-18.....56
 SlimPAR™ HEX-3 IRC.....57
 SlimPAR™ HEX-6 IRC.....57
NEW SlimSTRIP™ UV-18 IRC.....56

Effect Lights p.48 - 55

Abyss™ LED 3.0.....49
 BEAMbar™.....48
 BOB™ LED.....54
 Circus™ 2.0 IRC.....50
 Cubix™ 2.0.....50
 Derby™ X.....53
 DJ Bank™.....55
 DJ Bank™ FX.....55
 Hemisphere™ 5.1.....52
 LED Mushroom™.....52
 LX5™.....54
 LX10™.....54
 Mega Trix™.....48
 Mini Kinta™.....51
 Radius™ 2.0.....51
 Swarm™ 5 FX.....53
NEW Wash FX™.....49

Gobo Projectors p.34 - 37

NEW EZGobo (battery operated).....34
 Gobo Shot™ 50W IRC.....37
 Gobo Zoom™ LED 2.0.....37
 LFS-5D.....36
 LFS-75DMX.....36

Lasers p.42 - 43

EZMiN™ Laser FX (battery operated).....43
 EZMiN™ Laser RBX (battery operated).....43
 Scorpion™ Dual.....42
NEW Scorpion™ Script.....42
NEW Scorpion™ Storm FX RGB.....42

LED Displays p.44 - 47

COLORtube™ 3.0 EQ & CT3EQ Controller.....44
 MotionDrape™ LED.....46
 MotionFaçade™ LED.....46
NEW MotionOrb™ & MotionOrb™ EXT.....47
 MotionSet™ LED.....46

Moving Heads & Scanners p.4 - 9

Intimidator™ Beam LED 350.....5
 Intimidator™ FX 350.....5
 Intimidator™ Scan LED 200.....9
 Intimidator™ Scan LED 300.....9
 Intimidator™ Spot 100 IRC.....7
NEW Intimidator™ Spot 355Z IRC.....4
 Intimidator™ Spot Duo.....7
 Intimidator™ Spot LED 150.....6
 Intimidator™ Spot LED 250.....6
 Intimidator™ Spot LED 350.....4
 Intimidator™ Wash Zoom 250 IRC.....8
 Intimidator™ Wash Zoom 350 IRC.....8
NEW Intimidator™ Wave IRC.....9

Arch Kit.....82
 Base Plates.....81
NEW Clamps.....81
 Connectors.....81
 Corners.....80
NEW Glo Totems.....83

Pack & Go p.30 - 33

4BAR™ & Mini 4BAR™ 2.0.....31
 4BAR™ Flex.....32
 4BAR™ Tri.....30
 4PLAY™ & 4PLAY™ CL.....33
 6SPOT™.....32
 COREbar™ 4.....30

Spotlighting p.38 - 41

BEAMshot™.....40
 EZpin™ IRC & EZpin™ Pack (battery operated).....39
 LED Followspot 75ST.....41
 LED Pinstop™ 2.....40

Strobes p.58 - 59

Mini Strobe™ LED.....59
NEW Shocker™ 90 IRC.....58
 Techno Strobe™ 168 & 2000S.....59

Wash Lighting p.10 - 29

NEW COLORband™ 3 IRC.....19
 COLORband™ PiX & COLORband™ PiX Mini.....18
 COLORband™ PiX-M.....18
 COLORbar™ SMD.....17
 COLORpalette™.....17
 COLORrail™ IRC.....20
 COLORstrip™ & Foot Controller.....20
 COLORstrip™ Mini & Foot Controller.....21
 COLORstrip™ Mini FX.....21
 CORE™ 3x1.....16
 CORE™ 3x3.....16
 SlimBANK™ Tri-18.....17
 SlimPack™ 56.....28
 SlimPAR™ 38.....29
 SlimPAR™ 56.....28
 SlimPAR™ 64.....27
 SlimPAR™ 64 RGBA.....27
 SlimPAR™ HEX 3 IRC.....22
 SlimPAR™ HEX 6 IRC.....23
 SlimPAR™ Pro RGBA.....24
 SlimPAR™ Pro Tri.....24
 SlimPAR™ Pro VW.....24
 SlimPAR™ Quad 3 IRC.....25
 SlimPAR™ Quad 6 IRC.....25
 SlimPAR™ Quad 12 IRC.....25
 SlimPAR™ Tri 7 IRC.....26
 SlimPAR™ Tri 12 IRC.....26
 Wedge™ Tri.....29

Battery Operated

EZpar™ 56.....12
 EZrail™ RGBA.....13
 EZwedge™ Tri.....13
NEW Freedom™ Par Hex-4.....10
NEW Freedom™ Par Quad-4.....10
NEW Freedom™ Par Tri-6.....10

Outdoor Rated

COLORband™ PiX IP.....15
 COLORrail™ IRC IP.....15
 SlimPANEL™ Tri-12 IP.....14
 SlimPANEL™ Tri-24 IP.....14
 SlimPAR™ 56 IRC IP.....15

Goal Post Kit.....82
NEW Stands.....85
NEW Totem Speaker Adaptor.....83
 Truss Sections.....78-79
NEW Scrim covers.....84
NEW Universal TV Truss Mount.....80



Intimidator™ Spot 355Z IRC

Intimidator™ Spot 355Z IRC is a brilliant moving head with motorized focus and zoom for crisp gobo and beam changing effects. Seven already installed gobos plus six wedding-themed gobos give you plenty of options for creating a unique look for every event. Master/Slave mode lets you create a beautiful light show quickly and easily. Built-in automated programs and move-in-black capability make programming with a CHAUVET® DJ DMX controller as easy as can be.



Optional IRC-6 Remote (Sold Separately)

Moving head combo pack Also available

Specifications

- DMX Channels: 9 or 15
- Light Source: 1 LED (white) 90 W (3.2 A), 50,000 hours life expectancy
- Zoom Angle (motorized): 10° to 17°
- Gobos: 7 + open, rotating, interchangeable, indexing, slot-n-lock, continuous scroll at variable speeds
- Gobo Size: 24 mm outside, 20 mm image, 1.1 mm max thickness
- Colors: 8 + white, split colors, continuous scroll at variable speeds
- Illuminance (10°): 35,225 lux @ 2 m
- Illuminance (17°): 11,800 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 27.4 lb (12.4 kg)
- Size: 13.4 x 9.7 x 18 in (340 x 248 x 456 mm)



Wedding-ready gobos also included



Intimidator™ Spot LED 350

Intimidator™ Spot LED 350 is one of the most powerful fixtures in the acclaimed Intimidator™ line. A 75-watt LED and superior optics make this fixture considerably brighter than most higher watt LED fixtures currently on the market. This feature-packed moving head includes a motorized focus for projecting crisp, rotating gobos from most distances. A rotating 3-facet prism splits the beam for maximum effects and coverage; while interchangeable gobos let you vary and customize the show.



Available in black or white Moving head combo pack Also available

Specifications

- DMX Channels: 8 or 14
- Light Source: 1 LED (white) 75 W (17 A), 50,000 hours
- Zoom Angle (manual): 12° to 17°
- Gobos: 7 + open, rotating, interchangeable, indexing, slot-n-lock, continuous scroll at variable speeds
- Gobo Size: 24 mm outside, 20 mm image, 1.1 mm max thickness
- Colors: 8 + white, split colors, continuous scroll at variable speeds
- Illuminance (12°): 9,490 lux @ 2 m
- Illuminance (17°): 4,670 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 22.7 lb (10.3 kg)
- Size: 10.6 x 13.4 x 15.4 in (268 x 340 x 392 mm)



Gobos



For complete specifications, visit ChauvetDJ.com
All products meet CSA and CE standards. Specifications subject to change without notice.

Intimidator™ FX 350

Intimidator™ FX 350 is a fast moving head with a bright narrow beam of light that cuts through haze to create powerful aerial effects with or without a DMX controller. Built-in, high-speed rotating discs bend the light beam into recallable patterns and the prism adds stunning split ray effects, while multiple colors, electronic dimming, and strobing add to the rich palette of effects. In master/slave mode, Intimidator™ FX 350 gives you a striking aerial light show quickly and easily. For even more options and effects, use a CHAUVET® DJ DMX controller.



Specifications

- DMX Channels: 7 or 15
- Light Source: 1 LED (white) 75 W (17 A), 50,000 hours
- Beam Angle: 8°
- Colors: 8 + white, split colors, continuous scroll at variable speeds
- Illuminance: 18,830 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 24.6 lb (11.2 kg)
- Size: 13.4 x 9.8 x 15.4 in (340 x 248 x 392 mm)



20+ Patterns including



Intimidator™ Beam LED 350

Intimidator™ Beam LED 350 projects a tight, 4-degree beam for crisp aerial effects. Complete with an 8-color wheel, a 5-slot fixed gobo wheel with an animation effect and a 3-facet prism, it cuts through haze with lightning-fast speed, creating a brilliant shaft of light and defined aerial effects. It is a multipurpose moving head that converts to a powerful wash light by utilizing the built-in automated frost filter.



Specifications

- DMX Channels: 8 or 14
- Light Source: 1 LED (white) 75 W (17 A), 50,000 hours
- Beam Angle: 4°
- Gobos: 5 + open, animation effect, continuous scroll at variable speeds
- Colors: 8 + white, split colors, continuous scroll at variable speeds
- Illuminance: 139,200 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 22 lb (9.8 kg)
- Size: 11.3 x 13.4 x 18.5 in (287 x 340 x 470 mm)



Gobos



Intimidator™ Spot LED 250

Intimidator™ Spot LED 250 is a feature-packed moving head spot fitted with a 50-watt LED to flood any event with colorful beams and crisp gobos. It features an easily accessible gobo door to facilitate quick changes, an electronic dimmer for smooth LED fading and a 3-facet prism that splits the beam for maximum effects and coverage.



Specifications

- DMX Channels: 8 or 13
- Light Source: 1 LED (white) 50 W (14.4 A), 50,000 hours
- Beam Angle: 17°
- Gobo Size: 24 mm outside, 20 mm image, 1.1 mm max thickness
- Gobos: 7 + open, rotating, interchangeable, slot-n-lock, continuous scroll at variable speeds
- Colors: 8 + white, split colors, continuous scroll at variable speeds
- Illuminance: 5,970 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 12.6 lb (5.7 kg)
- Size: 9.3 x 8.1 x 11.3 in (236 x 205 x 287 mm)



Gobos




Colors



Intimidator™ Spot LED 150

Intimidator™ Spot LED 150 is a compact yet powerful LED moving head that delivers a crisp, even light and creates eye-candy quickly and easily with a variety of built-in programs and movement macros. Intimidator™ Spot LED 150 has 9 colors and 9 gobos along with super smooth dimming and movement to energize your dance floor. Its small size and powerful output make it a must for mobile DJs. Intimidator Spot LED 150 travels in style in the CHAUVET® DJ CHS-40 VIP Gear Bag.



Specifications

- DMX Channels: 6 or 11
- Light Source: 1 LED (white) 25 W (1.5 A), 50,000 hours
- Beam Angle: 15°
- Gobos: 9 + open (9 metal), continuous scroll at variable speeds
- Colors: 9 + white, split colors, continuous scroll at variable speeds
- Illuminance: 4,300 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 9.3 lb (4.2 kg)
- Size: 8.1 x 8.3 x 11.5 in (205 x 211 x 291 mm)



Gobos



Colors



For complete specifications, visit ChauvetDJ.com
All products meet CSA and CE standards. Specifications subject to change without notice.

Intimidator™ Spot 100 IRC

Intimidator™ Spot 100 IRC is a lightweight, remote controllable LED moving head, perfect for mobile applications. It is compatible with the optional IRC-6 remote for wireless, non-DMX control. Separate color and gobo wheels maximize lighting options, while built-in, rapid-movement macros minimize programming time.



Optional IRC-6 Remote (Sold Separately)

Specifications

- DMX Channels: 6 or 11
- Light Source: 1 LED (white) 10 W (3 A), 50,000 hours
- Beam Angle: 13°
- Gobos: 7 + open, continuous scroll at variable speeds
- Colors: 7 + white, continuous scroll at variable speeds
- Illuminance: 3,280 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 6.6 lb (3 kg)
- Size: 7.8 x 5.8 x 11.6 in (198 x 148 x 295 mm)



Gobos



Colors



Intimidator™ Spot Duo

Intimidator™ Spot Duo features two fully and independently controllable moving heads mounted on an easy-to-rig bar. Slide it onto a tripod, clamp it to truss or set it on the floor. Link it with another Intimidator™ Spot Duo fixture to create a synchronized show. Independent color and gobo wheels create numerous projections and mid-air effects, while DMX control allows for independent control of each head.



Stand Sold Separately

Specifications

- DMX Channels: 10, 17 or 20
- Light Source: 1 LED (white) 10 W (2.8 A), 50,000 hours (per head)
- Beam Angle: 6° (per head)
- Gobos: 9 + open, continuous scroll at variable speeds (per head)
- Colors: 7 + white, split colors, continuous scroll at variable speeds (per head)
- Illuminance: 10,900 lux @ 2 m (per head)
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 18.4 lb (8.4 kg)
- Size: 21 x 7.4 x 14.4 in (540 x 187 x 365 mm)



Gobos



Colors



Intimidator™ Wash Zoom 350 IRC

Intimidator™ Wash Zoom 350 IRC is a bright and powerful LED moving head wash light that gives you a variety of rich and saturated colors with or without a DMX controller. In master/slave mode it gives you a dynamic light show quickly and easily. The motorized zoom, strobe, and color change programs are easily selected from the control panel or with the optional IRC-6 wireless remote. Intimidator™ Wash Zoom 350 IRC has a fast and smooth movement for unparalleled excitement or subtle motion effects. If you want to take your show to the next level, use a CHAUVET® DJ DMX controller! Intimidator™ Wash Zoom 350 IRC travels best in the stylish, optional CHAUVET® DJ CHS-50 VIP Gear Bag.



Available in black or white
Moving head combo pack
Also available

Optional IRC-6 Remote
(Sold Separately)

Specifications

- DMX Channels: 14 or 29
- Light Source: 7 LEDs (quad-color RGBW) 20 W (3.7 A), 50,000 hours
- Zoom Angle (motorized): 14° to 58°
- Illuminance (14°): 14,520 lux @ 2 m, Illuminance (58°): 2,348 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 16 lb (7.3 kg)
- Size: 10.6 x 7.6 x 14.3 in (270 x 194 x 363 mm)



RGBW Color Mixing



Intimidator™ Wash Zoom 250 IRC

Intimidator™ Wash Zoom 250 IRC is a feature-packed moving head wash, fitted with 20-watt quad-color RGBW LEDs and manual zoom for short-throw or long-throw applications. With simple navigation and full text readout on the high-contrast, full-color LCD display, you can easily activate built-in, automated and sound-activated programs. The fixture has multiple control options, using DMX or master/slave mode or the optional CHAUVET® DJ IRC-6 for wireless control and triggering.



Optional IRC-6 Remote
(Sold Separately)

Specifications

- DMX Channels: 7 or 14
- Light Source: 7 LEDs (quad-color RGBW) 20 W (3.7 A), 50,000 hours
- Zoom Angle (manual): 14° to 58°
- Illuminance (14°): 14,520 lux @ 2 m, Illuminance (58°): 2,348 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 12.2 lb (5.6 kg)
- Size: 7.1 x 9.4 x 13 in (180 x 240 x 330 mm)



RGBW Color Mixing



For complete specifications, visit ChauvetDJ.com
All products meet CSA and CE standards. Specifications subject to change without notice.

Intimidator™ Wave IRC

Intimidator™ Wave IRC is a magnificent moving light array with 5 independently controlled heads that project narrow, razor-sharp beams of lights. Each moving head has a bright quad-color LED for infinite color-mixing capabilities. Intimidator™ Wave IRC can be operated with the control panel, or the optional CHAUVET® DJ IRC-6 remote control. Up to 4 Intimidator™ Wave IRC lights can be linked to create stunning coordinated effects. For even more pizzazz use a CHAUVET® DJ DMX controller!



Specifications

- DMX Channels: 14 or 34
- Tilt: 270°
- Light Source: 5 LEDs (quad-color RGBW) 12 W (3.9 A), 50,000 hours
- Beam Angle: 5°
- Illuminance: 11,500 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 17.2 lb (7.8 kg)
- Size: 28 x 4.4 x 9.6 in (712 x 113 x 243 mm)



RGBW Color Mixing



Intimidator™ Scan LED 300

Intimidator™ Scan LED 300 is a bright, powerful LED scanner packed with features for maximum effects. A crisp 3-facet prism splits the beam for increased effects and maximum coverage. Motorized focus ensures crisp gobo projections while high-frequency LED dimming allows flicker-free on-camera operation.



Specifications

- DMX Channels: 8 or 11
- Light Source: 1 LED (white) 60 W (14.9 A), 50,000 hours
- Beam Angle: 21°
- Gobo Size: 23.8 mm outside, 20.9 mm image, 2 mm max thickness
- Gobos: 7 + open (5 metal + 2 glass), rotating, interchangeable, slot-n-lock, continuous scroll at variable speeds
- Colors: 8 + white, split colors, continuous scroll at variable speeds
- Illuminance: 2,850 lux @ 2 m
- Input Voltage: 120/230 VAC, 50/60 Hz (switchable)
- Weight: 14.7 lb (6.7 kg)
- Size: 11 x 10 x 18.9 in (279 x 254 x 478 mm)



Gobos



Colors



Intimidator™ Scan LED 200

Intimidator™ Scan LED 200 is a bright and compact LED scanner that floods the room with colorful beams and crisp gobos. It includes built-in movement macros and move-in-black features, strobe effects and high-frequency dimming for flicker-free, on-camera operation. Sound-activated programs dance to the beat of the music, while built-in automated programs generate synchronized shows in master/slave mode.



Specifications

- DMX Channels: 5 or 8
- Light Source: 1 LED (white) 15 W (1 A), 50,000 hours
- Beam Angle: 15°
- Gobos: 7 + open, continuous scroll at variable speeds
- Colors: 7 + white, split colors, continuous scroll at variable speeds
- Illuminance: 1,577 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 7.5 lb (3.4 kg)
- Size: 13.2 x 6.6 x 14.5 in (335 x 168 x 368 mm)



Gobos



Colors



FREEDOM™

Freedom™ Par Hex-4, Quad-4 and Tri-6 are powerful, bright, and truly 100% wireless with a rechargeable battery and a built-in D-Fi™ transceiver. Freedom™ Hex-4 has over 22 watts of RGBAW+UV color mixing for that extra punch and the special hues that white and UV add in color mixing. Freedom™ Par Quad-4 has 20 watts of RGBA color mixing for that extra richness and variety that amber adds to colors. Freedom™ Par Tri-6 has 18 watts of RGB color mixing. All three Freedom™ Pars can be operated with the control panel, the included IRC-6 remote, or from any mobile phone or tablet running the FlareCON™ mobile app. All fit perfectly inside TRUSST® and all other 12" box truss, and travel safely and stylishly in the CHAUVET® DJ CHS-FR4 VIP Gear Bag.



Built-in adjustable kickstand



Freedom™ Par Hex-4

Available in black or white

NEW



Color, White, UV wash in ONE!

Specifications

- DMX Channels: 6, 8, or 12
- Field Angle: 34°
- Light Source: 4 LEDs (hex-color RGBAW+UV) 5.7 W (2 A), 50,000 hours
- Beam Angle: 23°
- Illuminance: 1,372 lux @ 2 m
- Max Run Time On One Charge: up to 20 hours
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 6.2 lb (2.9 kg)
- Size: 5.4 x 5.7 x 7.2 in (138 x 145 x 184 mm)



RGBAW+UV Color Mixing



Freedom™ Par Quad-4

NEW



Specifications

- DMX Channels: 4, 6 or 10
- Field Angle: 29°
- Light Source: 4 LEDs (quad-color RGBA) 5 W (2 A), 50,000 hours
- Beam Angle: 15°
- Illuminance: 2,300 lux @ 2 m
- Max Run Time On One Charge: up to 20 hours
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 6.2 lb (2.8 kg)
- Size: 5.4 x 5.7 x 7.2 in (138 x 145 x 184 mm)



RGBA Color Mixing



Freedom™ Par Tri-6

NEW



Specifications

- DMX Channels: 3, 4, 5, or 9
- Field Angle: 29°
- Light Source: 6 LEDs (tri-color RGB) 3 W (600 mA), 50,000 hours
- Beam Angle: 15°
- Illuminance: 1,938 lux @ 2 m
- Max Run Time On One Charge: up to 20 hours
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 5.8 lb (2.6 kg)
- Size: 5.4 x 5.7 x 7.2 in (138 x 145 x 184 mm)



RGB Color Mixing



For complete specifications, visit ChauvetDJ.com
All products meet CSA and CE standards. Specifications subject to change without notice.



NEW

FlareCON™

Turn your Smartphone into a DMX Controller!
(See p.69 for details and required hardware)



Control any Freedom™ fixture
with a smartphone or tablet from a range of
up to 600 feet!



Available for IOS and Android

Washlighting made EZ

EZpar™ 64 RGBA and EZpar™ 56 are battery-powered wash lights designed to speed setup and free the mobile entertainer from the hassle of running cables. Their rechargeable lithium-ion battery lasts up to 20 hours on a single charge. EZpar™ 64 RGBA powers 180 red, green, blue and amber LEDs while EZpar™ 56 powers 108 red, green, and blue LEDs to deliver stunning color. Built-in automated and sound-activated programs are accessible using the included IRC-6 remote and in DMX or master/slave mode.

EZpar™ 64 RGBA

Available in black or white



Specifications

- DMX Channels: 4 or 8
- Light Source: 180 LEDs (39 red, 39 green, 51 blue, 51 amber)
0.25 W (20 mA), 100,000 hours
- Beam Angle: 14°
- Illuminance: 1,325 lux @ 2 m
- Max Run Time On One Charge: up to 20 hours
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 4 lb (1.9 kg)
- Size: 10.8 x 10.8 x 2.6 in (276 x 275 x 66 mm)



RGBA Color Mixing



EZpar™ 56



Specifications

- DMX Channels: 3 or 7
- Light Source: 108 LEDs (36 red, 36 green, 36 blue)
0.25 W (20 mA), 100,000 hours
- Beam Angle: 14°
- Illuminance: 1,050 lux @ 2 m
- Max Run Time On One Charge: up to 20 hours
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 2.8 lb (1.3 kg)
- Size: 9.5 x 8.6 x 2.5 in (242 x 219 x 64 mm)




RGB Color Mixing



For complete specifications, visit ChauvetDJ.com
All products meet CSA and CE standards. Specifications subject to change without notice.

EZrail™ RGBA

EZrail™ RGBA is a linear LED wash light for wireless setup and operation. Its rechargeable lithium battery last 20 hours and the included CHAUVET™ DJ IRC-6 wireless remote triggers a full range of automatic programs with sound triggering, for colorful, wireless events! EZrail™ RGBA can be mounted individually or in banks of 6 units with the CHAUVET™ DJ CBB-6 mounting bracket (p. 19). EZrail™ RGBA has a variety of DMX personalities so it can be operated with a DMX controller. It travels safely in the CHAUVET™ DJ CHS-60 VIP Gear Bag.



Specifications

- DMX Channels: 2, 4, 5, 8, 10 or 18
- Light Source: 160 LEDs (40 red, 40 green, 40 blue, 40 amber)
0.25 W (20 mA), 100,000 hours
- Beam Angle: 15°
- Illuminance: 805 lux @ 2 m
- Max Run Time On One Charge: up to 20 hours
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 5.6 lb (2.6 kg)
- Size: 19.9 x 2.9 x 6.1 in (505 x 73 x 155 mm)



RGBA Color Mixing



EZWedge™ Tri

EZWedge™ Tri is a battery-operated, tri-color LED wash light that fits perfectly inside TRUSST™ Goal Post and Arch Kit truss systems. The rechargeable, lithium battery lasts up to 20 hours from a single charge, and you can easily check the battery status with the built-in battery life indicator. EZWedge™ Tri attaches to 35-mm truss without the need for a bracket, using M10 or M12 threaded rig points. Its flicker-free operation is suitable for on-camera use and it provides smooth dimming with built-in dimming curves. Easily control static colors and automated programs with the included IRC-6 remote or create any color without DMX by using the built-in digital display. You can also build coordinated light shows by linking other tri-color LED fixtures in master/slave mode.



Specifications

- DMX Channels: 3 or 8
- Light Source: 3 LEDs (tri-color RGB) 3 W (1,050 mA), 50,000 hours
- Beam Angle: 16°
- Illuminance: 1,066 lux @ 2 m
- Max Run Time On One Charge: up to 20 hours
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 2.8 lb (1.3 kg)
- Size: 4.3 x 4.3 x 5.4 in (108 x 108 x 136 mm)



RGB Color Mixing



Rain or Shine...SHINE!

with CHAUVET DJ outdoor rated fixtures



SlimPANEL™ Tri-24 IP

SlimPANEL™ Tri-24 IP provides bright and saturated color washes at mobile functions and on stage, indoors or outdoors. This IP65-rated fixture is at home in just about any environment and can withstand the strongest rainstorms without having to be covered or brought inside. Powered by 24 tri-color LEDs, it projects a smooth, even wash onto nearly any surface.



Specifications

- DMX Channels: 3, 5 or 9
- Light Source: 24 LEDs (tri-color RGB) 3 W (1,050 mA), 50,000 hours
- Beam Angle: 20°
- Illuminance: 5,850 lux @ 2 m
- IP Rating: IP65
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 13.8 lb (6.2 kg)
- Size: 10.5 x 11.9 x 5.3 in (268 x 301 x 134 mm)



RGB Color Mixing



SlimPANEL™ Tri-12 IP

SlimPANEL™ Tri 12 IP is designed for worry-free lighting at indoor and outdoor events. It provides vibrant, saturated color wherever it is needed. This IP65-rated fixture is at home in just about any environment and can withstand the strongest rainstorms without having to be covered or brought inside. Powered by 12 tri-colored LEDs, SlimPANEL™ Tri 12 IP projects a smooth, even wash onto nearly any surface and almost completely eliminates multi-colored shadows.



Specifications

- DMX Channels: 3, 4 or 9
- Light Source: 12 LEDs (tri-color RGB) 3 W (1,050 mA), 50,000 hours
- Beam Angle: 20°
- Illuminance: 3,576 lux @ 2 m
- IP Rating: IP65
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 10.5 lb (4.8 kg)
- Size: 14 x 7 x 3.5 in (358 x 180 x 90 mm)



RGB Color Mixing



For complete specifications, visit ChauvetDJ.com. All products meet CSA and CE standards. Specifications subject to change without notice.

COLORrail™ IRC IP

COLORrail™ IRC IP is an outdoor-rated version of the COLORrail™ IRC (p. 20) and shares the outstanding features of its indoor counterpart, including 320 LEDs and built-in infrared technology.



Optional IRC-6 Remote (Sold Separately)

Specifications

- DMX Channels: 2, 3, 4, 7, 14, or 26
- Light Source: 320 LEDs (128 red, 96 green, 96 blue) 0.25 W (20 mA), 100,000 hours
- Beam Angle: 28° x 12°
- Illuminance: 1,140 lux @ 2 m
- IP Rating: IP65
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 12.4 lb (5.6 kg)
- Size: 43.6 x 4.7 x 5.1 in (1,109 x 120 x 130 mm)



RGB Color Mixing



SlimPAR™ 56 IRC IP

SlimPAR™ 56 IRC IP is an excellent RGB LED par for outdoor events. No need to worry if your unit gets wet during an outdoor event or has a drink spilled on it: its IP65 rating ensures strong resistance to harsh environmental conditions. Create customized light shows in 3- or 7-channels of DMX mode. Or, for added convenience, wireless remote control is available using the optional IRC-6 remote.



Optional IRC-6 Remote (Sold Separately)

Specifications

- DMX Channels: 3 or 7
- Light Source: 108 (36 red, 36 green, 36 blue) 0.25W (20mA) LEDs 100,000 hrs
- Beam Angle: 14°
- Illuminance: 876 lux @ 2m
- IP Rating: IP65
- Input Voltage: 100 to 240VAC 50/60Hz (auto-ranging)
- Weight: 4.1 lbs (1.9 kg)
- Size: 9.3 x 8 x 3.2 in (236 x 203 x 82 mm)



RGB Color Mixing



COLORband™ PiX IP

COLORband™ PiX IP is a must-have fixture for mobile DJs or club installers looking to create high-impact visuals by combining flicker-free pixel-mapping effects and wash lighting at both indoor and outdoor events. The robust IP65-rated housing withstands water, snow, dirt and salt.



Optional IRC-6 Remote (Sold Separately)

Specifications

- DMX Channels: 3, 4, 6, 7, 9, 12, 18 or 36
- Light Source: 12 LEDs (tri-color RGB) 3 W (1,050 mA), 50,000 hours
- Beam Angle: 20°
- Illuminance: 2,325 lux @ 2 m
- IP Rating: IP65
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 13.5 lb (6.1 kg)
- Size: 39 x 3.9 x 6.8 in (993 x 100 x 173 mm)



RGB Color Mixing



CHAUVET DJ Outdoor Cables



CDIPPOWER5 - 16.4ft (5m)

Compatible with COLORrail™ IRC IP, SlimPAR™ 56 IRC IP



IP5POWER - 16.4ft (5m)

Compatible with SlimPANEL™ Tri-24 IP, SlimPANEL™ Tri-12 IP



CDIPSIG5 - 16.4ft (5m)

Compatible with SlimPANEL™ Tri-24 IP, SlimPANEL™ Tri-12 IP, COLORrail™ IRC IP, SlimPAR™ 56 IRC IP, COLORband™ PiX IP

CORE™ 3x3

CORE™ 3x3 combines a pixel-mapping effect and a powerful LED wash light into a single, unique fixture. Powered by 9 tri-color RGB LEDs with chip-on-board (COB) technology, it utilizes a unique reflector cup to produce large pixels of light and create intriguing sweeping and chasing effects. You can easily combine multiple units together using built-in coffin locks to construct an impressive array capable of large scale animations and chases. See also p. 45.

**Specifications**

- DMX Channels: 3, 5, 9, 27, or 31
- Light Source: 9 LEDs (tri-color RGB) 9 W (1.5 A), 50,000 hours
- Beam Angle: 47°
- Illuminance: 1,025 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 13.6 lb (6.2 kg)
- Size: 6.2 x 13.6 x 13.6 in (156 x 344 x 344 mm)



RGB Color Mixing

**CORE™ 3x1**

CORE™ 3x1 combines a pixel-mapping effect and a powerful linear wash light into one unique fixture. Powered by 3 tri-color RGB LEDs with chip-on-board (COB) technology, it utilizes a unique reflector cup to produce large pixels of light and create intriguing sweeping and runway chase effects. This multipurpose fixture also functions as a linear wash light designed to flood an area with colored light.

**Specifications**

- DMX Channels: 3, 5, 9, 10 or 13
- Light Source: 3 LEDs (tri-color RGB) 9 W (1.5 A), 50,000 hours
- Beam Angle: 47°
- Illuminance: 340 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 8.2 lb (3.7 kg)
- Size: 8.7 x 13.7 x 4.6 in (222 x 347 x 116 mm)




RGB Color Mixing



For complete specifications, visit ChauvetD.com
All products meet CSA and CE standards. Specifications subject to change without notice.

COLORbar™ SMD

COLORbar™ SMD is a professional and rugged SMD LED strip light designed for the mobile entertainer, lighting professional or permanent installation. Eight individual sections of RGB control offer pixel-mapping capabilities, while road-ready SMD LEDs offer a combination of intensity and toughness. Combine multiple units and use with ShowXpress™ Pixels to easily create dynamic chases and animations.

**Specifications**

- DMX Channels: 3, 7 or 24
- Light Source: 648 LEDs (tri-color RGB) SMD (60 mA), 50,000 hours
- Beam Angle: 67°
- Illuminance: 328 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 12 lb (5.4 kg)
- Size: 31.8 x 4.7 x 7 in (803 x 121 x 178 mm)



RGB Color Mixing

**COLORpalette™**

COLORpalette™ is a powerful bank system fitted with 288 RGB LEDs to emit colorful effects during any mobile application. Increase design options with full control of blackout, static and dimmer effects, color fading and full color mixing capabilities in up to 8 sections. It includes built-in, automated and sound-activated programs for plug-and-play operation, or you can create customized looks using 6, 9, 15 or 27 channels of DMX control.

**Specifications**


- DMX Channels: 6, 9, 15, or 27
- Light Source: 288 LEDs (96 red, 96 green, 96 blue) 0.25 W (20 mA), 100,000 hours
- Beam Angle: 31° x 29°
- Illuminance: 611 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 6.2 lb (2.8 kg)
- Size: 16.8 x 9.8 x 7 in (425 x 248 x 178 mm)



RGB Color Mixing

**SlimBANK™ Tri-18**

SlimBANK™ Tri-18 is a wide-area wash light fitted with 18 tri-color LEDs. Easily shield light from unwanted areas using removable barn doors. Built-in dimming curves and a fan-free design allow this fixture to be used in noise-sensitive environments and mixed into traditional lighting rigs with ease.

Barn Doors
Included**Specifications**

- DMX Channels: 3, 5, 9, or 13
- Light Source: 18 LEDs (tri-color RGB) 3 W (1,050 mA), 50,000 hours
- Beam Angle: 17°
- Illuminance: 5,450 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 7 lb (3.2 kg)
- Size: 15.3 x 7.7 x 7.4 in (389 x 197 x 187 mm)



RGB Color Mixing



COLORband™ PiX & COLORband™ PiX Mini

COLORband™ PiX and COLORband™ PiX Mini are powerful wash lights with the additional eye candy of pixel-mapping effects. These linear pixel-mapping fixtures easily generate video effects and animations when multiple units are used together. Individual control over flicker-free, tri-color LEDs allows for custom shows, while impressive, pre-built programs are accessible with or without DMX.



Also Available In Outdoor Rated version (p. 15)

COLORband™ PiX Specifications

- DMX Channels: 3, 4, 6, 7, 9, 12, 18 or 36
- Light Source: 12 LEDs (tri-color RGB) 3 W (1,050 mA), 50,000 hours
- Beam Angle: 20°
- Illuminance: 2,325 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 8.9 lb (4 kg)
- Size: 41.6 x 2.5 x 6.1 in (1,057 x 64 x 154 mm)

COLORband™ PiX Mini Specifications

- DMX Channels: 3, 4, 6, 7, 9, or 18
- Light Source: 6 LEDs (tri-color RGB) 3 W (1,050 mA), 50,000 hours
- Beam Angle: 20°
- Illuminance: 1,300 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 4.9 lb (2.2 kg)
- Size: 21.8 x 2.5 x 6.1 in (554 x 64 x 154 mm)



RGB Color Mixing



COLORband™ PiX-M

COLORband™ PiX-M adds a dimension of motion to the popular COLORband™ PiX linear fixture with DMX-controllable motors that sweep back and forth, or from position to position, creating movement and dynamic effects, especially when used in a line or matrix of multiple units. Powered by 12 tri-color LEDs, it includes automated programs to create stunning combinations of light and motion, while 3- and 5-pin DMX connectors allow for easy integration into any lighting rig.



270° Rotation Moving LED Strip Light

Specifications

- DMX Channels: 5, 6, 8, 10, 11, 14, 20, 38 or 42
- Tilt: 270°
- Light Source: 12 LEDs (tri-color RGB) 3 W (1,050 mA), 50,000 hours
- Beam Angle: 20°
- Illuminance: 2,325 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 10.2 lb (4.7 kg)
- Size: 40.9 x 2.6 x 7.4 in (1,040 x 67 x 188 mm)



RGB Color Mixing



For complete specifications, visit ChauvetDJ.com
All products meet CSA and CE standards. Specifications subject to change without notice.

COLORband™ 3 IRC

COLORband™ 3 IRC is a smooth, even LED strip light that is bright enough to be a blinder. It has RGB color mixing and 3 zones of control for all kinds of chases and wall washing effects. Built-in programs and sound activation let you create looks quickly in standalone and master/slave modes, and quiet operation makes it great for weddings and ceremonies. For even more options use a CHAUVET® DJ DMX controller! The CHAUVET® DJ CBB-6 bracket lets you create a panel of six COLORband™ 3 IRC. COLORband™ 3 IRC fits in the sturdy and stylish CHAUVET® DJ CHS-60 VIP Gear bag.



Optional IRC-6 Remote
(Sold Separately)

Specifications

- DMX Channels: 3, 6, 8, 9 or 14
- Light Source: 12 LEDs (tri-color RGB) 3 W (1 A), 50,000 hours
- Beam Angle: 27°
- Illuminance: 2,969 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 8.6 lb (3.9 kg)
- Size: 41.3 x 3.2 x 6 in (1,049 x 82 x 154 mm)




RGB Color Mixing



COLORband™ Mounting Bracket CBB-6

COLORband™ Mounting Bracket CBB-6 is an optional rigging bracket compatible with COLORband™ PiX, COLORband™ PiX Mini, COLORrail™ IRC and most linear CHAUVET® DJ fixtures. Use it to create seamless and uniform pixel-mapped animations across multiple fixtures. For quick and easy installation, each bracket holds up to 6 fixtures and mounts to truss using the optional heavy-duty CLP clamp.



Specifications

- Weight: 3.1 lb (1.4 kg)
- Size: 20.5 x 3.7 x 1.2 in (520 x 95 x 30 mm)

COLORrail™ IRC

COLORrail™ IRC is a linear wash and effect light fitted with 320 RGB LEDs and featuring built-in, infrared technology. Create your own looks with eight sections of DMX control, or generate eye-catching chase and runway effects with built-in automated and sound-activated programs. Thanks to tightly packed and evenly distributed LEDs, color mixing and wall washing occur almost instantly. For wireless non-DMX control, use it with the optional IRC-6 remote.



Optional IRC-6 Remote (Sold Separately)

Also Available In Outdoor Rated Version (p. 15)

Specifications

- DMX Channels: 2, 3, 4, 7, 14, or 26
- Light Source: 320 LEDs (128 red, 96 green, 96 blue) 0.25 W (20 mA), 100,000 hours
- Beam Angle: 28° x 12°
- Illuminance: 1,140 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 6.3 lb (2.8 kg)
- Size: 43.5 x 3 x 6 in (1,062 x 88 x 90 mm)



RGB Color Mixing



COLORstrip™

COLORstrip™ is a compact, linear wash light designed for uplighting applications and eye-candy effects. It features static colors as well as blackout, dimmer and strobe effects. Link multiple fixtures for dynamic runway chases. Control both with the COLORstrip™ Foot Controller (LED-FS1), which provides hands-free control with four pedals that trigger static colors, chase programs, speed of strobe and blackout.



Specifications

- DMX Channels: 4
- Light Source: 384 LEDs (128 red, 128 green, 128 blue) 0.25 W (20 mA), 100,000 hours
- Beam Angle: 53° x 27°
- Illuminance: 618 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 4.5 lb (2 kg)
- Size: 38 x 2.5 x 6 in (965 x 64 x 152 mm)



RGB Color Mixing



COLORstrip™ Foot Controller (Sold Separately)

For complete specifications, visit ChauvetDJ.com
All products meet CSA and CE standards. Specifications subject to change without notice.

COLORstrip™ Mini

COLORstrip™ Mini is a 19-inch long, four-channel LED linear wash light. Static colors and RGB color mixing can be achieved with or without a DMX controller. Blackout, static, dimmer and strobe are included. Additional features include built-in automated and sound-activated programs via master/slave or DMX. Up to 31 units can be linked master/slave for a color-changing runway effect.



Specifications

- DMX Channels: 4
- Light Source: 192 LEDs (64 red, 64 green, 64 blue) 0.25 W (20 mA), 100,000 hours
- Beam Angle: 37° x 33°
- Illuminance: 358 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 3.3 lb (1.5 kg)
- Size: 19 x 3.8 x 5.1 in (484 x 97 x 130 mm)




RGB Color Mixing



COLORstrip™ Mini Foot Controller (Sold Separately)

COLORstrip™ Mini FX

COLORstrip™ Mini FX takes our popular CHAUVET® DJ COLORstrip™ wash light technology and adds built-in lasers, perfect for uplighting and mesmerizing effects. Combine multiple units for unique runway effects, or pair it with other COLORstrip™ fixtures for large coordinated light shows. Use the included wireless IR remote for separate color and program control.



IR Remote Included

Wash Light & Laser Effect In One!

Specifications

- DMX Channels: 4 or 7
- Light Source: Wash Light: 190 LEDs (63 red, 64 green, 63 blue) 0.25 W (20 mA), 100,000 hours
Laser: 532 nm/50 mW (green) laser diode, 650 nm/100 mW (red) laser diode
- Beam Angle: 22°
- Illuminance: 444 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 4.2 lb (2 kg)
- Size: 19 x 2.4 x 6.6 in (482 x 60 x 169 mm)



RGB Color Mixing



LASER LIGHT. AVOID DIRECT EYE EXPOSURE.
Classified per EN/IEC 60825-1:2007 Complies with FDA performance standards for laser products except for deviations pursuant to Laser Notice No. 50, dated June 24, 2007





SlimPAR™ HEX 3 IRC

SlimPAR™ HEX 3 IRC is a low-profile LED wash light with the CHAUVET DJ award-winning 6-in-1 LED technology (RGBAW+UV) and built-in infrared remote control capability. The sit-flat housing hugs the floor and features power and DMX outlets on the side, while hex-LEDs generate a broad spectrum of colors and achieves natural looking color temperatures. For wireless operation and control, use the optional IRC-6 remote for point-and-shoot operation of static colors and automated programs.



Optional IRC-6 Remote (Sold Separately)

Sit-flat housing design



Color wash, White wash, Blacklight in ONE!

Specifications

- DMX Channels: 6, 8 or 12
- Light Source: 3 hex-color LEDs (RGBAW+UV)
9 W (2.4 A), 50,000 hours
- Beam Angle: 23°
- Illuminance: 907 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 3.6 lb (1.7 kg)
- Size: 8.3 x 7.4 x 4.3 in (210 x 187 x 108 mm)



For complete specifications, visit ChauvetDJ.com
All products meet CSA and CE standards. Specifications subject to change without notice.



SlimPAR™ HEX 6 IRC

SlimPAR™ HEX 6 IRC is a low-profile LED wash light with 6-in-1 LED technology (RGBAW+UV) and built-in infrared remote control capability. The sit-flat housing hugs the floor and features power and DMX outlets on the side, while 6-in-1 LED technology generates a broad spectrum of colors and achieves natural looking color temperatures. For wireless operation and control, use the optional IRC-6 remote for point-and-shoot operation of static colors and automated programs.



Optional IRC-6 Remote (Sold Separately)

Sit-flat housing design

6-Color LEDs RGBAW+UV

Specifications

- DMX Channels: 6, 8 or 12
- Light Source: 6 hex-color LEDs (RGBAW+UV)
9 W (2.4 A), 50,000 hours
- Beam Angle: 23°
- Illuminance: 1,760 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 4.6 lb (2.2 kg)
- Size: 9.5 x 8.9 x 3.7 in (241 x 226 x 95 mm)



For complete specifications, visit ChauvetDJ.com
All products meet CSA and CE standards. Specifications subject to change without notice.

SlimPAR™ Pro Tri

SlimPAR™ Pro Tri utilizes 18 tri-color LEDs to deliver a uniform wash output. It uses color-mixing technology that creates colors behind the lens, which limits the undesirable effects of multicolored shadows.



Shown with Gel frame holder (included)

SlimPAR™ Pro VW

SlimPAR™ Pro VW is a variable white wash light fitted with 36 warm and cool white LEDs. It is designed for mobile applications where matching the color temperature of existing lighting or achieving a specific color temperature for on-camera use is necessary.



Shown with Gel frame holder (included)

SlimPAR™ Pro RGBA

SlimPAR™ Pro RGBA is a wash light with red, green, blue and amber LEDs. The addition of amber offers a more complete spectrum, including the harder-to-create warm colors, while increasing saturation and vividness. This unit is perfect for adding a lot of color to small performance venues.



Shown with Gel frame holder (Included)

SlimPAR™ Quad 12 IRC

SlimPAR™ Quad 12 IRC is a low profile, high-power LED wash light with 12 quad-color (RGBA) LEDs which eliminate multicolored shadows and provide a smooth, even output. The optional CHAUVET DJ IRC-6 remote control allows simple operation and eliminates the hassle of programming.



Optional IRC-6 Remote (Sold Separately)

SlimPAR™ Quad 6 IRC

SlimPAR™ Quad 6 IRC is a low profile, high-power LED wash light with 6 quad-color (RGBA) LEDs which eliminate multicolored shadows and provide a smooth, even output. The optional CHAUVET DJ IRC-6 remote control allows simple operation and eliminates the hassle of programming.



Optional IRC-6 Remote (Sold Separately)

SlimPAR™ Quad 3 IRC

SlimPAR™ QUAD 3 IRC is a low-profile, quad-color (RGBA) LED wash light with built-in infrared remote control capability. Bright amber LEDs generate a broad spectrum of colors and achieve natural looking color temperatures, while the optional CHAUVET DJ IRC-6 remote control allows for easy point-and-shoot operation of static colors and automated programs.



Sit-flat housing design
Optional IRC-6 Remote (Sold Separately)

Specifications

- DMX Channels: 3, 4, or 9
- Light Source: 18 LEDs (tri-color RGB) 3 W (1,050 mA), 50,000 hours
- Beam Angle: 21°
- Illuminance: 1,980 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 6.4 lb (2.9 kg)
- Size: 3.7 x 10.1 x 11.4 in (94 x 256 x 290 mm)



RGB Color Mixing



Specifications

- DMX Channels: 2, 3, or 7
- Light Source: 36 LEDs (18 cool white, 18 warm white) 1 W (350 mA), 50,000 hours
- Beam Angle: 21°
- Illuminance: 2,930 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 6.3 lb (2.8 kg)
- Size: 3.4 x 10.1 x 11.2 in (87 x 256 x 285 mm)



VW Color Temperature Range



Specifications

- DMX Channels: 4, 5, or 10
- Light Source: 42 LEDs (12 red, 12 green, 12 blue, 6 amber) 1 W (350 mA), 50,000 hours
- Beam Angle: 21°
- Illuminance: 2,830 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 6.3 lb (2.8 kg)
- Size: 3.4 x 10.1 x 11.4 in (87 x 256 x 290 mm)



RGBA Color Mixing



Specifications

- DMX Channels: 4 or 8
- Light Source: 12 LEDs (quad-color RGBA) 5 W (2 A), 50,000 hours
- Beam Angle: 20°
- Illuminance: 4,500 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 5.6 lb (2.4 kg)
- Size: 10.7 x 10.6 x 4.2 in (272 x 270 x 107 mm)



RGBA Color Mixing



Specifications

- DMX Channels: 4 or 8
- Light Source: 6 LEDs (quad-color RGBA) 5 W (2 A), 50,000 hours
- Beam Angle: 20°
- Illuminance: 2,393 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 4 lb (1.8 kg)
- Size: 8.8 x 8.3 x 4.2 in (224 x 210 x 107 mm)



RGBA Color Mixing



Specifications

- DMX Channels: 4 or 9
- Light Source: 3 LEDs (quad-color RGBA) 5 W (2 A), 50,000 hours
- Beam Angle: 20°
- Illuminance: 1,065 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 3.6 lb (1.7 kg)
- Size: 8.3 x 7.4 x 4.3 in (210 x 187 x 108 mm)




RGBA Color Mixing



SlimPAR™ Tri 12 IRC

SlimPAR™ Tri 12 IRC is a low profile, high-power LED par with 12 tri-color RGB LEDs that emit a smooth, even wash. The optional IRC-6 remote simplifies operation and eliminates the hassle of programming.



Optional IRC-6 Remote (Sold Separately)

Specifications

- DMX Channels: 3 or 7
- Light Source: 12 LEDs (tri-color RGB)
3 W (1,050 mA), 50,000 hours
- Beam Angle: 20°
- Illuminance: 2,662 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 5.7 lb (2.6 kg)
- Size: 11.5 x 9.3 x 4.6 in (292 x 235 x 115 mm)



RGB Color Mixing



SlimPAR™ Tri 7 IRC

SlimPAR™ Tri 7 IRC is a low profile, high-power wash light with seven tri-color LEDs providing a smooth, even output without undesirable multicolored shadows. The optional IRC-6 remote simplifies operation and eliminates the hassle of programming. With a 100% convection cooling system, there is no fan noise to distract the audience.



Optional IRC-6 Remote (Sold Separately)

Specifications

- DMX Channels: 3 or 7
- Light Source: 7 LEDs (tri-color RGB)
3 W (1,050 mA), 50,000 hours
- Beam Angle: 20°
- Illuminance: 1,073 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 3.8 lb (1.7 kg)
- Size: 8.5 x 7.7 x 4.6 in (215 x 195 x 118 mm)



RGB Color Mixing



SlimPAR™ 64

SlimPAR™ 64 houses 180 red, green and blue LEDs in a slim casing that fits almost anywhere. This efficient wash light is controllable in 3- or 7-channel of DMX mode. Or for use on the fly, activate pulse effects at variable speed or built-in automated and sound-activated programs. For added convenience, it also offers static colors and RGB color mixing with or without DMX, while built-in power linking simplifies setup and tear down.



Specifications

- DMX Channels: 3 or 7
- Light Source: 180 LEDs (60 red, 60 green, 60 blue)
0.25 W (20 mA), 100,000 hours
- Beam Angle: 14°
- Illuminance: 1,241 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 2.8 lb (1.3 kg)
- Size: 9.7 x 11.1 x 2.5 in (246 x 282 x 64 mm)



RGB Color Mixing



SlimPAR™ 64 RGBA

SlimPAR™ 64 RGBA houses 180 red, green, blue and amber LEDs in a discreet, ultra-compact casing. It offers static colors and color mixing with or without DMX. Use built-in automated and sound-activated programs as well as pulse effects at variable speed for a show on the fly. Or create your own looks using a 4- or 8-channel DMX mode.



Specifications

- DMX Channels: 4 or 8
- Light Source: 180 LEDs (39 red, 39 green, 51 blue, 51 amber)
0.25 W (20 mA), 100,000 hours
- Beam Angle: 14°
- Illuminance: 1,325 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 2.8 lb (1.3 kg)
- Size: 10.8 x 10.8 x 2.6 in (276 x 275 x 66 mm)



RGBA Color Mixing



SlimPAR™ 56

SlimPAR™ 56 is an LED wash light in a sleek white or black housing. Powered by 108 red, green and blue LEDs, it blends into any décor with ease. Customize light shows in 3- or 7-channel DMX mode.



Specifications

- DMX Channels: 3 or 7
- Light Source: 108 LEDs (36 red, 36 green, 36 blue)
0.25 W (20 mA), 100,000 hours
- Beam Angle: 14°
- Illuminance: 876 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 2.7 lb (1.2 kg)
- Size: 9.5 x 8.8 x 2.2 in (241 x 224 x 56 mm)



RGB Color Mixing



SlimPack™ 56



CHS-SP4 VIP Gear bag

4 SlimPAR™ 56

4 DMX Cables

Obey™ 3

For complete specifications, visit ChauvetDJ.com
All products meet CSA and CE standards. Specifications subject to change without notice.

SlimPAR™ 38

SlimPAR™ 38 sports an ultra slim casing that fits almost anywhere. This efficient LED wash light can be controlled in 3- or 7-channel DMX mode. Or, for effects on the fly, activate variable speed pulse effects and built-in automated and sound-activated programs.



Specifications

- DMX Channels: 3 or 7
- Beam Angle: 14°
- Light Source: 75 LEDs (25 red, 25 green, 25 blue)
0.25 W (20 mA), 100,000 hours
- Beam Angle: 14°
- Illuminance: 531 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 1.8 lb (0.8 kg)
- Size: 7.3 x 8.1 x 2.5 in (185 x 206 x 64 mm)



RGB Color Mixing



Wedge™ Tri

Wedge™ Tri is a triangle-shaped, DMX-controllable LED wash light designed to fit inside triangular truss systems from most manufacturers. It fits perfectly inside TRUSST, Goal Post and Arch Kit truss systems and easily attaches to 35 mm truss, using M10 or M12 threaded rig points. Control static colors and automated programs with the included IRC-6 remote, or use built-in digital display to easily create any color without DMX.



IRC-6 Remote Included

Also Available In Battery-operated Wireless Version (p. 13)

Specifications

- DMX Channels: 3 or 8
- Light Source: 3 LEDs (tri-color RGB) 3 W (1,050 mA), 50,000 hours
- Beam Angle: 16°
- Illuminance: 1,066 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 1.4 lb (0.6 kg)
- Size: 4.3 x 4.3 x 4.1 in (108 x 108 x 104 mm)



RGB Color Mixing



COREbar™ 4

COREbar™ 4 is a complete, all-in-one mobile wash lighting solution. It produces a full spectrum of light with unsurpassed color mixing using chip-on-board (COB) technology. Achieve total room or stage coverage with four individually adjustable heads and easily set up and tear down in minutes using the included tripod, footswitch, and carry bag.



Tripod, Footswitch,
Carry Bags Included

Specifications

- DMX Channels: 3 or 15
- Light Source: 4 LEDs (tri-color RGB) 17 W (2 A), 50,000 hours
- Beam Angle: 31°
- Illuminance: 283 lux @ 2 m (per pod)
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 8.8 lb (4 kg)
- Size: 29.5 x 5.3 x 11.2 in (749 x 135 x 285 mm)



RGB Color Mixing

**4BAR™ Tri**

4BAR™ Tri is a complete, portable tri-color LED wash lighting solution with DMX capability. Building on the success of the 4BAR™, it adds high-power tri-color LEDs to eliminate multicolored shadows and create a saturated, uniform output. Like the original, 4BAR™ Tri includes a tripod, footswitch and carry bags to simplify setup, operation and tear down.



Tripod, Footswitch,
Carry Bags Included

Specifications

- DMX Channels: 3 or 15
- Light Source: 28 LEDs (tri-color RGB) 3 W (1,050 mA), 50,000 hours
- Beam Angle: 22°
- Illuminance: 1,869 lux @ 2 m (per pod)
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 31 lb (14.1 kg)
- Size: 48 x 2.2 x 11.2 in (1,219 x 55 x 285 mm)



RGB Color Mixing



For complete specifications, visit ChauvetDJ.com
All products meet CSA and CE standards. Specifications subject to change without notice.

4BAR™

4BAR™ is a complete wash light system for DJs and musicians on the go. Four fully-adjustable RGB LEDs cover an entire room in rich saturated colors of light. Built-in programs and an included footswitch let you create dynamic looks quickly and easily. The entire 4BAR™ system can pack-and-go in 2 custom carry bags for easy setup and teardown, and stylish traveling.



Tripod, Footswitch,
Carry Bags Included

Specifications

- DMX Channels: 3 or 15
- Light Source: 432 LEDs (144 red, 144 green, 144 blue) 0.25 W (20 mA), 100,000 hours
- Beam Angle: 21°
- Illuminance: 725 lux @ 2 m (per pod)
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 29 lb (13.2 kg)
- Size: 48 x 2.2 x 11.2 in (1,219 x 55 x 285 mm)



RGB Color Mixing

**Mini 4BAR™ 2.0**

Mini 4BAR™ 2.0 is an all-in-one mobile wash lighting system with four square LED wash lights mounted on a bar and placed on a tripod. In minutes, this system can be set up and in use, leaving plenty of time to position each light independently for maximum coverage. Tripod, footswitch and carry bags are included.



Tripod, Footswitch,
Carry Bags Included

Specifications

- DMX Channels: 3 or 15
- Light Source: 324 LEDs (108 red, 108 green, 108 blue) 0.25 W (20 mA), 100,000 hours
- Beam Angle: 16°
- Illuminance: 558 lux @ 2 m (per pod)
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 8.2 lb (3.7 kg)
- Size: 1.8 x 8.5 x 35 in (46 x 215 x 889 mm)



RGB Color Mixing



4BAR™ Flex

4BAR™ Flex upgrades the popular 4BAR™ with added flexibility and more features. It includes two floor stands (L-brackets) to maximize set up options and configurations. A pass-through hole easily mounts the fixture to most tripods and speaker stands without the need for additional clamps.



Specifications

- DMX Channels: 3 or 15
- Light Source: 432 LEDs (144 red, 144 green, 144 blue) 0.25 W (20 mA), 100,000 hours
- Beam Angle: 21°
- Illuminance: 725 lux @ 2 m (per pod)
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 13.5 lb (6 kg)
- Size: 47.4 x 5.2 x 14.7 in (1,205 x 133 x 375 mm)



RGB Color Mixing



6SPOT™

6SPOT™ is an LED, color-changer system complete with six heads that can be individually oriented and controlled. Each head contains a high-power, tri-color LED to create seven popular colors. 6SPOT™ can be controlled in DMX mode, but also features exciting automated or sound-activated programs. It easily slides onto most standard tripod stands, and can be mounted onto truss, using built-in safety bolts.



Specifications

- DMX Channels: 8
- Light Source: 6 LEDs (tri-color RGB) 3 W (1.1 A), 50,000 hours
- Beam Angle: 11°
- Illuminance: 192 lux @ 2 m (per pod)
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 10.1 lb (4.6 kg)
- Size: 35.5 x 2.2 x 6.5 in (902 x 56 x 165 mm)



RGB Color Mixing



For complete specifications, visit ChauvetDJ.com
All products meet CSA and CE standards. Specifications subject to change without notice.

4PLAY™

4PLAY™ is a portable bar fitted with four LED moonflower-style effect lights, each featuring 57 separate LEDs. Each head can be positioned independently. The unit responds to DMX control, but also features ready-to-go automated and sound-activated programs. The 4PLAY™ bar fits onto most standard tripods, including speaker stands and the 4BAR™ tripod, and includes a travel bag.



Specifications

- DMX Channels: 6
- Light Source: 228 LEDs (48 red, 72 green, 72 blue, 36 white) 0.25 W (20 mA), 100,000 hours
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 12.7 lb (5.7 kg)
- Size: 33 x 3.5 x 12.5 in (838 x 89 x 318 mm)



4PLAY™ CL

4PLAY™ CL is a portable bar fitted with four LED moonflower-style effect lights, each featuring 57 separate LEDs. The clear casings add another touch of visual interest as they glow. Each head can be positioned independently. The unit responds to DMX control, but also features ready-to-go automated and sound-activated programs. The 4PLAY™ CL bar fits onto most standard tripods, including speaker stands and the 4BAR™ tripod, and includes a travel bag.




Specifications

- DMX Channels: 6
- Light Source: 228 LEDs (48 red, 72 green, 72 blue, 36 white) 0.25 W (20 mA), 100,000 hours
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 12.7 lb (5.7 kg)
- Size: 33 x 3.5 x 12.5 in (838 x 89 x 318 mm)



Special Moments Made EZ

- Battery-Powered LED Gobo Projector
- Accepts custom gobos easily created on transparency film to customize any event
- Long lasting, rechargeable lithium battery eliminates the need for power cords
- Wireless on/off dimmable operation with IRC-6 remote included




Mounting made EZ



Scissor clip attaches to drop ceiling supports



Clamp it on pipe and truss



Magnetic base adheres to most metal surfaces and drop ceilings supports

NEW

10 Wedding-Ready GOBOS Included



Specifications

- Light Source: 1 LED (cool white) 10 W (1.4 A), 50,000 hours
- Zoom Angle: 16° to 31°
- Illuminance: 669 lux @ 2 m
- Input Voltage: 8.4 VDC, 1 A (external power supply: 100 to 240VAC, 50/60 Hz)
- Weight: 2.2 lb (1 kg)
- Size: 6.5 x 4.3 x 6.7 in (167 x 110 x 170 mm)

CONTROL EASILY WITH THE INCLUDED IRC-6 REMOTE



LFS-75DMX

LFS-75DMX is a powerful framing spot fitted with a 75-watt LED to project crisp gobos onto any surface. Built-in DMX control and dimming capabilities allow the light to be used exactly when your show dictates, while an integrated color wheel adds dimension to your projections. Framing shutters block light out of unwanted areas and a unique gobo slot accepts round or square-shaped gobos.



Specifications

- DMX Channels: 4
- Light Source: 1 LED (white) 75 W (16.9 A), 50,000 hours
- Zoom Angle (manual): 14° to 22°
- Gobo Size: 40 mm outside, 18 mm image, 1 mm max thickness
- Colors: 8 + white, split colors, continuous scroll at variable speeds
- Zoom Angle (manual): 14° to 22°
- Illuminance (14°): 8,710 lux @ 2 m
- Illuminance (22°): 3,660 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 8 lb (3.7 kg)
- Size: 15.1 x 11.1 x 13.6 in (385 x 283 x 345 mm)



LFS-5D

LFS-5D is a compact, easy-to-use dimmable framing spot powered by a 23-watt white LED. A 16- to 24-degree zoom and internal framing shutters easily size and precisely direct the beam, shielding surfaces from light where it is not wanted. A single gobo slot houses one of four included gobos, or a custom-made version. Nearly any color can be achieved with the removable gel frame.



Specifications

- Light Source: 1 LED (white) 23 W (15.3 A), 50,000 hours
- Zoom Angle (manual): 16° to 24°
- Gobo Size: 25.4 mm outside, 19 mm image, 1 mm max thickness (size V)
- Illuminance (16°): 2,300 lux @ 2 m
- Illuminance (24°): 1,050 lux @ 2 m
- Input Voltage: 120 VAC, 60 Hz or 230 V, 50 Hz
- Weight: 3.2 lb (1.5 kg)
- Size: 12.7 x 8 x 9 in (325 x 205 x 229 mm)



Gobo Zoom™ LED 2.0

Gobo Zoom™ LED 2.0 is a powerful, DMX-controllable gobo projector powered by a 15-watt LED. It includes 4 gels, 8 easily replaceable, rotating gobos and a manual zoom. Heat-free LED power allows the use of custom gobos made of transparency film. A variable 18-to-26-degree beam angle facilitates crisp focusing at various distances.



Specifications

- DMX Channels: 2
- Light Source: 1 LED (white) 15 W (4 A), 50,000 hours
- Zoom Angle: 18° to 26°
- Gobo Size: 28.6 mm outside, 26 mm image, 1 mm max thickness
- Illuminance: 1,027 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 4.4 lb (2 kg)
- Size: 9 x 7.3 x 7.2 in (229 x 185 x 183 mm)



Gobo Shot™ 50W IRC

Gobo Shot™ 50W IRC is a powerful, DMX-controllable gobo projector powered by a 50-watt LED. It features a hinged gobo door for quick, easy gobo changes and includes 10 popular gobos and a gel frame holder. Size D gobos allow for greater projected detail.



Optional IRC-6 Remote (Sold Separately)

Manual Remote Included

Specifications

- DMX Channels: 4
- Light Source: 1 LED (white) 50 W (2 A), 50,000 hours
- Beam Angle: 26°
- Gobo Size: 53 mm outside, 40 mm image, 1 mm max thickness (size D)
- Illuminance: 2,937 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 10.8 lb (5 kg)
- Size: 12 x 12.6 x 10.2 in (306 x 320 x 258 mm)



PIN SPOTTING MADE EZ

EZPin™ IRC

- Battery-powered LED Pin Spot
- Perfect for spot lighting center pieces, cakes and focal points
- Long lasting, rechargeable battery eliminates the need for power cords
- Bright output plus red, green, blue, yellow and warm white



Color Gels included



Specifications


- Light Source: 1 LED (cool white) 2 W (715 mA), 50,000 hours
- Beam Angle: 5°
- Illuminance: 3,360 lux @ 2 m
- Input Voltage: 9 VDC, 1000 mA
(external power supply: 100 to 240 VAC, 50/60 Hz)
- Weight: 0.6 lb (0.3 kg)
- Size: 7.5 x 3.5 x 2.2 in (191 x 90 x 55 mm)

CONTROL EASILY WITH THE
OPTIONAL
IRC-6
(Sold separately)



Also available in
EZpin™ Packs that include 6 EZpin™ IRC, IRC-6 Remote and Carry Bag

Mounting made EZ



Scissor clip attaches to
drop ceiling supports



Clamp it on pipe and truss



Magnetic base adheres to most
metal surfaces and drop ceilings supports

BEAMshot™

BEAMshot™ is a compact LED aerial effect light that shoots an intense, ultra-narrow beam of light. Easily transform intense beams into a brilliant array by incorporating fog or haze into your event. Change colors using the included gels. Trigger automated programs in master/slave mode or generate complex looks with ShowXpress™.

**Specifications**


- DMX Channels: 2 or 4
- Light Source: 1 LED (white) 6 W (1.5 A), 50,000 hours
- Beam Angle: 3°
- Illuminance: 16,350 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 1.4 lb (0.7 kg)
- Size: 8.3 x 5.7 x 4.1 in (210 x 145 x 105 mm)



Gels Included

**LED Pinspot™ 2**

LED Pinspot™ 2 includes two front focal lens options to produce hard-edged beams for a variety of applications. It weighs less than a pound and is powered by a 3-watt white LED. The auto switching power supply allows the fixture to adapt to the voltage provided, ranging from 100V to 240V.

**Specifications**

- Light Source: 1 LED (white) 3 W (700 mA), 50,000 hours
- Beam Angle: 6° (installed), 9° (included)
- Illuminance (6°): 4,120 lux @ 2 m
- Illuminance (9°): 1,335 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 0.9 lb (0.4 kg)
- Size: 7.6 x 4.2 x 5.9 in (193 x 105 x 148 mm)



Gels Included



For complete specifications, visit ChauvetDJ.com
All products meet CSA and CE standards. Specifications subject to change without notice.

LED Followspot 75ST

LED Followspot 75ST sheds the spotlight precisely where it needs to be with a focused hard-edge beam and smooth LED dimming. Equipped with a 75-watt LED, it features a single gobo slot to project crisp patterns and can also perform electronic strobe effects. It is easy to set up and tear down, and comes with a free tripod. It's the perfect choice as an entry-level followspot for stages, school functions and events where focus needs to be on a speaker or guest of honor.



Tripod Included

**Specifications**

- DMX Channels: 3
- Light Source: 1 LED (white) 75 W (18 A) 50,000 hours
- Zoom Angle: 14° to 20°
- Gobo Size: 23.7 mm outside, 21.3 mm image, 1 mm max thickness
- Colors: 7 + white
- Illuminance: 8,140 lux @ 2 m (14°), Illuminance: 4,650 lux @ 2 m (20°)
- Input Voltage: 120/230 VAC, 50/60 Hz (switchable)
- Weight: 13.3 lb (6 kg)
- Size: 22 x 10.8 x 11.5 in (560 x 276 x 292 mm)



Colors



Scorpion™ Dual

Scorpion™ Dual is a dual FAT BEAM™ aerial effect laser, perfect for events with fog or haze. The unique dual mirror output makes a great centerpiece or side accent in pairs and includes 32 built-in patterns, including the popular "Laser Sky" effect. Generate customized and ever-changing laser shows using programmable pan, tilt, and zoom effects with separate X, Y, and Z rolling effects and scan speed adjustment. Easily operate it in automatic, master/slave, manual or sound-activated mode or wirelessly control it using the included IR remote.



IR Remote Included

Specifications

- DMX Channels: 10
- Light Source: 532 nm/50 mW (green) laser diode
- Zoom Angle: 1° to 29°
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 5.4 lb (2.4 kg)
- Size: 8.9 x 8.1 x 7.6 in (226 x 205 x 194 mm)



LASER LIGHT. AVOID DIRECT EYE EXPOSURE.
Classified per 21 CFR 1040.10 & .11
Complies with US FDA CDRH laser safety standards 21 CFR 1040.10 & 1040.11

Scorpion™ Storm FX RGB

Scorpion™ Storm FX RGB is a tri-colored laser light that creates a star field effect of multi-colored patterns to enhance your event with depth and movement. Scorpion™ Storm FX RGB includes an IR remote for wireless control of all three colors and sound-activated auto programs. Scorpion™ Storm travels best in the CHAUVET® DJ CHS-40 VIP Gear Bag.



IR Remote Included

Specifications

- DMX Channels: 7
- Light Source: 650 nm/100 mW (red) laser diode, 532 nm/40 mW (green) laser diode, 450 nm/100 mW (blue) laser diode
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Coverage Angle: 100°
- Weight: 3.8 lb (1.7 kg)
- Size: 9.1 x 7.6 x 7.5 in (232 x 194 x 191 mm)



LASER LIGHT. AVOID DIRECT EYE EXPOSURE.
Classified per EN/IEC 60825-1:2007
Complies with FDA performance standards for laser products except for deviations pursuant to Laser Notice No. 50, dated June 24, 2007

Scorpion™ Script

Scorpion™ Script is a compact yet powerful laser that displays patterns and text! It can be adjusted for large or small venues and has a keyboard for creating custom patterns and text. Scorpion™ Script projects brilliantly onto surfaces and cuts brightly through haze. Amaze the audience with a room full of rotating patterns and text, or with a custom message on the wall! Scorpion™ Script has its own wireless remote that recalls built-in and custom patterns and text.



IR Remote and Keyboard Included

Specifications

- Light Source: 532 nm/50 mW (green) laser diode
- Input Voltage: 12 VDC, 2 A (external power supply: 100-240 VAC, 50/60 Hz)
- Coverage Angle: 100°
- Weight: 2.2 lb (1 kg)
- Size: 7.2 x 7.3 x 6.5 in (183 x 185 x 165 mm)



LASER LIGHT. AVOID DIRECT EYE EXPOSURE.
Classified per EN/IEC 60825-1:2007
Complies with FDA performance standards for laser products except for deviations pursuant to Laser Notice No. 50, dated June 24, 2007

Laser Shows made EZ

EZMiN™ Laser FX and EZMiN™ Laser RBX are ultra-compact, battery-operated lasers, ready to use right out of the box. Projecting thousands of laser beams and motion effects, they have a run time of up to 6 hours from a single charge of the rechargeable lithium battery. Create customized shows with independent control of red and green laser diodes (FX) or red and blue laser diodes (RBX), and easily generate eye-catching effects with sound-activated and automated programs. Both lasers cover a wide area and look great with or without fog. Easily set color and rotation speeds with the included wireless remote control.

EZMiN™ Laser FX



IR Remote Included

Specifications

- Light Source: 532 nm/50 mW (green) laser diode, 650 nm/100 mW (red) laser diode
- Max Run Time On One Charge: up to 6 hours
- Input Voltage: 9 VDC, 1 A (external power supply: 100 to 240 VAC, 50/60 Hz)
- Weight: 1.3 lb (0.6 kg)
- Size: 6.4 x 5.5 x 1.9 in (163 x 140 x 48 mm)



LASER LIGHT. AVOID DIRECT EYE EXPOSURE.
Classified per EN/IEC 60825-1:2007
Complies with FDA performance standards for laser products except for deviations pursuant to Laser Notice No. 50, dated June 24, 2007

EZMiN™ Laser RBX



IR Remote Included

Specifications

- Light Source: 450 nm/80 mW (blue) laser diode, 650 nm/100 mW (red) laser diode
- Max Run Time On One Charge: up to 6 hours
- Input Voltage: 9 VDC, 1 A (external power supply: 100 to 240 VAC, 50/60 Hz)
- Weight: 1.3 lb (0.6 kg)
- Size: 6.4 x 5.5 x 1.9 in (163 x 140 x 48 mm)



LASER LIGHT. AVOID DIRECT EYE EXPOSURE.
Classified per EN/IEC 60825-1:2007
Complies with FDA performance standards for laser products except for deviations pursuant to Laser Notice No. 50, dated June 24, 2007

COLORtube™ 3.0 EQ

COLORtube™ 3.0 EQ is an LED effect light and a real-time music visualizer rolled into one fixture. In EQ mode, music is visually replicated in a similar way to the display on a graphic equalizer. In linear effect mode, COLORtube™ 3.0 EQ offers 36 automated programs at variable speed. In static mode, it features seven colors plus blackout. The optional CT3EQ Controller™ adds color and pattern choices, as well as DMX triggering.



Specifications

- Light Source: 144 LEDs (48 red, 48 green, 48 blue) 0.25 W (20 mA), 100,000 hours
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 4.1 lb (1.8 kg)
- Size: 39.2 x 4.5 x 2.9 in (995 x 114 x 75 mm)



RGB Color Mixing



CT3EQ Controller

COLORtube™ 3.0 EQ is an optional controller for the COLORtube™ 3.0 EQ to add color and pattern choices, as well as DMX triggering. It provides RGB color mixing with variable strobe rates in DMX or stand-alone mode. Choose from seven selectable, preset colors (plus blackout) with variable strobe speed, built-in RGB color fading at variable speed and built-in, automated and sound-activated programs in DMX mode.



COLORtube™ Extension Cable
• Available Lengths:
5 ft (1.5 m)
15 ft (4.6 m)

Specifications

- DMX Channels: 6
- Input Voltage: 12 VDC, 500 mA (external power supply: 100 to 240 VAC, 50/60 Hz)
- Weight: 0.6 lb (0.3 kg)
- Size: 8.4 x 4.6 x 1.8 in (214 x 116 x 47 mm)

For complete specifications, visit ChauvetDJ.com

All products meet CSA and CE standards. Specifications subject to change without notice.

The CORE of Your Show

CORE™ 3x3 combines a pixel-mapping effect and a powerful LED wash light into a unique show stopper. Powered by 9 tri-color RGB LEDs with chip-on-board (COB) technology, it utilizes a unique reflector cup to produce large pixels of light and create intriguing sweeping and chasing effects. You can easily combine multiple units together using built-in coffin locks to construct an impressive array capable of large scale animations. See also p. 16.



MotionSet™ LED

MotionSet™ LED combines the popular MotionDrape™ LED and MotionFaçade™ LED into one sizzling package designed for the mobile entertainer. With only one controller, you can easily control and synchronize the two products and create one amazing presentation.



Shown with **CH-31 Portable Stand**
(Sold Separately)

Carry bag and controller
included

**Specifications**


- DMX Channels: 8
- Light Source (LED Drape): 176 LEDs (tri-color RGB) SMD, 50,000 hours
- Light Source (LED Façade): 66 LEDs (tri-color RGB) SMD (20 mA), 50,000 hours
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight (Drapes): 13.7 lb (6.1 kg)
- Size (LED Drape): 6.6 x 9.8 ft (2 x 3 m)
- Size (LED Façade): 4 x 6.6 ft (1.2 x 2 m)



RGB Color Mixing

**MotionDrape™ LED**

MotionDrape™ LED is an ideal backdrop for stages and mobile shows. It has 176 tri-color SMD LEDs set in a matrix across the 6.6-by-9.8 ft (2 x 3 m) surface. Thirty animated effects range from color fades to a graphic equalizer effect. MotionDrape™ LED is controllable using the grommets on all sides and is perfectly sized to fit the CHAUVET® DJ CH-31 portable trussing system (p. 73) or the TRUSS® Goal Post Kit (p. 82).



Shown with **TRUSS® Goal Post Kit Portable Stand**
(Sold Separately)

Carry bag and controller
included

**Specifications**

- DMX Channels: 8
- Light Source: 176 LEDs (tri-color RGB) SMD (20 mA), 50,000 hours
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight (Controller): 1.8 lb (0.8 kg), Weight (Drape): 9.8 lb (4.4 kg)
- Size (Controller): 5.3 x 9.6 x 2 in (135 x 243 x 50 mm),
- Size (Drape): 6.6 x 9.8 ft (2 x 3 m)



RGB Color Mixing

**MotionFaçade™ LED**

MotionFaçade™ LED is an ideal DJ front board and the perfect companion to the MotionDrape™ LED backdrop. A total of 66 tri-color SMD LEDs power 30 different effects. The façade can easily run in conjunction with MotionDrape™ LED or on its own via the included controller or in DMX mode.



Carry bag and controller
included

**Specifications**

- DMX Channels: 8
- Light Source: 66 LEDs (tri-color RGB) SMD (20 mA), 50,000 hours
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight (Controller): 1.8 lb (0.8 kg), Weight (Drape): 3.9 lb (1.7 kg)
- Size (Controller): 5.3 x 9.6 x 2 in (135 x 243 x 50 mm),
- Size (Drape): 4 x 6.6 ft (1.22 x 2 m)



RGB Color Mixing




For complete specifications, visit ChauvetDJ.com
All products meet CSA and CE standards. Specifications subject to change without notice.

MotionOrb™

MotionOrb™ is fantastic new décor light made up of 60 color-changing LED orbs in strings that can be hung like a curtain, drawn to one side, or draped across the ceiling. MotionOrb™ comes standard in a 2-meter length, but can be expanded up to 4 meters long with the optional MotionOrb™ EXT Kit. MotionOrb™ comes with a variety of built-in color changes and chases, and when operated in DMX mode it can be pixel mapped! In master/slave modes color changes and chases can be expanded across three MotionOrb™ products for a wall full of coordinated patterns. MotionOrb™ can be operated via the control panel, or with a DMX controller. MotionOrb™ comes with a custom gear bag for easy, safe, and great looking transportation.

Mounts to most truss systems using
10 mm and 12 mm treaded bolt holes

**NEW****Specifications**

- DMX Channels: 9, 165, 240 or 315
- Light Source: 110 LEDs (tri-color RGB) SMD (100 mA), 50,000 hours life expectancy
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 8.2 lb (3.7 kg)
- Size: 39.9 x 2.6 x 85.5 in (1,013 x 65 x 2,343 mm)



RGB Color Mixing

**MotionOrb™ EXT**

Increase the size of the MotionOrb™ with the MotionOrb™ EXT Kit
(Sold Separately)



Easily store and transport in the
included gear bag

BEAMbar™

BEAMbar™ projects razor-sharp beams of white light for stunning visual effects. Easily program the fixture to emit intense runway effects, or build a massive matrix by combining several units using the CBB-6 mounting bracket (p. 19). Take command with full pixel control using ShowXpress™ (p. 68) and create eye-catching sweeps and animations in DMX mode. Or for complete ease, activate exciting built-in automated programs.



Specifications

- DMX Channels: 4 or 5
- Light Source: 5 LEDs (white) 6 W (1.9 A), 50,000 hours
- Beam Angle: 3°
- Illuminance: 17,300 lux @ 2 m (per pod)
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 6.6 lb (3.1 kg)
- Size: 19.7 x 3.9 x 8.5 in (500 x 98 x 217 mm)



Mega Trix™

Equipped with 192 red, green, blue and white LEDs, Mega Trix™ is a lightweight DMX effect light that projects animations from pod to pod for a very unique look with no moving parts.



Specifications

- DMX Channels: 3
- Light Source: 192 LEDs (48 red, 48 green, 48 blue, 48 white) 0.25 W (20 mA), 100,000 hours
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 7.8 lb (3.6 kg)
- Size: 10.1 x 14.7 x 7.9 in (257 x 373 x 201 mm)



Wash FX™

Wash FX™ is a rugged, punchy wash light with 6 zones of control for pixel-mapping effects. Its unique shape casts punchy colorful light everywhere, and it is tough enough for any mobile entertainer's lifestyle. Wash FX™ can be controlled manually with the control panel or with a DMX controller, and the built-in, eye-catching effects make any kind of control a breeze. For advanced pixel-mapping, use ShowXpress™ Pixels from CHAUVET® DJ.



Specifications

- DMX Channels: 7 or 23
- Light Source: 18 LEDs (tri-color RGB) 4 W (1.4 A), 50,000 hours life expectancy
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 4.8 lb (2.2 kg)
- Size: 8.5 x 7.1 x 10 in (215 x 180 x 255 mm)




RGB Color Mixing



Abyss™ LED 3.0

Abyss™ LED 3.0 is a multi-colored, simulated water effect light featuring high-power, 15-watt white LED. Two glass effect wheels and a dichroic color wheel can be controlled individually for optimal projections and effects.



Specifications

- DMX Channels: 2
- Light Source: 1 LED (white) 15 W (1 A), 50,000 hours
- Colors: 5 + white, continuous scroll at variable speeds
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 6 lb (2.7 kg)
- Size: 9.6 x 10.2 x 7.4 in (243 x 260 x 188 mm)



Colors



Circus™ 2.0 IRC

Circus™ 2.0 IRC is an ever-changing LED effect light with flowing, razor-sharp beams and a ring of punchy white SMD LEDs optimized for strobe effects. Five separate but synchronized pods create bold effects both in the air and onto any surface. Red, green, blue, white and amber LEDs provide a multitude of colors to achieve any look. For easy access to automated programs, use the optional IRC-6 remote to wirelessly take command of the fixture.



Optional IRC-6 Remote
(Sold Separately)

Specifications

- DMX Channels: 4
- Light Source
Five Pods: 320 LEDs (80 red, 80 green, 80 blue, 40 white, 40 amber)
0.25 W (20 mA), 100,000 hours;
Strobing Array: 25 LEDs (white) SMD (60 mA), 50,000 hours
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 8.5 lb (3.8 kg)
- Size: 14.7 x 7.8 x 13 in (373 x 200 x 330 mm)



Cubix™ 2.0

Cubix™ 2.0 is a multicolored LED centerpiece that combines two effects in one fixture. Centrally mounted LEDs produce multi-colored effects and animations that flow across the room, while the quad-sided derby effect floods the dance floor with rotating, multi-colored beams. The effects are independently controllable to create custom light shows, or can be operated simultaneously for a full out barrage of light. A streamlined casing and improved optics make for an attractive addition to any rig.



Specifications

- DMX Channels: 6
- Light Source:
Quad-sided Derby: 64 LEDs (32 red, 20 green, 12 blue) 0.25 W (20 mA), 100,000 hours
Center pod: 2 LEDs (tri-color RGB) 9 W (1,050 mA), 50,000 hours
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 8.1 lb (3.7 kg)
- Size: 10.5 x 12 x 11.6 in (267 x 305 x 296 mm)



For complete specifications, visit ChauvetDJ.com
All products meet CSA and CE standards. Specifications subject to change without notice.

Mini Kinta™

Mini Kinta™ is a sturdy effect light that fills the room with sharp beams. Fitted with four 3-watt red, green, blue and white LEDs to punch through nearly any ambient lighting, it produces more output and broader coverage than derby effects twice its size. Mini Kinta™ features 48 lenses for dynamic effects at adjustable speed. Let the built-in programs do the work or use DMX to program your own light show.



Specifications

- DMX Channels: 3
- Light Source: 4 LEDs (1 red, 1 green, 1 blue, 1 white)
3 W (730 mA), 50,000 hours
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 4.4 lb (2 kg)
- Size: 7.5 x 10.1 x 7.2 in (190 x 258 x 182 mm)



Radius™ 2.0

Radius™ 2.0 projects overlapping rings of multicolored light with or without DMX control. Powered by five 3-watt red, green, blue, amber, and white LEDs, it can strobe in any color combination and features a variable-speed motor to control back-and-forth motion.



Specifications

- DMX Channels: 3
- Light Source: 5 LEDs (1 red, 1 green, 1 blue, 1 white, 1 amber)
3 W (730 mA), 50,000 hours
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 6.3 lb (2.8 kg)
- Size: 10.5 x 13 x 9.6 in (268 x 330 x 243 mm)



Hemisphere™ 5.1

Hemisphere™ 5.1 is a great LED centerpiece powered by five individually controllable red, green, blue, white, and amber LEDs for maximum color options and creative, customized light shows. Hemisphere™ 5.1 projects sharp beams through dozens of clear lenses for a bi-directional, rotating mirror ball effect. Multiple control options include a 5-channel DMX mode or built-in, automated and sound activated programs. You can mount it without using a single clamp using the convenient center mounting point.



Specifications

- DMX Channels: 5
- Light Source: 5 LEDs (1 red, 1 green, 1 blue, 1 white, 1 amber) 3 W (730 mA), 50,000 hours
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 6.4 lb (2.9 kg)
- Size: 10.7 x 10.7 x 10 in (272 x 272 x 254 mm)



LED Mushroom™

LED Mushroom™ is a practical effect light that covers the entire room with crisscrossing red, green and blue beams. Ideal for mobile applications, LED Mushroom™ is linkable with Kinta™ X and Double Derby™ X



Specifications

- DMX Channels: 2
- Light Source: 3 LEDs (1 red, 1 green, 1 blue) 3 W (730 mA), 50,000 hours
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 5.4 lb (2.4 kg)
- Size: 12 x 8.1 x 8.7 in (306 x 206 x 221 mm)



Swarm™ 5 FX

Swarm™ 5 FX is a 3-in-1 LED fixture that combines red and green lasers, white strobe effects, and multicolored rotating derby effects into one compact setup. Match the look of any event by creating customized light shows with separate color and program control. Quickly create a look using built-in automated and sound-activated programs, or master/slave and DMX mode. Create a synchronized light show and save time running cables and extension cords by power-linking multiple units.



Specifications

- DMX Channels: 9
- Light Source :
 - Derby effect: 5 LEDs (1 red, 1 green, 1 blue, 1 white, 1 amber) 3 W (300 mA), 50,000 hours;
 - Strobe: 8 LEDs (white) 1 W (300 mA), 50,000 hours;
 - Laser: 532 nm/50 mW (green) laser diode, 650 nm/100 mW (red) laser diode
- Beam Angle: 17°
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 9.8 lb (4.5 kg)
- Size: 8.6 x 11.7 x 12.2 in (225 x 298 x 310 mm)



LASER LIGHT.
AVOID DIRECT EYE EXPOSURE.
 Classified per EN/IEC 60825-1:2007
 Complies with FDA performance standards for laser products except for deviations pursuant to Laser Notice No. 50, dated June 24, 2007

Derby™ X

Derby™ X features six individually controllable LED clusters that project multicolored beams. Additional features include automated and sound-activated programs, power linking capabilities and blackout, static and strobe effects. Combine multiple X-series units using the included X bracket.



Specifications

- DMX Channels: 8
- Light Source: 90 LEDs (30 red, 30 green, 30 blue), 0.25 W (20 mA), 100,000 hours
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 4 lb (1.8 kg)
- Size: 11.9 x 15 x 7.4 in (302 x 382 x 187 mm)



LX10™


LX10™ is a scanning moonflower light powered by 57 red, green and blue LEDs to provide 180 degrees of room filling coverage. More features include sound activation and rotating functions, as well as an additional power output for daisy chaining fixtures.

**Specifications**

- Light Source: 57 LEDs (17 red, 24 green, 16 blue) 0.25 W (20 mA), 50,000 hours
- Input Voltage: 120/230 VAC, 50/60 Hz (switchable)
- Weight: 5 lb (2.3 kg)
- Size: 15.1 x 5.1 x 7.7 in (385 x 130 x 197 mm)

**LX5™**

LX5™ is a compact and lightweight moonflower effect light powered by 57 red, green and blue LEDs and featuring built-in automated and sound-activated modes.

**Specifications**

- Light Source: 57 LEDs (17 red, 24 green, 16 blue) 0.25 W (20 mA), 50,000 hours
- Input Voltage: 120/230 VAC, 50/60 Hz (switchable)
- Weight: 3.5 lb (1.6 kg)
- Size: 8.7 x 5.1 x 7.7 in (222 x 130 x 197 mm)

**BOB™ LED**


BOB™ LED is the hottest simulated flame effect light on the market, but generates no heat. This LED powered, duty-cycle free fixture perfectly simulates a flickering cauldron. BOB™ LED can either stand on included legs or hang from an included chain.

**Specifications**

- Light Source: 66 LEDs (54 orange, 12 blue) 0.25 W (20 mA), 100,000 hours
- Input Voltage: 120 VAC, 60 Hz or 230 VAC, 50 Hz
- Weight (with legs): 5.1 lb (2.3 kg)
- Size (with legs): 14 x 14 x 31 in (356 x 356 x 787 mm)
- Size (with chains): 12 x 12 x 30 in (305 x 305 x 762 mm)

DJ Bank™ FX

DJ Bank™ FX modifies the long standing DJ Bank™ and converts it into a unique effect light that projects mid-air effects. Four pods of red, green, blue and amber LEDs are housed under multi-faceted, dome-shaped lenses to produce hundreds of beams that scatter throughout the room or mobile stage. Plug it in and let the sound-activated programs create unique patterns and chases.

**Specifications**

- Light Source: 4 LEDs (1 red, 1 green, 1 blue, 1 amber) 3 W (650 mA), 50,000 hours
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 3.7 lb (1.7 kg)
- Size: 14.7 x 3.9 x 7 in (375 x 100 x 178 mm)

**DJ Bank™**

DJ Bank™ is a staple of garage bands and entry-level mobile DJs. This compact bank-style fixture features four pods of LEDs for dynamic chase effects that quickly add color and energy. The "all-on" option activates all four pods at once to wash the room.

**Specifications**

- Light Source: 140 LEDs (35 red, 35 green, 35 blue, 35 amber) 0.25 W (20 mA), 100,000 hours
- Input Voltage: 120 VAC, 60 Hz or 230 VAC, 50 Hz
- Weight: 3.1 lb (1.4 kg)
- Size: 15.8 x 4.5 x 5.5 in (401 x 114 x 140 mm)



SlimSTRIP™ UV-18 IRC

SlimSTRIP™ UV-18 IRC is an attractive and powerful UV strip light. It casts a rich UV light with wide coverage and can be controlled wirelessly with the optional CHAUVET® DJ IRC-6 remote. SlimSTRIP™ UV-18 IRCs can be mounted individually, or in banks of 6 with the CHAUVET® DJ CBB-6 mounting bracke (p. 19). Use the SlimSTRIP™ UV-18 IRC instead of a traditional fluorescent for a safe, eco-friendly, bright and beautiful UV light. The SlimSTRIP™ UV-18 IRC fits nicely in the CHAUVET® DJ CHS-60 VIP Gear Bag for easy transporting.

NEW



Optional IRC-6 Remote (Sold Separately)

Specifications

- DMX Channels: 3
- Light Source: 18 LEDs (UV) 3 W (700 mA), 50,000 hours
- Coverage Angle: 160°
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 5.2 lb (2.4 kg)
- Size: 41.9 x 2.3 x 5 in (1,065 x 60 x 126 mm)



SlimBANK™ UV-18

SlimBANK™ UV-18 is a powerful blacklight fitted with 18 high-power UV LEDs for the glow-in-the-dark effect that is always a hit with the crowd.



Barn doors included

Specifications

- DMX Channels: 2 or 5
- Light Source: 18 LEDs (UV) 1 W (350 mA), 50,000 hours
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 7.4 lb (3.4 kg)
- Size: 15.3 x 7.7 x 7.4 in (389 x 197 x 187 mm)



LED Shadow™

LED Shadow™ is a panel-style wash light fitted with 192 UV LEDs to deliver stunning blacklight effects, worthy of any production. It features automated and sound-activated programs that include flash and patterned strobe effects, as well as a 3-channel DMX mode.



SPECIFICATIONS

- DMX CHANNELS: 3
- LIGHT SOURCE: 192 LEDs (UV) 0.25 W (20 mA), 100,000 HOURS
- INPUT VOLTAGE: 100 TO 240 VAC, 50/60 Hz (AUTO-RANGING)
- WEIGHT: 4.9 LB (2.2 KG)
- SIZE: 14 x 9.8 x 6.5 IN (356 x 248 x 165 MM)



Handheld Blacklight (NVF-4)



18" Blacklight (NVF-18)



HEX-LED Technology: The Trillion Color Difference

A CHAUVET DJ Hex-LED fixture is much more than a blacklight. It creates not only intense UV light but also superb colors and white uplighting washes. One fixture, a world of creativity unleashed.



SlimPAR™ HEX-3 IRC (see p. 22)

SlimPAR™ HEX-6 IRC (see p. 23)



Freedom™ Par Hex-4 (see p. 10)

Shocker™ 90 IRC

Shocker™ 90 IRC is a lightweight and compact (SMD) LED blinder that packs a brilliant, strobing white punch. It has 4 zones of control for a range of effects and patterns. Its automated programs work in master/slave mode to create an energetic strobing light show quickly and easily. Shocker™ 90 IRC is controlled via the control panel or with the optional CHAUVET® DJ IRC-6 wireless remote. If you want even more flexibility, use a CHAUVET® DJ DMX controller! Shocker™ 90 IRC has a rugged die-cast housing and fits beautifully in the CHAUVET® DJ CHS-25 VIP Gear Bag.



Optional IRC-6 Remote
(Sold separately)

Specifications

- DMX Channels: 2, 5 or 8
- Light Source: 90 LEDs (white) SMD (20 mA), 50,000 hours
- Beam Angle: 65°
- Illuminance: 250 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 3.2 lb (1.5 kg)
- Size: 7.6 x 6.7 x 3.3 in (194 x 170 x 84 mm)



Techno Strobe™ 168

Techno Strobe™ 168 is a powerful DMX strobe light, perfect for a variety of high energy applications. Both the intensity and speed of the strobe can be adjusted.



Specifications

- DMX Channels: 2
- Light Source: 168 LEDs (white) 0.25 W (20 mA), 100,000 hours
- Beam Angle: 24°
- Illuminance: 500 lux @ 2 m
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 2.3 lb (1 kg)
- Size: 8.7 x 9.4 x 5.5 in (220 x 238 x 140 mm)



Techno Strobe™ 2000S

Techno Strobe™ 2000S is a simple, sound-activated strobe light with an adjustable strobe rate.



Specifications

- Light Source: 1 (white) 75 W Xenon lamp
- Input Voltage: 120 VAC, 60 Hz or 230 VAC, 50 Hz
- Weight: 7.9 lb (3.5 kg)
- Size: 10.5 x 8.5 x 8.5 in (267 x 216 x 216 mm)



Mini Strobe™ LED

Mini Strobe™ LED is an ultra-compact and lightweight strobe light, ready for use right out of the box. Simply plug the unit in, and adjust the flash rate for the desired effect. LED power means it will run all night and stay cool to the touch.



Specifications

- Light Source: 21 LEDs (white) 0.25 W (20 mA), 100,000 hours
- Input Voltage: 120 VAC, 60 Hz or 230 VAC, 50 Hz
- Weight: 0.5 lb (0.2 kg)
- Size: 5.1 x 4 x 3.7 in (130 x 102 x 95 mm)



NEW

Nimbus™

Nimbus™ is a professional dry ice machine designed to deliver thick, low-lying clouds of fog that hugs the floor and dissipates without rising. It provides an outstanding return on investment to rental houses and event producers, and is ideally suited for a wedding party's first dance. This powerful machine heats enough water to create fog from 10 pounds (4.5 kg) of dry ice to provide six minutes of run time. Output and flow are easily controlled, due to an adjustable multi-level control arm. Dual heaters ensure faster heat-up and recycle times. A low water sensor increases safety.

**Specifications**

- Tank Capacity: 4.5 gal (17 L)
- Heat-up Time (single element): 50 min
- Heat-up Time (dual element): 30 min
- Reheat time (single element): 30 min
- Reheat time (dual element): 15 min
- Average runtime: 6 min
- Input Voltage: 120 VAC, 60 Hz or 230 VAC, 50 Hz
- Dry ice capacity: 10 lb (4.5 kg)
- Weight (full): 75 lb (34 kg)
- Size: 20 x 18 x 19 in (513 x 465 x 470 mm)

Nimbus™ Jr.

Perfect for smaller venues and mobile entertainers, Nimbus™ Jr. is a compact version of the original Nimbus™ dry-ice machine. Simply fill with just over 2 gallons of water, add up to 5 pounds (2.3 kg) of dry ice, and plug it into any standard wall outlet. Nimbus™ Jr. is ready to produce the "dancing on a cloud" effect in less than 20 minutes with a reheat time of 10 minutes between uses.

**Specifications**

- Tank capacity: 2.6 gal (9.8 l)
- Heat-up Time: 20 min
- Average Runtime: 2.5 min
- Reheat Time: 10 min
- Input Voltage: 120 VAC, 60 Hz or 230 VAC, 50 Hz
- Dry Ice Capacity: 5 lb (2.3 kg)
- Weight (full): 34 lb (15.5 kg)
- Size: 15.5 x 13.6 x 13.3 in (393 x 345 x 337 mm)

Nimbus™ Cart

Nimbus™ Cart easily transports your Nimbus™ dry ice machine to and from the car and around the dance floor. Two locking casters securely keep the Nimbus fogger in place when needed, while four sturdy, ball bearing casters ensure smooth mobility and transportation.

**Specifications**

- Load Capacity: 75 lb (34 kg)
- Weight: 5.8 lb (2.7 kg)
- Size: 16.7 x 14.9 x 5.5 in (426 x 379 x 132 mm)

NIMBUS™

Dancing in the clouds

Easily upsell an unforgettable first dance and get your clients and their guests sharing their experience to future referrals. Nimbus™ is a smart investment with rapid returns. Download this FREE poster, add your logo and start promoting this in-demand service!

Go to ChauvetDJ.com/nimbus



Geyser™ RGB

Geyser™ RGB is an effect light and fogger housed in a single fixture to add an element of drama and the intensity usually achieved by expensive pyrotechnics. It emits vertical blasts of color, fog and light at once. The water-based fog is illuminated by 21 high-power red, green and blue LEDs.

**Specifications**

- DMX Channels: 8
- Output: 17,000 cfm
- Light Source: 21 LEDs (7 red, 7 green, 7 blue) 3 W (800 mA), 50,000 hours
- Tank Capacity: 0.7 gal (2.5 l)
- Input Voltage: 120 VAC, 60 Hz or 230 VAC, 50 Hz
- Weight: 21 lb (9.6 kg)
- Size: 20 x 14.7 x 9.8 in (510 x 375 x 250 mm)

**Geyser™ RGB Jr.**

Geyser™ RGB Jr. is a compact version of our unique effect fogger that adds a touch of drama to any performance. This powerful fogger blasts a 15-foot high vertical stream of safe, water-based fog while simultaneously illuminating it with 9 high-power red, green and blue LEDs to transform the fog into a stunning effect.

**Specifications**

- Output: 13,500 cfm
- Light Source: 9 LEDs (3 red, 3 green, 3 blue) 3 W (900 mA), 50,000 hours
- Tank Capacity: 0.7 gal (2.5 l)
- Input Voltage: 120 VAC, 60 Hz or 230 VAC, 50 Hz
- Weight: 16 lb (7.3 kg)
- Size: 16 x 10.4 x 7.6 in (408 x 264 x 192 mm)



For complete specifications, visit ChauvetDJ.com
All products meet CSA and CE standards. Specifications subject to change without notice.

GEYSER™ RGB



Hurricane™ Haze 3D

Hurricane™ Haze 3D is an ultra silent, water-based haze machine with a continuous and high output that fills large rooms quickly. It features a low-fluid indicator, built-in digital display for easily controlling DMX functions, and a wired, timer remote complete with a storage compartment.



Remote Included

Specifications

- DMX Channels: 2
- Output: 1,700 cfm
- Tank Capacity: 0.7 gal (2.5 l)
- Input Voltage: 120 VAC, 60 Hz or 230 VAC, 50 Hz
- Weight: 23 lb (10.5 kg)
- Size: 13.4 x 12.9 x 15 in (340 x 328 x 380 mm)



Hurricane™ Haze 2D

Hurricane™ Haze 2D is a water-based haze machine with continuous output and a digital display to set DMX and stand-alone functions. It features a low-fluid indicator, adjustable blower output speeds, and a nozzle to direct haze where you need it. The included wired timer remote is conveniently stored in the fixture.



Remote Included

Specifications

- DMX Channels: 2
- Output: 1,200 cfm
- Tank Capacity: 0.7 gal (2.5 L)
- Input Voltage: 120 VAC, 60 Hz or 230 V, 50 Hz
- Weight: 18.7 lb (8.5 kg)
- Size: 11.2 x 10.5 x 13.7 in (285 x 267 x 350 mm)



Hurricane™ 1800 Flex

Hurricane™ 1800 Flex is a water-based fogger featuring DMX control and the ability to direct the fog upward, downward or in a straight-forward orientation within a 180-degree angle range. Hurricane™ 1800 Flex comes with a low fluid indicator and automatically shuts down when out of fluid to prevent damage to the unit. A wired timer remote (FC-T) is a standard feature and an optional wireless remote is also available.



Remote Included

Specifications

- DMX Channels: 1
- Tank Capacity: 1.3 gal (5 L)
- Input Voltage: 120 VAC, 60 Hz or 230 V, 50 Hz
- Output: 25,000 cfm
- Weight: 27.6 lb (12.5 kg)
- Size: 22.2 x 13.4 x 15 in (563 x 340 x 380 mm)



Hurricane™ 901

Hurricane™ 901 is a compact, water-based fogger with an output of 4,000 cfm and a quick heat up time of 1.5 minutes. Its LED-illuminated tank lets you see the fluid level from a distance. A wired remote is included.



Remote Included

Specifications

- Output: 4,000 cfm
- Tank Capacity: 0.3 gal (1.3 L)
- Input Voltage: 120 VAC, 60 Hz or 230 V, 50 Hz
- Weight: 7.7 lb (3.5 kg)
- Size: 10.4 x 8.7 x 9.1 in (264 x 221 x 231 mm)

Hurricane™ 1301

Hurricane™ 1301 is a water-based fogger capable of a great output of 20,000 cfm. It has a 3.3-liter (0.9 gallon) tank and takes only five minutes to heat up. It features a low-fluid indicator and automatic shutdown. A wired timer remote (FC-T) is also included.



Remote Included

Specifications

- Output: 20,000 cfm
- Tank Capacity: 0.9 gal (3.3 l)
- Input Voltage: 120 VAC, 60 Hz or 230 VAC, 50 Hz
- Weight: 16.8 lb (7.6 kg)
- Size: 16.7 x 12.5 x 12 in (425 x 317 x 306 mm)

Hurricane™ 1101

Hurricane™ 1101 is a water-based fogger with a 1.3-liter (0.3 gallon) tank and takes only five minutes to heat up. It features a low-fluid indicator and automatic shutdown. A wired remote is also included.



Remote Included

Specifications

- Output: 8,000 cfm
- Tank Capacity: 0.3 gal (1.3 l)
- Input Voltage: 120 VAC, 60 Hz or 230 VAC, 50 Hz
- Weight: 8.4 lb (3.8 kg)
- Size: 10.2 x 9.5 x 8.9 in (258 x 242 x 225 mm)

Hurricane™ 700

Hurricane™ 700 is a water-based fogger that delivers a 1,500 cfm output. It only takes 2.5 minutes to heat up and comes with a wired remote.



Remote Included

Specifications

- Output: 1,500 cfm
- Tank Capacity: 0.2 gal (0.6 L)
- Input Voltage: 120 VAC, 60 Hz or 230 V, 50 Hz
- Weight: 4 lb (1.8 kg)
- Size: 8.5 x 7.1 x 4.9 in (215 x 180 x 124 mm)



Bubble King™

Bubble King™ is the biggest name in bubble effects, featuring three double wands, a manual bubble button, and extremely high output. This is the perfect machine when you need bubbles for a large area,



Specifications

- Tank Capacity: 56 oz (1.7 l)
- Input Voltage: 120 VAC, 60 Hz or 230 VAC, 50 Hz
- Weight: 13.2 lb (5.9 kg)
- Size: 19 x 15 x 12 in (483 x 381 x 305 mm)

B-250 Bubble Machine

CHAUVET® DJ B-250 Bubble Machine is designed for large areas where portability is a top need. It is lightweight, thanks to an all plastic construction that also prevents rust, and conveniently features an easily removable fluid tank.



Specifications

- Tank Capacity: 24 oz (0.7 l)
- Input Voltage: 120 VAC, 60 Hz or 230 VAC, 50 Hz
- Weight: 6.8 lb (3.1 kg)
- Size: 12.5 x 7 x 6.5 in (318 x 178 x 165 mm)

For complete specifications, visit ChauvetDJ.com
All products meet CSA and CE standards. Specifications subject to change without notice.

Atmospheric Fluids



FCQ Quart
Fog Machine Cleaning Fluid



FJQ Quart
High Performance Fog Fluid



QDF Gallon
Quick Dissipating Fluid



FJU Gallon
High Performance Fog Fluid



HDF Gallon
High Density Fog Fluid



BJU Gallon
High Performance Bubble Fluid



HFG Gallon
High Performance Haze Fluid



PHF Gallon
Premium Haze Fluid

Atmospheric Remotes



Wired Timer Remote (FC-T)
Available for Hurricane™ 1301, Hurricane™ 1300, Hurricane™ 1101, Hurricane™ 1100, Hurricane™ 901,



Wireless Remote (FC-W)
For Hurricane™ 1800 Flex, Hurricane™ 1301, Hurricane™ 1300, Hurricane™ 1101, Hurricane™ 1100, Hurricane™ 901,

ShowXpress™

ShowXpress™ is a free software program that turns almost any computer into a lighting console. It allows direct control over simple PAR cans to the most complex moving lights. All you need is a computer (PC or Mac), a ShowXpress™ interface and ShowXpress™ software. The software is now available as an app for your smartphone. You can take ShowXpress™ on the road and go mobile! Pre-configured for RGB, RGBA, RGBW, and RGBWA fixtures, Pixels makes the creation of show-stopping effects fast and easy, and is included free as a part of your ShowXpress™ software. For more information go to

<http://www.chauvetlighting.com/showXpress-software/>



Xpress™ 512

Xpress™ 512 is a self-contained DMX-512 interface for the ShowXpress™ software. The interface is capable of transmitting one universe of DMX and works on both Windows® and Mac OS X platforms. Multiple units can be connected for multiple universes of control. Users can store and playback one show without a computer or unlimited shows with a computer.



Specifications

- Input Voltage: 5 VDC, USB
- Weight: 0.5 lb (0.2 kg)
- Size: 4.3 x 3.2 x 1.5 in (108 x 80 x 37 mm)

Xpress™ 100

Xpress™ 100 provides a USB to DMX interface for up to 100 DMX channels. It allows for an unlimited number of shows when connected to a computer.



Specifications

- Input Voltage: 5 VDC, USB
- Weight: 0.2 lb (0.1 kg)
- Length: 3.5 ft (1 m)

Xpress™ 512 Plus

Xpress™ 512 Plus brings you the same capabilities of the Xpress™ 512, plus an external triggering that is available via a mini-DIN connection or an optional infrared remote. An internal calendar can also trigger playback at a specific time without a computer.



Specifications

- Input Voltage: 5 VDC, USB or 12 VDC, 300 mA external power supply (not included)
- Weight: 0.6 lb (0.3 kg)
- Size: 4.7 x 3.5 x 1.8 in (119 x 89 x 47 mm)

Scan the QR code to download the latest ShowXpress™ software for your mobile device.



FlareCON™ Air

FlareCON™ Air is a wireless transceiver that turns a smartphone or mobile tablet into a DMX lighting controller. It takes Wi-Fi™ signals from any mobile device and turns them into D-Fi™ signals for any D-Fi™-ready light or hub. The FlareCON™ app works exclusively with FlareCON™ Air. FlareCON™ Air can also connect directly to a DMX controller and then send D-Fi™ out to D-Fi™ lights or hubs. FlareCON™ Air is fully FCC and RTTE compliant.

NEW



Specifications

- DMX Channels: 512
- Operating Frequency: 2.4 GHz
- Antenna connection: RP-SMA
- Max Unobstructed Distance: 600 ft (183 m)
- Input Voltage: 9 VDC, 500 mA (external power supply: 100 to 240 VAC, 50/60 Hz)
- Weight: 1.2 lb (0.6 kg)
- Size: 5.59 x 3.58 x 1.81 in (142 x 91 x 46 mm)



Freedom® Par Hex-4

Freedom® Par Quad-4

Freedom® Par Tri-6

Obey™ 4 D-Fi 2.4

Obey™ 4 D-Fi 2.4 is a compact DMX controller with a built-in wireless D-Fi™ transmitter for controlling Di-Fi enabled LED wash or spot lights without using cables. Built-in color presets, auto programs, and chases create eye-catching light shows. Obey™ 4 D-Fi 2.4 is designed to work with the CHAUVET® DJ Freedom™ Par lights, but can be used with any four-channel LED light.



Specifications

- DMX Channels: 16
- Input Voltage: 9 VDC, 500 mA (external power supply: 100 to 240 VAC, 50/60 Hz)
- Operating Frequency: 2.433 to 2.48 GHz
- Weight: 3 lb (1.4 kg)
- Size: 12.8 x 5.5 x 2.1 in (325 x 140 x 52 mm)

D-Fi™ Hub

D-Fi™ Hub is a wireless transceiver that converts D-Fi™ to DMX, or DMX to D-Fi™. The D-Fi™ Hub wirelessly synchronizes an unlimited number of D-Fi™-ready lights and products. It turns any DMX controller into a wireless D-Fi™ controller, or if you already have a CHAUVET® D-Fi™ controller, save yourself the trouble of a long DMX run by placing the D-Fi™ Hub up in your rig. The D-Fi™ Hub is small and lightweight and has many mounting options.



Specifications

- Input Voltage: 9 VDC, 500 mA (external power supply: 100 to 240 VAC, 50/60 Hz)
- Operating Frequency: 2.412 to 2.484 GHz
- Weight: 1.2 lb (0.6 kg)
- Size: 4 x 3.2 x 1.6 in (102 x 82 x 41 mm)

IRC-6

IRC-6 is an easy-to-use infrared remote control (IRC) for all CHAUVET DJ IRC-enabled lighting fixtures. It provides instant access to pre-programmed scenes, color mixing options and on-the-fly speed adjustments. This compact and lightweight remote has an approximate range of 30 feet (9 m). IRC-6 compatible fixtures include all CHAUVET DJ fixtures ending in IRC as well as the EZ and Freedom series fixtures.



Specifications

- Max Unobstructed Distance: 15 ft (4.6 m)
- Input Voltage: 3 VDC lithium battery (CR2025)
- Weight: 0.7 oz (20 g)
- Size: 3.9 x 1.8 x 0.3 in (100 x 47 x 7 mm)

Obey™ 40 D-Fi 2.4

Obey™ 40 D-Fi 2.4 is a small, but full-featured lighting controller with a built-in D-Fi™ transmitter so you can build a rig without long DMX cable runs! It works with any D-Fi™ compatible product and controls up to 12 different types of lights. It stores scenes and chases for playback, and operates lights "on the fly". The stored scenes and chases are triggered by sound, or manually adjusted, to get just the right speed and fade time for your look. The Obey™ 40 D-Fi 2.4 is MIDI compatible and has dedicated fog and strobe controls.



Specifications

- DMX Channels: 192
- Input Voltage: 9 VDC, 500 mA (external power supply: 100 to 240 VAC, 50/60 Hz)
- Operating Frequency: 2.433 to 2.48 GHz
- Weight: 5.2 lb (2.4 kg)
- Size: 19 x 6.7 x 3.5 in (483 x 171 x 89 mm)

D-Fi™ Stream 6

D-Fi™ Stream 6 is a wireless D-Fi™ transceiver and DMX splitter all in one. It has six optically isolated DMX ports and uses the popular D-Fi™ protocol for sending and receiving DMX signals wirelessly. D-Fi™ Stream 6 can receive wireless D-Fi™ from a controller and send DMX to lights through DMX cables, or it can receive DMX through DMX cables from a controller and send wireless D-Fi™ out to D-Fi™-compatible lights.



Specifications

- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 5.8 lb (2.6 kg)
- Size: 19 x 5.3 x 1.8 in (483 x 134 x 46 mm)

Expand your knowledge and expand your business!
www.ChauvetDJAcademy.com

For complete specifications, visit ChauvetDJ.com
 All products meet CSA and CE standards. Specifications subject to change without notice.

Obey™ 3

Obey™ 3 is a compact DMX controller for LED lights with 3 channels (red, green and blue only). Playback options include automated, sound-activated or manual RGB color mixing.



Specifications

- DMX Channels: 3
- Input Voltage: 9 VDC, 500 mA (external power supply: 100 to 240 VAC, 50/60 Hz)
- Weight: 2 lb (0.9 kg)
- Size: 5.5 x 8.3 x 2.1 in (140 x 210 x 52 mm)

Obey™ 6

Obey™ 6 is a compact DMX controller capable of controlling up to 6 channels per fixture, perfect for hex-LED (RGBAW+UV) fixtures. It allows you to control effects by simultaneously operating each fixture in different playback modes, with variable fade times. Playback options include manual RGBAW+UV, automated and sound-activated mode. Increase control with adjustable audio sensitivity, strobe, and blackout effects.




Specifications

- DMX Channels: 36
- Input Voltage: 9 VDC, 500 mA (external power supply: 100 to 240 VAC, 50/60 Hz)
- Weight: 3.8 lb (1.8 kg)
- Size: 15.5 x 5.5 x 1.9 in (393 x 140 x 47 mm)

Obey™ 40

Obey™ 40 is the next step up from the Obey™ 10, allowing for control of up to 12 fixtures at 16 channels each. With a slightly larger size comes a larger capacity: Obey™ 40 has 30 banks on 8 scenes, or up to 240 scenes. Obey™ 40 offers the flexibility of its little brother but also adds fog and strobe control and MIDI compatibility.



Specifications

- DMX Channels: 192
- Input Voltage: 9 VDC, 500 mA (external power supply: 100 to 240 VAC, 50/60 Hz)
- Weight: 5.7 lb (2.6 kg)
- Size: 19 x 3.5 x 6.7 in (483 x 89 x 171 mm)

Obey™ 4

Obey™ 4 is a compact DMX controller for LED wash lights with a 3- or 4-channel DMX mode—red, green, blue and white/amber—for easy color-mixing control. It has built-in automated, sound-activated or manual playback options and can control fixtures in 4 different zones—independently of each other. It features one-touch buttons of pre-mixed colors, built-in chases and strobe and dimmer controls.



Specifications

- DMX Channels: 16
- Input voltage: 9 VDC, 500 mA (external power supply: 100 to 240 VAC, 50/60 Hz)
- Weight: 3 lb (1.4kg)
- Size: 12.8 x 5.5 x 2.1 in (325 x 140 x 52 mm)

Obey™ 10

Obey™ 10 is a compact controller ready to handle all the complexities of today's lighting fixtures. Capable of controlling up to eight 16-channel fixtures, the Obey™ 10 can store 6 sets of chases containing up to 999 scenes each.



Specifications

- DMX Channels: 128
- Input Voltage: 9 VDC, 500 mA (external power supply: 100 to 240 VAC, 50/60 Hz)
- Weight: 3.9 lb (1.8 kg)
- Size: 19 x 3.5 x 3.5 in (483 x 89 x 89 mm)

Obey™ 70

Obey™ 70 bridges the gap between smaller rack mount controllers and massive control desks. Fourteen reversible faders and an assignable joystick allow for easy programming of up to twelve 32-channel fixtures. Obey™ 70 can store up to 6 sets of chases containing 240 scenes on 384 total channels of control. It also features fog and strobe control, as well as MIDI compatibility.



Specifications

- DMX Channels: 384
- Input Voltage: 9 VDC, 500 mA (external power supply: 100 to 240 VAC, 50/60 Hz)
- Weight: 7.3 lb (3.3 kg)
- Size: 19 x 7 x 2.8 in (483 x 178 x 71 mm)

Stage Designer™ 50

Stage Designer™ 50 is a powerful dimming unit that combines the size of a 24-channel dimming console and the functionality of a 48-channel console. Stage Designer™ 50 has up to 8 pages with 12 scenes each, and 96,000 programmable steps. The console allows you to re-assign channels as needed and allows for MIDI input.



Specifications

- DMX Channels: 48
- Input Voltage: 9 VDC, 500 mA (external power supply: 100 to 240 VAC, 50/60 Hz)
- Weight: 9.9 lb (4.5 kg)
- Size: 19 x 10.5 x 3.5 in (483 x 267 x 89 mm)

DMX-4

DMX-4 is a 4-channel dimmer/relay pack providing DMX control for on/off or dimming to units not equipped with DMX on their own. It is optimized for use with small LED fixtures to prevent ghosting and flickering. Each of the four sets of outlets (duplex) can be set to any DMX address and independently set as a dimmer or relay. Sixteen user-selectable chase patterns make programming a breeze.



Specifications

- DMX Channels: 1, 2, or 4
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 5 lb (2.2 kg)
- Size: 8.3 x 7.7 x 2.8 in (210 x 194 x 70 mm)

PC-08 Power Panel

PC-08 power panel provides easily accessible power switches for all your gear. The single rack space (1 U) fixture features 8 illuminated switches capable of handling 15 A each.



Specifications

- Input Voltage: 120 VAC, 60 Hz or 230 VAC, 50 Hz
- Weight: 4 lb (1.8 kg)
- Size: 19 x 4 x 1.8 in (457 x 147 x 97 mm)

Pro-D6

Pro-D6 is a 6-channel dimmer/relay pack providing DMX control for on/off or dimming to units not equipped with DMX on their own. Each of the six sets of outlets (duplex) can be set to any DMX address and independently set as a dimmer or relay. Twelve user-selectable chase patterns make programming a breeze.



Specifications

- DMX Channels: 6
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 9.3 lb (4.2 kg)
- Size: 18 x 5.8 x 3.8 in (457 x 147 x 97 mm)

Data Stream™ 4

Data Stream™ 4 is a universal DMX-512 optical splitter that distributes the incoming DMX signal, in daisy chain configurations, into 4 separate outputs with an additional "thru" port.



Specifications

- DMX Connectors: 3- and 5-pin XLR
- Rackmount: 1U
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Weight: 5.8 lb (2.6 kg)
- Size: 19 x 5.3 x 1.8 in (483 x 134 x 46 mm)

For complete specifications, visit ChauvetDJ.com
All products meet CSA and CE standards. Specifications subject to change without notice.

CHAUVET DJ Portable Stands



CH-02 Tripod

- Stand Height: 7 to 12 ft (2.1 to 3.7 m)
- Bar Diameters: 1.5 in (38 mm)
- Load Capacity: 110 lb (50 kg)
- Weight: 24 lb



CH-06 Stand

- Stand Height: 9 ft (2.7 m) fully extended
- Load Capacity: 50 lb (22 kg)
- Weight: 11 lb (5 kg)



CH-31 Truss w/T-bar

- Stand Height: 9 ft (2.7 m) fully extended
- Bar Diameters: 1.5 in (38 mm)
- Load Capacity: 200 lb (90 kg)
- Weight: 60 lb (27 kg)

CHAUVET DJ Clamps



CLP-02

- Load Capacity: 55 lb (25 kg)



CLP-03

- Load Capacity: 44 lb (20 kg)



CLP-04

- Load Capacity: 110 lb (49.1 kg)



CH-05

- Load Capacity: 60 lb (25 kg)



CLP-06

- Load Capacity: 220 lb (100 kg)



CLP-10

- Load Capacity: 75 lb (33.5 kg)



CLP-15

- Load Capacity: 660 lb (295 kg)



CLP-15N

- Load Capacity: 330 lb (150 kg)



CLP-25

- Load Capacity: 880 lb (400 kg)



CLP-25N

- Load Capacity: 550 lb (250 kg)



CLP-35HC

- Load Capacity: 165 lb (74.8 kg)

CHAUVET DJ Cables



3-Pin DMX Cable

- Available Lengths: 5 ft (1.5 m), 10 ft (3 m), 25 ft (7.6 m), 50 ft (15 m)



POWER LINKING CABLE

Male-to-female IEC extension cable

- Available Lengths: 5 ft (1.5 m), 25 ft (7.6 m)



DMX3F5M

3-pin (F) to 5-pin (M) DMX turnaround

DMX5F3M

5-pin (F) to 3-pin (M) XLR DMX turnaround

- Length: 6 in (154 mm)



IEC8

Standard power cable with an IEC connector

- Length: 8 ft (2.4 m)



CHAUVET DJ VIP GEAR BAGS



CHS-25 Fits

SlimPAR™ 64
SlimPAR™ 64 RGBA
EZpar™ 64 RGBA
EZpar™ 56
And More!



CHS-30 Fits

SlimPAR™ HEX 3 IRC
SlimPAR™ Pro RGBA
SlimPAR™ Pro Tri
SlimPAR™ Pro VW
SlimPAR™ Quad 3 IRC
SlimPAR™ Quad 6 IRC
SlimPAR™ Quad 12 IRC
SlimPAR™ Tri 7 IRC
SlimPAR™ Tri 12 IRC
And More!



CHS-40 Fits

Abyss™ LED 3.0
BOB™ LED
COLORpalette™
Comet™ LED
Derby™ X
Double Derby™ X
EZMiN™ Laser FX
EZMiN™ Laser RBX
Gobo Shot™ 50W IRC
Gobo Zoom™ LED 2.0
Hemisphere™ 5.1
Hurricane™ 1101
Hurricane™ 1301
Hurricane™ 700
Hurricane™ 901
Intimidator™ Series
LED Mushroom™
LED Pinpoint™ 2
LFS-5D
LFS-75DMX
LX10™
LX5™
MegaStrobe™ FX12
Mega Trix™
Mini Kinta™
Mini Strobe™ LED
Radius™ 2.0
Scorpion™ Series
SlimBANK™ TRI-18
SlimBANK™ UV-18
SlimPANEL™ Tri 12 IP
SlimPANEL™ Tri 24 IP
Swarm™ 4
Swarm™ 5 FX
Techno Strobe™ 168
Wedge™ Tri
And More!



CHS-50 Fits

Circus™ 2.0 IRC
Cubix™ 2.0
Intimidator™ FX 350
Intimidator™ Spot 400 IRC
Intimidator™ Spot LED 350
Intimidator™ Wash Zoom 350 IRC
Intimidator™ Wash Zoom 250 IRC
And More!

Extend the life of your rig, making it easy to travel from gig to gig

CHAUVET DJ VIP gear bags are specifically designed for the mobile lighting market. These sturdy and affordable cases help preserve your investment in lighting gear. Sleek and stylish, they also make a strong professional statement wherever you take them. All are expertly crafted with durable nylon, following the CHAUVET DJ tradition of excellence coupled with a steadfast commitment to unsurpassed value. All CHAUVET DJ VIP gear bags are internally padded to prevent scratches and dents and ensure the safe transportation of your fixtures. For enhanced flexibility, most cases feature adjustable and removable dividers as well as convenient side pockets to carry cables, clamps, tapes and other tools and accessories.

NEW



CHS-FR4 Fits

Freedom™ Par Quad-4
Freedom™ Par Hex-4
Freedom™ Par Tri-6
And More!



CHS-SP4 Fits

SlimPACK™ 56
SlimPAR™ 38
And More!



CHS-60 Fits

COLORband™ PiX
COLORband™ PiX IP
COLORband™ PiX Mini
COLORbar™ SMD
COLORstrip™
COLORstrip™ Mini
COLORTube™ 3.0 EQ
EZrail™ RGBA
COLORrail™ IRC
And More!



Global Headquarters
5200 NW 108th Ave. | Sunrise, FL 33351 USA
European Branch
Unit 1C | Brookhill Road Industrial Estate
Pinxton, Nottingham NG16 6 NT UK
ChauvetDJ.co.uk
Mexico Branch
Av. Santa Ana 30
Parque Industrial Lerma
Lerma, Mexico C.P. 52000
Chauvet.com.mx
California Branch
7555 N. San Fernando Road
Burbank, CA 91505 USA

