

Fahrenheit

2015




FARENHEITUSA.COM



MHL MobileLink X2 mobile device integration enables complete control of your smartphones and tablets. Conveniently launch any application, post social media updates, or play your own videos and all other content on your mobile device. Your smart device display is mirrored to the head units larger LCD screen, and all commands are sent via Bluetooth 3.0 connection. MHL MobileLink X2 ensures safe, hands-free operation of your smart device without the distractions of locating & handling the device. MHL MobileLink X2 integration cables are available for select Android enabled devices.



Bluetooth V3.0 with Enhanced Data Rate increases traditional data transfer rates to 2.1 Mbit/s. This lightning quick information transfer increases clarity & virtually eliminates unwanted distortion during calls and wireless MP3 audio playback. Most Bluetooth enabled Smartphones will transfer phone book contacts, view recent call logs, and stream MP3 audio tracks.



TI-63H2B

2-DIN DVD, CD/MP3, AM/FM RECEIVER W/ 6.2" LCD, BLUETOOTH, & MHL MOBILELINK X2

2-DIN Multimedia Receiver w/ 6.2" LCD & MHL MobileLink X2
 Complete Integration of Select Android Enabled Devices (requires MHL MobileLink accessory cable, sold separate)
 Bluetooth V3.0 Hands-Free Calling from Enabled Phone
 A2DP Wireless MP3 Audio Playback from Enabled Devices
 Built-in Microphone & External Microphone Included
 Accepts Fahrenheit OEM & Steering Wheel Control Interface
 Advanced FM/AM Tuner with RDBS Receiver
 Playback from DVD & CD of MP3 & MP4
 Playback from 64GB SD/USB of MP3 & MP4
 ID3 MP3 Tag Reading for Track & Artist Information
 AUX Audio Input for Personal Media Devices
 Front & Rear Pre-Amp Audio Outputs
 Variable Subwoofer Pre-Amp Output
 Video Output for Auxiliary Devices
 Rear View Camera Input w/ Trigger
 300w 4ch. MOSFET Speaker Outputs
 Multi-Region FM Frequency Stepping
 800x480 Widescreen Resolution
 400NIT LED Backlight

NEW



MHL 2-WAY
 Mobile High-Definition Link



MHL MOBILELINK INTERFACE CABLES

HDM-I4 ~ IPHONE4, IPHONE4S, IPAD2, & IPAD3

HDM-A2 ~ GALAXY 2 & SELECT 5-PIN ANDROID DEVICES

HDM-A3 ~ GALAXY 3, 4, & SELECT 11-PIN ANDROID DEVICES

5ft interface cable unlocks 1080p video and audio playback from MHL enabled appropriate micro connector for your mobile device. Fahrenheit MobileLink MHL interface cables also charge your mobile device. Available for select iOS and Android devices.

MHL
 Mobile High-Definition Link





MHL MobileLink X1 opens mirroring of smartphones and tablets to enabled in-car entertainment systems. Share with other passengers your own movies, social networking content, internet videos, or anything else your mobile device displays. Easily follow your smartphone's navigation commands on the larger head unit LCD instead of the smaller smart phone display. MHL MobileLink X1 replicates the image of your smart device onto the LCD screen of several in-car entertainment products, including select MobileLink X1 source units, headrests, and overhead displays. MHL MobileLink integration cables are available for select Android and iOS smart devices.

Bluetooth V3.0 with Enhanced Data Rate increases traditional data transfer rates to 2.1 Mbit/s. This lightning quick information transfer increases clarity & virtually eliminates unwanted distortion during calls and wireless MP3 audio playback. Most Bluetooth enabled Smartphones will transfer phone book contacts, view recent call logs, and stream MP3 audio tracks.



Digital Signal Processing features include a digital 7-band equalizer with 8dB boost or cut, custom presets & factory presets. Additional DSP functions include variable subwoofer level control with lowpass crossover, loudness adjustment, & sound staging controls.



MobileLink X1 models include variable color front panel illumination. Choose a specific color to match your interior lighting scheme or random color change for a full color spectrum effect.



Play audio, video, and picture files through MobileLink X1 from a 32GB SD card, USB flash drive, or any DVD/R and CD/R. Supports MP3, WAV, MP4, and more.



MHL MOBILELINK INTERFACE CABLES
 HDM-I4 ~ IPHONE4, IPHONE4S, IPAD2, & IPAD3
 HDM-A2 ~ GALAXY 2 & SELECT 5-PIN ANDROID DEVICES
 HDM-A3 ~ GALAXY 3, 4, & SELECT 11-PIN ANDROID DEVICES

5ft interface cable unlocks 1080p video and audio playback from MHL enabled appropriate micro connector for your mobile device. Fahrenheit MobileLink MHL interface cables also charge your mobile device. Available for select iOS and Android devices.



TI-625HB

2-DIN DVD, CD/MP3, SD/USB, AM/FM RECEIVER, W/ 6.2" LCD, BLUETOOTH, & MHL MOBILELINK X1



2-DIN Multimedia Receiver w/ 6.2" LCD & MHL MobileLink X1
 On-Screen Mirroring of Select Android Smart Devices
 Bluetooth V3.0 Hands-Free Calling from Enabled Phone
 A2DP Wireless MP3 Audio Playback from Enabled Devices
 Accepts Fahrenheit OEM & Steering Wheel Control Interface
 Custom Backgrounds & RGB Color Changing GUI & Front Panel
 Advanced FM/AM Tuner with RDBS Receiver
 Playback from DVD & CD of MP3 & MP4
 Playback from 32GB SD/USB of MP3 & MP4
 ID3 MP3 Tag Reading for Track & Information
 AUX Audio Input for Personal Media Devices
 RCA A/V Input for Auxiliary Sources
 7-Band Audio Equalizer w/ User Presets
 Front & Rear Pre-Amp Audio Outputs
 Variable Subwoofer Pre-Amp Output
 Variable Subwoofer Low Pass Crossover
 Video Output for Auxiliary Devices
 Rear View Camera Input w/ Trigger
 300w 4ch. MOSFET Speaker Outputs
 Multi-Region FM Frequency Stepping
 800x480 Widescreen Resolution
 400NIT LED Backlight




TI-725HB

1-DIN DVD, CD/MP3, SD/USB, AM/FM RECEIVER, W/ MOTORIZED 7" LCD, BLUETOOTH, & MHL MOBILELINK X1

1-DIN Multimedia Receiver w/ Motorized 7" LCD & MobileLink X1
 On-Screen Mirroring of Select Android Smart Devices
 Bluetooth V3.0 Hands-Free Calling from Enabled Phone
 A2DP Wireless MP3 Audio Playback from Enabled Devices
 Accepts Fahrenheit OEM & Steering Wheel Control Interface
 Custom Backgrounds & RGB Color Changing GUI & Front Panel
 Advanced FM/AM Tuner with RDBS Receiver
 Playback from DVD & CD of MP3 & MP4
 Playback from 64GB SD/USB of MP3 & MP4
 ID3 MP3 Tag Reading for Track & Information
 AUX Audio Input for Personal Media Devices
 RCA A/V Input for Auxiliary Sources
 7-Band Audio Equalizer w/ User Presets
 Front & Rear Pre-Amp Audio Outputs
 Variable Subwoofer Pre-Amp Output
 Variable Subwoofer Low Pass Crossover
 Video Output for Auxiliary Devices
 Rear View Camera Input w/ Trigger
 300w 4ch. MOSFET Speaker Outputs
 Multi-Region FM Frequency Stepping
 800x480 Widescreen Resolution
 400NIT LED Backlight



OEM In-Vehicle Technologies Have Advanced Significantly In Recent Years. As More Vehicles Land On Showroom Floors With Advanced Network Systems, The Ability To Integrate Aftermarket Source Units Has Become Essential. Fahrenheit Is Excited To Introduce Its Series Of Aftermarket OEM Integration Modules & Universal Steering Wheel Control Interface. Communication, Safety, And Convenience Features That Otherwise Would Be Lost Are Retained While Enjoying Added Aftermarket Entertainment. All Modules Are Pre-Fitted With Fahrenheit Source Unit And Vehicle Make/Model Specific Wire Harnesses, Creating Plug-N-Play Installation For All Ingenix, Inteq, Mobile 8 & Multimedia Receivers. Visit Fahrenheitusa.com For Complete Vehicle Application Guides.



- | | |
|----------------|--|
| DRC-1 | UNIVERSAL STEERING WHEEL CONTROL INTERFACE FOR SELECT GM, CHRYSLER, FORD & TOYOTA VEHICLES |
| GM-2 | SELECT 2000-2009 GENERAL MOTORS VEHICLES W/ CLASS 2 DATA SYSTEM |
| GM-2DRC | SELECT 2000-2009 GENERAL MOTORS VEHICLES W/ CLASS 2 DATA SYSTEM & STEERING WHEEL CONTROL |
| GM-2OS | SELECT 2000-2009 GENERAL MOTORS VEHICLES W/ CLASS 2 DATA SYSTEM & ONSTAR |
| GM-11 | SELECT 2005-2009 GENERAL MOTORS VEHICLES W/ LAN 11-BIT DATA SYSTEM |
| GM-11OS | SELECT 2005-2009 GENERAL MOTORS VEHICLES W/ LAN 11-BIT DATA SYSTEM & ONSTAR |
| GM-29 | SELECT 2006-2013 GENERAL MOTORS VEHICLES W/ LAN 29-BIT DATA SYSTEM |
| GM-29OS | SELECT 2006-2013 GENERAL MOTORS VEHICLES W/ LAN 29-BIT DATA SYSTEM & ONSTAR |
| CH-1 | SELECT 2007-2013 CHRYSLER, DODGE, & JEEP VEHICLES W/ PREMIUM ENTERTAINMENT SYSTEM |
| TOY-1 | SELECT 2004-2011 TOYOTA & LEXUS VEHICLES W/ PREMIUM ENTERTAINMENT SYSTEM |
| VW-1 | SELECT 2002-2013 VOLKSWAGEN VEHICLES W/ PREMIUM ENTERTAINMENT SYSTEM |

Fahrenheit INGENIX powered source units use a proprietary engine featuring 700 MHz CPU processor & WIN CE 5.0 operating system. Commonly found in compact netbooks. Such lightning fast function processing has not been possible in an aftermarket automotive multimedia system, until now. INGENIX programming brings unique feature applications to your fingertips.




Go ahead, take a second look....

The primary menu of the INGENIX source units has an appeal that you might expect only from a computer. The LED back light Full HD quality 800x480 screen resolution yields a crisp image. Drag any mode application icon from the slide menu at the bottom of the screen and drop it onto the desktop as a shortcut. Utilize the drop down widget menu for quick settings access. The main menu background and brightness settings can be set to change automatically at night. There's even a scrolling marquee banner displaying your short message.



Picture-in-Picture

INGENIX is the first to bring the Picture-in-Picture function into the car. PIP allows uninterrupted video playback while simultaneously viewing the GPS navigation map in real time, as it happens. The picture can be re-sized and positioned to 3 different ratios.



Full iPod Control Integration

Scroll through your iPhone, iPod Touch, Classic, or Nano to find your favorite tracks. Search options include by Album, Artist, Genre, Playlist, or entire track list. Jump through lists by first alpha character scrolling.



Built-in GPS Navigation

All Ingenix powered source units come standard with GPS turn-by-turn navigation for USA & Canada (other countries available). Set your destination and enjoy text-to-speech directions with lane guidance. Additional features include favorites list, programmable home destination, destination fuel estimates, multi-lingual, multi-gender voices, speed limit warnings, and more. Maps and POI data by TomTom.



Bluetooth V2.1 + EDR Connectivity

Bluetooth V2.1 with Enhanced Data Rate increases data transfer rates to 2.1 Mbit/s. This lightning quick information transfer increases clarity & virtually eliminates unwanted distortion during calls and wireless MP3 audio playback. Most Bluetooth enabled Smartphones will transfer phone book contacts, view recent call logs, and stream MP3 audio tracks.

ADDITIONAL FEATURES

Dual Zone for Rear Seat or Overhead Entertainment
Adjustable Video Output Screen Ratio & Image Positioning
Utility Application w/ Memo Pad, Calculator, Calendar, Car Maintenance, Texas Hold 'em Poker, & World Clock
4V Front, Rear & Subwoofer Pre-amp Output
Front Panel 3.5mm AUX A/V Input
A/V Input from Auxiliary Source
Rear View Camera RCA Input w/ Trigger
JPG, BMP, & GIF Photo Browser
Upload Custom Screen Savers
Remote Control Sold Separately
Digital & Analog TV Tuners Available
NTSC/PAL Video Playback
50W x 4 MOSFET Speaker Outputs
400NIT Panel Brightness
Accepts Axxess Steering Wheel Interface
JPG, BMP, & GIF Photo Browser
Upload Custom Screen Savers
Remote Control Sold Separately
Digital & Analog TV Tuners Available
NTSC/PAL Video Playback
50W x 4 MOSFET Speaker Outputs
400NIT Panel Brightness

F-761NX

2-DIN INGENIX GPS NAVIGATION SOURCE UNIT W/ 7" LCD TOUCH SCREEN


Motorized 7" LCD Touch Screen w/ Angle Adjustment
Turn-By-Turn GPS Navigation Powered by TomTom
Accepts Fahrenheit OEM & Steering Wheel Control Module
Bluetooth V2.1+EDR Calling from Enabled Phone
A2DP MP3 Audio Playback from Enabled Device
Complete iPod Integration with Accessory IP-5C
Playback from DVDR/RW or CDR/RW of MP3, MP4, & More
Playback From 32GB SD Card or USB of MP3, MP4, & More
AUX A/V Input for Personal Media Devices
ID3 Tag Reading for Track & Artist Information
Front, Rear, & Subwoofer 4V Pre-Amp Outputs
Variable Subwoofer Pre-Amp Output
Video Output for Auxiliary Devices
Rear View Camera Input w/ Trigger
7-Band Custom Digital Signal Processor
Multi-Region FM Frequency Stepping
52wx4 MOSFET Speaker Outputs
800x480 Widescreen Resolution
400 NIT LED Backlight Brightness



F-721NX

1-DIN INGENIX GPS NAVIGATION SOURCE UNIT W/ DETACHABLE 7" LCD TOUCH SCREEN

Motorized 7" LCD Touch Screen w/ Angle Adjustment
Theft Deterrent Detachable Faceplate w/ Carry Case
Turn-By-Turn GPS Navigation Powered by TomTom
Accepts Fahrenheit OEM & Steering Wheel Control Module
Bluetooth V2.1+EDR Calling from Enabled Phone
A2DP MP3 Audio Playback from Enabled Device
Complete iPod Integration with Accessory IP-5C
Playback from DVDR/RW or CDR/RW of MP3, MP4, & More
Playback From 32GB SD Card or USB of MP3, MP4, & More
AUX A/V Input for Personal Media Devices
ID3 Tag Reading for Track & Artist Information
Front, Rear, & Subwoofer 4V Pre-Amp Outputs
Variable Subwoofer Pre-Amp Output
Video Output for Auxiliary Devices
Rear View Camera Input w/ Trigger
7-Band Custom Digital Signal Processor
Multi-Region FM Frequency Stepping
52wx4 MOSFET Speaker Outputs
800x480 Widescreen Resolution
400 NIT LED Backlight Brightness




IP-5C

FULL CONTROL IPOD CABLE FOR INGENIX POWERED SOURCE UNITS

Full Control of iPod Classic, iPhone, Nano, & iTouch
Charging of all Compatible iPod Models
Scroll by Artists, Albums, Genres, or Playlists
Video Playback from Classic & iTouch



Made for iPod iPhone




HANDS-FREE CALLING & MEDIA PLAYBACK WITH BLUETOOTH V2.0

Safely make and receive hands-free phone calls, scroll contacts lists, and stream MP3's via A2DP from your enabled Smartphone. Most Bluetooth enabled Smartphones seamlessly pair with Mobile 8, without surfing through multiple settings menus or entering random passcodes.

DIGITAL MEDIA PLAYER

Play audio, video, and picture files through Mobile 8 from DVD, CD, or 32GB SD/USB flash drive. Supports MP3 & WAV audio files & MP4 video files, and JPG pictures.



TI-103B

1-DIN MOBILE 8 MULTIMEDIA SOURCE UNIT W/ DETACHABLE 10.3" LCD TOUCH SCREEN

Motorized 10.3" LCD Touchscreen w/ Angle Adjustment
Theft Deterrent Detachable Faceplate w/ Carry Case
Standard & Extended Installation Sleeve & Trim Ring Included
iGlass Low Glare Anti-Reflection LCD Touch Screen Technology
Accepts Fahrenheit OEM & Steering Wheel Control Interface
Bluetooth V2.0 Hands Free Calling From Enabled Devices
A2DP Wireless MP3 Audio Playback From Enabled Devices
Playback from DVD & CD of MP3 & MP4
Playback from 32GB SD/USB of MP3 & MP4
ID3 MP3 Tag Reading for Track & Artist Information
AUX A/V Input for Personal Media Devices
90° Angle USB & AUX A/V Input Cable Included
Front & Rear Pre-Amp Audio Outputs
Variable Subwoofer Pre-Amp Output
Video Output for Auxiliary Devices
Rear View Camera Input w/ Trigger
52w x 4 MOSFET Speaker Outputs
Custom & Preset Equalizer Settings
Multi-Region FM Frequency Stepping
1,024x600 High Definition Widescreen Resolution
400 NIT Energy Efficient LED Display Backlight



TI-930B

1-DIN MOBILE 8 MULTIMEDIA SOURCE UNIT W/ DETACHABLE 9.3" LCD TOUCH SCREEN

Motorized 9.3" LCD Touchscreen w/ Angle Adjustment
Theft Deterrent Detachable Faceplate w/ Carry Case
Standard & Extended Installation Sleeve & Trim Ring Included
iGlass Low Glare Anti-Reflection LCD Touch Screen Technology
Accepts Fahrenheit OEM & Steering Wheel Control Interface
Bluetooth V2.0 Hands Free Calling From Enabled Devices
A2DP Wireless MP3 Audio Playback From Enabled Devices
Playback from DVD & CD of MP3 & MP4
Playback from 32GB SD/USB of MP3 & MP4
ID3 MP3 Tag Reading for Track & Artist Information
AUX A/V Input for Personal Media Devices
90° Angle USB & AUX A/V Input Cable Included
Front & Rear Pre-Amp Audio Outputs
Variable Subwoofer Pre-Amp Output
Video Output for Auxiliary Devices
Rear View Camera Input w/ Trigger
52w x 4 MOSFET Speaker Outputs
Custom & Preset Equalizer Settings
Multi-Region FM Frequency Stepping
800x480 High Definition Widescreen Resolution
400 NIT Energy Efficient LED Display Backlight



TI-712B (w/ BLUETOOTH V2.0)

1-DIN MOBILE 8 MULTIMEDIA SOURCE UNIT W/ DETACHABLE 7" LCD TOUCH SCREEN

Motorized 7" LCD Touch Screen w/ Angle Adjustment
Theft Deterrent Detachable Faceplate w/ Carry Case
Standard & Extended Install Sleeve and Trim Ring Included
Accepts Fahrenheit OEM & Steering Wheel Control Interface
Bluetooth V2.0 Hands Free Calling From Enabled Devices
A2DP Wireless MP3 Audio Playback From Enabled Devices
Smart Control for Mobile Device Integration (712 & 712T only)
Playback from DVD & CD of MP3 & MP4
Playback from 32GB SD/USB of MP3 & MP4
ID3 MP3 Tag Reading for Track & Artist Information
AUX A/V Input for Personal Media Devices
90° Angle USB & AUX A/V Input Cable Included
Front & Rear Pre-Amp Audio Outputs
Variable Subwoofer Pre-Amp Output
Video Output for Auxiliary Devices
Rear View Camera Input w/ Trigger
52w x 4 MOSFET Speaker Outputs
Custom & Preset Equalizer Settings
Multi-Region FM Frequency Stepping
800x480 Widescreen Resolution
400 NIT Energy Efficient LED Display Backlight



TI-651B (w/ BLUETOOTH V2.0)
2-DIN MULTIMEDIA SOURCE UNIT W/ 6.5" LCD TOUCH SCREEN

2-DIN Multimedia Receiver w/ 6.5" LCD Touch Screen
Accepts Fahrenheit OEM & Steering Wheel Control Interface
Bluetooth V2.0 Hands Free Calling From Enabled Devices
A2DP Wireless MP3 Audio Playback From Enabled Devices
Playback from DVD & CD of MP3 & MP4
Playback from 32GB SD/USB of MP3 & MP4
ID3 MP3 Tag Reading for Track & Artist Information
AUX A/V Input for Personal Media Devices
Dual Zone for Rear Seat or Overhead Entertainment
Front & Rear Pre-Amp Audio Outputs
Fixed 80Hz Subwoofer Output
Video Output for Auxiliary Devices
Rear View Camera Input w/ Trigger
52w x 4 MOSFET Speaker Outputs
Custom & Preset Equalizer Settings
Multi-Region FM Frequency Stepping
480x243 Widescreen Resolution
400 NIT LED Brightness



TID-893
TID-893B (w/ BLUETOOTH V2.0)
1-DIN MULTIMEDIA SOURCE UNIT W/ 7" LCD TOUCH SCREEN

1-DIN Multimedia Receiver w/ Motorized 7" LCD Touch Screen
Theft Deterrent Detachable Faceplate w/ Carry Case
Accepts Fahrenheit OEM & Steering Wheel Control Interface
Bluetooth V2.0 Hands Free Calling From Enabled Devices
A2DP Wireless MP3 Audio Playback From Enabled Devices
Playback from DVD & CD of MP3 & MP4
Playback from 32GB SD/USB of MP3 & MP4
ID3 MP3 Tag Reading for Track & Artist Information
AUX A/V Input for Personal Media Devices
Programmable Open or Closed Positioning After Use
Front & Rear Pre-Amp Audio Outputs
Fixed 80Hz Subwoofer Output
Video Output for Auxiliary Devices
Rear View Camera Input w/ Trigger
52w x 4 MOSFET Speaker Outputs
Custom & Preset Equalizer Settings
Multi-Region FM Frequency Stepping
480x272 Widescreen Resolution
400 NIT LED Brightness



TI-710
TI-710B (w/ BLUETOOTH V2.0)
1-DIN MULTIMEDIA SOURCE UNIT W/ DETACHABLE 7" LCD TOUCH SCREEN

1-DIN Multimedia Receiver w/ 7" LCD Touch Screen
Theft Deterrent Detachable Faceplate w/ Carry Case
Standard & Extended Installation Sleeve and Trim Ring Included
Bluetooth V2.0 Hands Free Calling From Enabled Devices
A2DP Wireless MP3 Audio Playback From Enabled Devices
Playback from DVD & CD of MP3 & MP4
Playback from 32GB SD/USB of MP3 & MP4
ID3 MP3 Tag Reading for Track & Artist Information
AUX A/V Input for Personal Media Devices
Front & Rear Pre-Amp Audio Outputs
Fixed 80Hz Subwoofer Output
Video Output for Auxiliary Devices
Rear View Camera Input w/ Trigger
52w x 4 MOSFET Speaker Outputs
Custom & Preset Equalizer Settings
Multi-Region FM Frequency Stepping
480x243 Widescreen Resolution
400 NIT Energy Efficient LED Display Backlight



TI-344
TI-344B (w/ BLUETOOTH V2.0) NEW
TI-344T (w/ ANALOG TV TUNER)
1-DIN MULTIMEDIA SOURCE UNIT W/ DETACHABLE 3.4" LCD

1-DIN Multimedia Receiver w/ High Definition 3.4" LCD Display
Theft Deterrent Detachable Faceplate w/ Carry Case
Playback from DVD & CD of MP3 & MP4
Playback from 32GB SD/USB of MP3 & MP4
MP3 ID3 Tag Reading of MP3 Files
AUX A/V Input for Personal Media Devices
Dual Zone for Rear Seat or Overhead Entertainment
Front & Rear Pre-Amp Audio Outputs
Video Output for Auxiliary Devices
Rear View Camera Input w/ Trigger
52w x 4 MOSFET Speaker Outputs
Custom & Preset Equalizer Settings
Multi-Region FM Frequency Stepping
720x420 high Definition Widescreen Resolution
400 NIT Energy Efficient LED Display Backlight



FDR-340
1-DIN DIGITAL MEDIA RECEIVER W/ DETACHABLE 3.4" LCD SCREEN

Theft Deterrent Detachable Flip-Down Front Faceplate
Playback from up to 32GB SD/USB of 720P MP4, AVI, & more
Audio Playback of MP3, AAC, AC3, & WMA
Picture Viewer of JPEG, PNG & GIF
ID3 Tag Reading for Track & Artist Information
AUX Audio Input for Personal Media Devices
18 FM / 12 AM Station Memory
52w x 4 MOSFET Powered Speaker Level Outputs
1 Set of Low-Level RCA Audio Outputs
Video Output for Auxiliary Devices (FDR-340T only)
Rear View Camera Input w/ Trigger (FDR-340T only)
Custom Audio Staging & EQ Controls
Multi-Region FM/AM Frequency Stepping
720x420 HD Resolution w/ 400cd/m2 Brightness
4" Mounting Depth



MD-1430H

CEILING MOUNT DVD ENTERTAINMENT SYSTEM W/ HIGH DEFINITION 14.3" LCD & MOBILELINK MHL INPUT

Interchangeable Color Skins (beige, black, grey)
 Car-Spec DVD Drive for Extreme Temperature Exposure
 MobileLink Input for Smart Device Connectivity
 Playback from DVDR/RW of 720p MP4
 Playback from 32GB SD Card or USB of 720p MP4
 Flash Memory for Last Position Recall
 Single Channel Wireless IR Transmitter (use HP-10S, HP-11S)
 8-ch FM Stereo Transmitter for OEM Integration
 RCA A/V Input for Auxiliary Sources
 RCA A/V Output for Multiple Component Integration
 Triggered Bright White LED Dome Light
 NTSC / PAL Auto Selection
 1,366 x 768 16:9 Widescreen Resolution
 400 NIT Screen Brightness
 Dimensions: 12.75" w x 7.5" d x 2" h



MD-1210CMX

CEILING MOUNT DVD ENTERTAINMENT SYSTEM W/ 12.1" LCD

Interchangeable Color Skins (beige, black, grey)
 Color Matched Trim Rings for Sculptured Ceilings Included
 Car-Spec DVS DVD Drive for Extreme Temperature Exposure
 Playback from DVDR/RW of 720p MP4 &
 Playback from 32GB SD Card or USB of 720p MP4
 Flash Memory for Last Position Recall
 Single Channel Wireless IR Transmitter (use HP-10S, HP-11S)
 8-ch FM Stereo Transmitter for OEM Integration
 A/V Inputs for Auxiliary Sources
 Rear Panel RCA A/V Input for Game Console
 A/V Output for Multiple Component Integration
 Rear Panel Play/Pause Control
 Triggered Bright White LED Dome Light
 NTSC / PAL Auto Selection
 800 x 600 4:3 Fullscreen Resolution
 400 NIT Screen Brightness
 Dimensions: 14.5" w x 13.75" d x 2.5" h



CM-103D

CEILING MOUNT DVD ENTERTAINMENT SYSTEM W/ 10.3" LCD & MOBILE LINK MHL INPUT

10.3" High Resolution LCD Screen
 1,024 x 600 16:9 Widescreen Resolution
 Interchangeable Color Skins (beige, black, grey)
 Automotive-Spec DVD Transport for Extreme Conditions
 Playback from DVDR/RW of 1080p MP4 & AVI
 Playback from 32GB SD/MMC or USB of 1080p MP4 & AVI
 MobileLink Input for Smart Device Connectivity
 RCA A/V Input from Auxiliary Sources
 Rear Panel RCA A/V Input from Game Console
 Pre-Amp Audio Outputs
 Single Channel Wireless IR Transmitter (use HP-10S or HP-11S)
 330 Ch. FM Stereo Transmitter for OEM Integration
 Full Function Remote Control Included
 NTSC / PAL Auto Selection
 400 NIT Screen Brightness
 Dimensions: 13" w x 11" d x 2.5" h



MD-1120CMX

CEILING MOUNT DVD ENTERTAINMENT SYSTEM W/ 11.2" LCD

Interchangeable Color Skins (beige, black, grey)
 Color Matched Trim Rings for Sculptured Ceilings Included
 45°/45° Swivel Screen for Angled Viewing
 Car-Spec DVS DVD Drive for Extreme Temperature Exposure
 Playback from DVDR/RW of 720p MP4
 Playback from 32GB SD Card or USB of 720p MP4
 Flash Memory for Last Position Recall
 Single Channel Wireless IR Transmitter (use HP-10S, HP-11S)
 8-ch FM Stereo Transmitter for OEM Integration
 A/V Input for Auxiliary Sources
 Rear Panel RCA A/V Input for Game Console
 A/V Output for Multiple Component Integration
 Rear Panel Play/Pause Control
 Triggered Bright White LED Dome Light
 Full Function Remote Control Included
 NTSC / PAL Auto Selection
 800 x 480 16:9 Widescreen Resolution
 400 NIT Screen Brightness
 Dimensions: 14" w x 12.5" d x 2.5" h



MHL MOBILELINK INTERFACE CABLES

HDM-14 ~ IPHONE4, IPHONE4S, IPAD2, & IPAD3

HDM-A2 ~ GALAXY 2 & SELECT 5-PIN ANDROID DEVICES

HDM-A3 ~ GALAXY 3, 4, & SELECT 11-PIN ANDROID DEVICES



5ft interface cable unlocks 1080p video and audio playback from MHL enabled appropriate micro connector for your mobile device. Fahrenheit MobileLink MHL interface cables also charge your mobile device. Available for select iOS and Android devices.

MD-1020X

CEILING MOUNT DVD ENTERTAINMENT SYSTEM W/ 10.1" LCD

Interchangeable Color Skins (beige, black, grey)
 45°/270° Swivel Screen for Angled Viewing
 Playback from DVDR/RW of 720p MP4
 Playback from 32GB USB of 720p MP4
 Flash Memory for Last Position Recall
 FM Stereo Transmitter for OEM Integration
 Single Channel Wireless IR Transmitter (use HP-10S, HP-11S)
 A/V Output for Multiple Component Integration
 A/V Inputs for Auxiliary Sources
 Rear Panel RCA A/V Input for Game Console
 Rear Panel Play/Pause Control
 Triggered Bright White LED Dome Light
 Full Function Remote Control Included
 NTSC / PAL Auto Selection
 1,024x600 16:9 Widescreen Resolution
 400 NIT Screen Brightness
 Dimensions: 11.5" w x 11" d x 2.5" h



T-1502CM

CEILING MOUNT 15.2" LCD MONITOR

Low Reflection TFT-LCD Monitor
 2 RCA A/V Inputs for Auxiliary Source
 Single Channel Wireless IR Transmitter (use HP-10S, HP-11S)
 NTSC / PAL Auto Selection
 1,024 x 768 4:3 Fullscreen Resolution
 400 NIT Screen Brightness
 Dimensions: 15.75" w x 14.75" d x 2" h



MD-900CM

CEILING MOUNT DVD ENTERTAINMENT SYSTEM W/ 9" LCD

Interchangeable Color Skins (beige, black, grey)
 Color Matched Trim Ring for Sculptured Ceiling Included
 45°/45° Swivel Screen for Angled Viewing
 Car-Spec DVS DVD Drive for Extreme Temperature Exposure
 Playback from DVDR/RW of 720p MP4 &
 Playback from 32GB SD Card or USB of 720p MP4
 Flash Memory for Last Position Recall
 Single Channel Wireless IR Transmitter (use HP-10S, HP-11S)
 8-ch FM Stereo Transmitter for OEM Integration
 A/V Input for Auxiliary Sources
 Rear Panel RCA A/V Input for Game Console
 A/V Output for Multiple Component Integration
 Triggered Bright White LED Dome Light
 Rear Panel Play/Pause Control
 NTSC / PAL Auto Selection
 800 x 480 16:9 Widescreen Resolution
 400 NIT Screen Brightness
 Dimensions: 11" w x 9.75" d x 2.5" h



T-1100CM

CEILING MOUNT 11.2" LCD MONITOR

Interchangeable Color Skins (beige, black, grey)
 Color Matched Trim Rings for Sculptured Ceilings Included
 90°/90° Swivel Screen for Angeled Viewing
 Single Channel Wireless IR Transmitter (use HP-10S, HP-11S)
 A/V Input for Auxiliary Sources
 Triggered Bright White LED Dome Light
 NTSC / PAL Auto Selection
 800 x 480 16:9 Widescreen Resolution
 400 NIT Screen Brightness
 Dimensions: 14.5" w x 12.5" d x 2.5" h



FHDM-103

1080P DIGITAL MEDIA HEADREST PRELOADED W/ 10.3" LCD & MOBILE LINK MHL INPUT

- 10.3" High Resolution LCD Screen
- 1,024 x 600 16:9 Widescreen Resolution
- Forward / Backwards Tilting Headrest
- 3 Changeable Color Skins Included (grey, beige, black)
- 32GB USB Readers for 1080p MP4 & AVI Playback
- Dual Channel Wireless IR Transmitter (use HP-12S)
- FM Stereo Transmitter for OEM Integration
- MobileLink Input for Smart Device Connectivity
- 2 RCA A/V Input for Auxiliary Source
- RCA Audio Outputs
- Hardwired Headphone Output
- Full Function Remote Control Included
- 3/8" Locking Pole w/ 1/2" & 9/16" Adapters
- 4.75" ~ 8.25" Pole Width Adjustment
- NTSC / PAL Auto Selection
- Dimensions: 11.75" w x 8.25" h x 4.75" d



MHL MOBILELINK INTERFACE CABLES

HDM-14 ~ IPHONE4, IPHONE4S, IPAD2, & IPAD3

HDM-A2 ~ GALAXY 2 & SELECT 5-PIN ANDROID DEVICES

HDM-A3 ~ GALAXY 3, 4, & SELECT 11-PIN ANDROID DEVICES



5ft interface cable unlocks 1080p video and audio playback from MHL enabled appropriate micro connector for your mobile device. Farenheit MobileLink MHL interface cables also charge your mobile device. Available for select iOS and Android devices.

GRIP-H

HEADREST MOUNTING BRACKET FOR MOBILE DEVICES



HRD-71HD

UNIVERSAL REPLACEMENT HEADREST PRELOADED W/ DVD PLAYER, 7" LCD, & MHL MOBILELINK

HR-71HD

UNIVERSAL REPLACEMENT HEADREST PRELOADED W/ 7" LCD & MHL MOBILELINK

- Forward/Backwards Tilting Headrest w/ 7" LCD & DVD
- MobileLink Input for Mobile Device Screen Mirroring
- 2A Charging of Applicable Mobile Devices by USB (requires MobileLink interface cable, sold separate)
- Changeable Black, Beige, & Grey Colors Included
- Playback from DVD or DVD-R of 720p MP4 (HDVD-71HD)
- Playback from USB of 720p MP4 Video Files (HDVD-71HD)
- Dual Channel Wireless IR Transmitter (requires HP-12S)
- FM Stereo Transmitter for OEM Integration
- RCA A/V Input for Auxiliary Source or Opposite Headrest
- RCA A/V Output to Opposite Headrest
- 3.5mm Aux Audio/Video Input on Front Panel
- 3.5mm Headphone Output on Front Panel
- 3/8" Locking Pole w/ 1/2" & 9/16" Adapters
- 4.375" ~ 8.25" Pole Width Adjustment
- Automatic NTSC & PAL Video Playback
- 800 x 480 16:9 Widescreen Resolution
- 400 NIT Screen Brightness
- Dimensions: 10" w x 7" h x 5.50" d

NEW



MHL MOBILELINK INTERFACE CABLES

HDM-14 ~ IPHONE4, IPHONE4S, IPAD2, & IPAD3

HDM-A2 ~ GALAXY 2 & SELECT 5-PIN ANDROID DEVICES

HDM-A3 ~ GALAXY 3, 4, & SELECT 11-PIN ANDROID DEVICES



5ft interface cable unlocks 1080p video and audio playback from MHL enabled appropriate micro connector for your mobile device. Farenheit MobileLink MHL interface cables also charge your mobile device. Available for select iOS and Android devices.

GRIP-H

HEADREST MOUNTING BRACKET FOR MOBILE DEVICES



FHAD-7
UNIVERSAL HEADREST MOUNT DVD PLAYER W/ 7" LCD

NEW



Bracket Mount DVD Player Solution for Vehicles w/ Active Headrest
 Front Loading DVD Player for DVD/RW 720P Playback
 32GB USB & SD Card Readers for MP4 Playback
 Dual Channel Wireless IR Transmitter (use HP-12S)
 FM Stereo Transmitter for Easy OEM Integration
 AUX A/V Input for Game Console or Personal Media Devices
 RCA A/V Input for Auxiliary Source or Opposite Headrest
 RCA A/V Output to Auxiliary Source or Opposite Headrest
 3.5mm Hardwired Headphone Output Jack
 3 Changeable Colors Skins Included (grey, beige, & black)
 4.75" -8.25" Pole Width Adjustment
 Various Pole Diameter Adapters Included
 NTSC / PAL Auto Selection
 800 x 480 16:9 Widescreen Resolution
 400 NIT Screen Brightness



HRD-91CC
UNIVERSAL REPLACEMENT HEADREST PRELOADED W/ DVD PLAYER & 9" LCD

HRD-71CC
UNIVERSAL REPLACEMENT HEADREST PRELOADED W/ DVD PLAYER & 7" LCD



Forward/Backwards Tilting Headrest
 3 Changeable Color Skins Included (grey, beige, black)
 Playback from DVDR/RW of 720p MP4
 Playback from 32GB SD Card or USB of 720p MP4
 Dual Channel Wireless IR Transmitter (use HP-12S)
 FM Stereo Transmitter for OEM Integration
 AUX A/V Input for Game Console or Personal Media Devices
 RCA A/V Input for Auxiliary Source or Opposite Headrest
 RCA A/V Output to Auxiliary Source or Opposite Headrest
 Hardwired Headphone Output
 3/8" Locking Pole w/ 1/2" & 9/16" Adapters
 4.75" ~ 8.25" Pole Width Adjustment
 NTSC / PAL Auto Selection
 800 x 480 16:9 Widescreen Resolution
 400 NIT Screen Brightness
 Dimensions: 11.5" w x 8.5" h x 6" d (91CC)
 Dimensions: 10" w x 7" h x 5.5" d (71CC)



HR-91CC

UNIVERSAL REPLACEMENT HEADREST PRE-LOADED WITH 9" LCD

HR-71CC

UNIVERSAL REPLACEMENT HEADREST PRE-LOADED WITH 7" LCD

- Forward/Backwards Tilting Headrest
- 3 Changeable Color Skins Included (grey, beige, black)
- Dual Channel Wireless IR Transmitter (use HP-12S)
- AUX A/V Input for Game Console Integration
- 2 RCA A/V Input for Auxiliary Source or Opposite Headrest
- Hardwired Headphone Output
- 3/8" Locking Pole w/ 1/2" & 9/16" Adapters
- 4.75" - 8.25" Pole Width Adjustment
- NTSC / PAL Auto Selection
- 800 x 480 16:9 Widescreen Resolution
- 400 NIT Screen Brightness
- Dimensions: 11.5" w x 8.5" h x 6" d (91CC)
- Dimensions: 10" w x 7" h x 5.5" d (71CC)



T-7012IRA

7" LCD HEADREST MONITOR W/ DUAL CHANNEL IR

- Low Reflection TFT-LCD Monitor
- Ultra Bright LED Backlighting
- A/V Input for DVD Source
- AUX A/V Input for Game Console
- Dual Channel Wireless IR Transmitter
- NTSC/PAL Auto Selection
- 800 x 480 16:9 Screen Resolution
- Slim Design for Compact Applications
- Dimensions: 7" w x 4.75" h x .75" d



T-7000MHR

7" LCD HEADREST MONITOR

- 7" Amorphous Active Matrix TFT/LCD Monitor
- Ignition Power On/Off Optional
- Single RCA Video Input
- Selectable Aspect Modes
- Preset/Manual Image Control
- NTSC/PAL Selection
- Sculptured Trim Ring Included
- Remote Control Included
- 80 x 480 16:9 Screen Resolution
- 350 NIT Panel Brightness
- Cutout Dimension: 7" w x 4.5" h x 1" d



DVD-39

1-DIN DVD PLAYER W/ 32GB USB PLAYBACK

- Playback from DVDR/RW of MP4
- Playback from 32GB USB of MP4
- In-Dash, Floor, & Vertical Mounting Brackets Included
- DIN Size Trim Ring For In-Dash Mounting Included
- Flash Memory for Last Position Recall
- Remote Control & IR Repeater Included
- OSD On Screen Display
- Digital Anti-shock
- A/V Pre-amp Outputs, 2V
- Dimensions: 6.4" x 6.2" x 2"



AIRCAST

WIRELESS MOBILELINK RECEIVER

- Wirelessly Stream Video & Content From Your Smart Device
- Compatible w/ DLNA, Miracast, and AllShare Smart Devices
- Connect to any Headrest, Overhead, or Source Unit w/ Mobile Link Input
- Streams Full 1080P Video, including MP4, AVI, WMV, MKV, MOV, & More
- Universal Application w/ Most LCD TVs at Home or Office.



NEW

HP-10S SINGLE 1CH. IR HEADPHONE

EVA hard carrying case included
 Foldable Ear Pads for Compact Storage
 On/Off Switch Saves Battery Life
 Auto Power Off Function
 Auto Mute Function
 Variable Volume Control
 ALC Auto Level Control



HP-12S SINGLE 2CH. IR HEADPHONE

Adjustable Headphone Straps
 Channel Selectable From Each Headphone
 Ear Pads Fold Flat for Seat Pocket Storage
 EVA hard Carry Case Included
 MP-3 Player Input Via 3.5mm Jack
 On/Off Switch Saves Battery Life
 Auto Power Off Function
 Auto Mute Function
 Variable Volume Control
 ALC Auto Level Control



WLHP-100 SINGLE 1CH. IR HEADPHONE

WLHP-200 SINGLE 2CH. IR HEADPHONE

Adjustable Headphone Straps
 Single Channel UHF IR Receiver
 ON/OFF Switch Saves Battery Life
 Variable Volume Control
 ALC Auto Level Control
 Auto Off and Auto Mute



HP-11S SINGLE 1CH. IR HEADPHONE

HP-22IRT PAIR 1CH. IR HEADPHONES AND TRANSMITTER

Ear Pads Fold Flat for Seat Pocket Storage
 Adjustable Headphone Straps
 EVA hard Carry Case Included
 MP-3 Player Input Via 3.5mm Jack
 On/Off Switch Saves Battery Life
 Auto Power Off Function
 Auto Mute Function
 Variable Volume Control
 ALC Auto Level Control



HP-900S SINGLE 2CH. RF 900MHZ HEADPHONE

HP-902RFT PAIR 2CH. RF 900MHZ HEADPHONES & TRANSMITTER

Dual Stereo Audio Inputs
 Channel Selectable From Each Headphone
 100ft. Operational Distance
 Adjustable Headphone Straps
 Ear Pads Fold Flat for Seat Pocket Storage
 EVA hard Carry Case Included
 MP-3 Player Input Via 3.5mm Jack
 On/Off Switch Saves Battery Life
 Auto Power Off Function
 Auto Mute Function
 Variable Volume Control
 ALC Auto Level Control



WINDOW FILM TINT

AUTOMOTIVE AND COMMERCIAL APPLICATION WINDOW TINT

Fahrenheit Window Tint uses impregnated color chips and twin UV inhibitors in the initial manufacturing process. This insures maximum benefit for your interior. Traditional manufacturing process uses clear chips and adds dyes, pigments, or spray-on colors, and a UV inhibitor in the adhesive. Fahrenheit Window Tint is built to last and protect...



Additional Benefits To Fahrenheit Window Tint

Color-stable film that never bubbles, peels, or turns purple over time
 Malleable for seamless attachment to a curved surfaces
 American made adhesives for impervious seal and undistorted views
 Reduces heat, glare and overall energy costs when used in home or auto
 Eliminate harmful UV by 99% to protect interior materials in home or auto
 Lifetime Warranty with Everlast Series, Made in U.S.A.
 4-Year Prorated Warranty with Elite Series
 Available in 20", 24", 36", 40" Width, all in 100ft. length
 Everlast Series Available in 60" Width

Everlast Series
 EV-05 6% VLT
 EV-15 16% VLT
 EV-20 21% VLT
 EV-35 35% VLT
 EV-50 51% VLT

Elite Series
 LT-05 6% VLT
 LT-20 22% VLT
 LT-35 33% VLT
 LT-50 51% VLT

LP-2CSB

LICENSE PLATE FRAME W/ NIGHT VISION CAMERA, BACK-UP SENSORS, ON-SCREEN DISTANCE GAUGE, & PROXIMITY ALERTS

U.S. Patent #7,106,183 B2
3 Object Sensors w/ Proximity Alert
1/4" CCD Color Camera
0.5 LUX Low Light Lens
Waterproof Camera Housing
Waterproof External Wire Connections
Vertically Pivoting Camera Housing
7' Effective Viewing Distance
Inconspicuous Speaker for Alerts
8 IR LEDs for Night Viewing

On-Screen Distance Gauge
130° Capture Angle
RCA Video Output
Cast Steel Alloy Frame
Reversed Image
640 x 480 Resolution



L-3CSB

LICENSE PLATE MOUNT NIGHT VISION CAMERA W/ BACK-UP SENSORS, ON-SCREEN DISTANCE GAUGE, & PROXIMITY ALERTS

U.S. Patent #7,106,183 B2
2 Object Sensors w/ Proximity Alert
1/4" CCD Color Camera
0.5 LUX Low Light Lens
Waterproof Camera Housing
Waterproof Wire Connections

Vertically Pivoting Camera Housing
7' Effective Viewing Distance
Inconspicuous Speaker for Alerts
130° Capture Angle
8 IR LEDs for Night Viewing
On-Screen Distance Gauge

RCA Video Output
Cast Steel Alloy

Reversed Image
640 x 480 Resolution



LP-1CA

CHROME LICENSE PLATE FRAME WITH CAMERA

Chrome Finish on ABS
License Plate Frame
Vertically Pivoting
Camera Housing
On-Screen Distance
Gauge
1/4" CCD Wide View

Color Camera
0.1 LUX Low Light Lens
163° Capture Angle
RCA Video Output
Reversed Image
648 x 488 Resolution



CAM-4LF

BLACK CHROME LICENSE PLATE FRAME WITH CAMERA

Zinc Alloy Metal License Plate Frame
Vertically Pivoting Camera Housing
On-Screen Distance Gauge
1/4" CCD Wide View Color Camera
0.1 LUX Low Light Lens
163° Capture Angle
RCA Video Output
Reversed Image
648 x 488 Resolution



CAM-3L

BLACK CHROME LICENSE PLATE TRIM WITH CAMERA

Zinc Alloy Metal License Plate Trim
Vertically Pivoting Camera Housing
On-Screen Distance Gauge
1/4" CCD Wide View Color Camera
0.1 LUX Low Light Lens
163° Capture Angle
RCA Video Output
Reversed Image
648 x 488 Resolution



CAM-2 1" SURFACE MOUNT REAR VIEW CAMERA

Vertically Pivoting Mounting Bracket
Waterproof Zinc Camera Housing
On-Screen Distance Gauge
1/4" CCD Color Camera
0.1 Lux Low Light Lens
163° Capture Angle
RCA Video Outputs
Reversed Image
648 x 488 Resolution



CAM-1 1" UNDER TRUNK LID REAR VIEW CAMERA

Threaded Under Trunk Lid Mounting
Waterproof Zinc Camera Housing
On-Screen Distance Gauge
1/4" CCD Color Camera
0.1 Lux Low Light Lens
163° Capture Angle
RCA Video Outputs
Reversed Image
648 x 488 Resolution



CCD-4XS 1" SURFACE MOUNT REAR VIEW CAMERA

Vertically Pivoting Mounting Bracket
Waterproof Camera Housing
On-Screen Distance Gauge
1/4" CCD Color Camera
0.1 Lux Low Light Lens
163° Capture Angle
RCA Video Outputs
Reversed Image
648 x 488 Resolution



CCD-6XS WATER-PROOF SURFACE MOUNT REAR VIEW CAMERA

1/3" CCD GHigh Definition Color Camera by PixelPlus
IP67 Waterproof Nickel Plated Zinc Alloy Housing
Threaded Mounting System for Easy DIY Installation
Vertical Image Inversion for Front/Rear Application
Optional On-Screen Distance Gauges
Rear View Image Pre-Reversed
RCA Video Output
163° Viewing Angle
0.1 LUX Low Light Lens
682x496 Resolution



CCD-1 WATER-PROOF SURFACE MOUNT REAR VIEW CAMERA

Vertically Pivoting Stand for Angled Installation
Waterproof Camera Housing
8 IR LEDs for Night Viewing
1/3" Sharp CCD Color Camera
0.1 LUX Low Light Lens
RCA Video Output
Reversed Image
512 x 582 Resolution



VB-1

ONE IN & FOUR OUTPUT VIDEO SIGNAL BOOSTER

Four Individual Output Trimmer Gain Controls
Shielded Metal Housing For Noise Rejection
4 Video Output Gain control



EFM-02

PLL FM MODULATOR

PLL Phase Lock Loop Tuner Outputs
Frequency Settings Via Slide Switch
Ground Loop Isolator Circuit
Shielded Metal Housing For Noise Rejection



XENON SUPERWHITE BULBS



ALL MODELS COME IN PAIRS

Fahrenheit

FARENHEIT USA . COM

© 2015 FARENHEIT. MONTEBELLO, CALIFORNIA, U.S.A.
ALL RIGHTS RESERVED. SPECIFICATIONS AND DESIGNS
ARE SUBJECT TO CHANGE WITHOUT NOTICE.
PRINTED IN U.S.A.