

HP Designjet 4520 Scanner



Streamline workflow and improve productivity by bringing large-format, color scanning in-house to complement your current large-format printing capability. Use the included software to integrate the scanner into your existing production environment.

Enable powerful color copy/scan functions in-house

- Outstanding scan performance increases efficiency. With scan speeds up to 76 mm (3 in) per second color and 254 mm (10 in) per second black-and-white, the HP Designjet 4520 Scanner delivers outstanding copy and scan performance and increases efficiency. Scan, then save, print or copy and move on to the next task.
- High processing speed makes short work of large files. The HP Designjet 4520 Scanner comes standard with an embedded operating system and an Intel Pentium[®] 4 processor. The 2.6 GHz processing speed, 1 GB memory, and 40 GB hard disk enable faster scan and copy performance.
- Powerful scan resolution creates high-quality images with realistic colors and precise lines. Use the HP Designjet 4520 Scanner to create scans that have a level of detail that is comparable to the originals. With a resolution of 508 dpi optical and up to 9600 dpi enhanced from three CCD cameras, and a 0.1 percent line accuracy, your scanned files are indistinguishable from new output, and reproduce the original documents precisely. The monochrome Dual 2D-Adaptive enhancement technology produces clean and crisp scans even from poor-quality originals.
- Produce large-format color and black-and-white scans from wide or thick, rigid originals. Add scanning functionality to produce electronic files and hard copies of color and blackand-white documents. The scanner accepts originals up to 1092 mm (42 in) wide and 15.2 mm (0.6 in) thick, so you can handle oversized and heavyweight originals even those mounted on foam board. The 1067 mm (42 in) scan area captures wide-format images for easy printing, copying, and saving. The scanner does not limit scan length.
- Low support cost. Service certain parts more easily yourself and rely on HP's award-winning service.

Create an integrated HP scan-copy-print system

Closed-loop color calibration gives you consistent color reproduction. Every scan, copy, and print contains the same colors as the original document. Create and store your custom media profiles to obtain outstanding color accuracy print after print. and JPEG with embedded ICC profiles, offset emulation, HP CMYK Plus, Black Point compensation, and PANTONE® calibration (PS only).

- Integration with the printer enables excellent ease of use, copy quality, and performance.¹ The Designjet 4520 Scanner's integrated copy system features real-time printer, media, and queue information in the scanner user interface, copy accounting in the printer, and copy job priority capability.
- Preconfigured drivers and network connectivity integrate your entire HP production system. With the HP Designjet 4520 Scanner, you don't have to worry about device compatibility. The preconfigured drivers and built-in network connectivity make it easy to print and copy directly to your HP Designjet 5x0/800 series, 1000 series, 40x0/45x0 series, 5x00 series, T610/T11x0 series, Z2100/Z3x00 series and Z6100 series products. Eliminate user retraining by including this scanner in your HP design-and-production solution.
- Easily save scanned files in PDF, TIFF, JPEG2000, and DWF file format.
- Easy to integrate with a variety of third party applications. These range from scan applications and raster-to-vector conversion to document management.

Scan, copy, and print at the touch of a button

- Use the touchscreen graphical display for easy, intuitive operation. Even untrained users can produce great copy and scan results from the intuitive, 381 mm (15 in) touchscreen display. The graphical interface walks the user through the appropriate procedure to produce the type of document or file that you need. Rather than mixing different brands, simply add the HP Designjet 4520 Scanner to the HP Designjet products that you already know and trust.
- Use advanced copy features to streamline your job. The advanced copy functions of the HP Designjet 4520 Scanner help you make copies quickly and easily. Enlarge or reduce images and adjust margins to create the ideal image. Use the nesting option to save media, and make large enlargements easily with the paneling option. You can also perform batch scanning with auto-naming and track your output by using the integrated accounting features.
- Seamless network connectivity for easy access. The HP Designjet 4520 Scanner fits seamlessly into your production setup and your network. Using 1000Base-T networking and TCP/IP protocols, you can communicate across a network on the keyboard that comes standard with this stand-alone or add-on scanner.

HP Designjet 4520 Scanner

- 1. The built-in scanner accepts originals up to 1092 mm (43 in) wide and 15.2 mm (0.6 in) thick.
- **2.** Scan resolution of 508 dpi optical and 9600 dpi enhanced.
- Scanning speed of 76 mm (3 in) per second for color and 254 mm (10 in) per second for mono originals (400 dpi Turbo).
- **4.** Intuitive, 381 mm (15 in) touchscreen display with graphical interface.
- 5. Includes Read/Write DVD to save scanned documents on DVDs and CDs.
- 6. 2.6 GHz processing speed, 1 GB memory, and 40 GB hard disk for faster scan and copy performance.
- 7. Fast preview enables greater control over final output.
- Intuitive software provides easy-to-use scanning, copying, and network printing.
- **9.** High scanning quality and speeds/excellent 3D scanning capability.



HP Designjet 4520 Scanner at a glance

HP Designjet 4520 Scanner

- 1067 mm (42 in) mm scan area
- Accepts originals up to 15.2 mm (0.6 in) thick
- 508 dpi optical and 9600 dpi enhanced scan resolution
- 76 mm (3 in) per second color and 254 mm (10 in) per second black-and-white scan speed (400 dpi Turbo)
- 2.6 GHz processing speed, 1 GB memory, and 40 GB hard disk

Optional service and support

- HP Installation Service (1 unit)
- HP Network Installation Service (1 unit)
- HP Next Business Day Onsite Hardware Support, 3 years
- HP 4 hour response 9x5 Onsite Hardware Support, 3 years
- HP 4 hour response 13x5 Onsite Hardware Support onsite in 4 hours, 3 years
- HP Next Business Day Onsite Hardware Support, 1 year post warranty
- HP 4 hour response 9x5 Same-Day Onsite Hardware Support, 1 year post warranty
- HP 4 hour response 13x5

"The HP Designjet 4520 scanner is specifically designed for large departments in Enterprise and Public Sector environments or reprographic houses that print nonstop in centralized production environments"

Graphical display

Convenient, easy-to-use interface

Fast network connection (TCP/IP)

Support and service

One-stop support and service

One-year onsite warranty

documentation

for scanned jobs

access

Touchscreen running embedded operating system

• Intel Pentium 4, 2.6 GHz processor and 40 GB of memory

• Small keyboard included for easy data entry and network

 Additional support options include physical installation with or without network configuration, three-year warranty

24-hour online support via www.designjet.hp.com provides

troubleshooting tips, driver downloads, user forums, and

extension, and a one-year post warranty

Toll-free phone support with product experts

• DVD/CD reader/writer included for efficiency and versatility

Scanner

Superior technology for superior results

- Three digital cameras scan at a resolution of up to 508 dpi optical and 9600 dpi enhanced, with 0.1 percent line accuracy
- Full, vivid color with 24-bit color and 8-bit graytone
- High-speed, 400 dpi Turbo color scanning at 76 mm (3 in) per second and 400 dpi Turbo monochrome scanning at 254 mm (10 in) per second
- Scan media up to 1092 mm (43 in) wide and up to 15.2 mm (0.6 in) thick, for handling oversized, heavyweight originals– even cardboard
- Color image processing technology provides color correction and 2-D filters for color sharpening, color softening, and blur reduction

Software

Complete functionality and control

- Preview your image for a high quality, precision job
- Copy, enlarge, reduce, or adjust colors and settings, for perfecting even your originals
- Scan to file or DVD/CD in the most common file formats including PDF, TIFF, JPEG2000, and DWF
- Print your scanned jobs in unattended batches with the prints-list feature
- Print locally or print through the network to HP Designjet 5x0, 800, 1000, 40x0/45x0, 5x00, T610/T11x0, Z2100/ Z3x00, Z6100 Printer series
- Use the nesting option to save media
- Make enlargements easily with the paneling option
- Track your output using the integrated accounting features
- Perform batch scanning with auto-naming

Compatible HP Printer series



HP Designjet 800



HP Designjet 1000/1055



HP Designjet 4000/4020




HP Designjet 5000/5500 HP Designjet 5100 (AP only)





HP Designjet Z6100



HP Designjet 4500/4520

HP Designjet Z2100

HP Designjet T1100/T1120

HP Designjet T610

HP Designjet 4520 Scanner

Technical specifications

Scan	
Scan speed	Color (200 dpi/400 dpi Turbo): 76 mm/sec (3 in/sec)
oculi speed	Black-and-white (200 dpi/400 dpi Turbo): 254 mm/sec (10 in/sec)
Scan/copy resolution	Enhanced mode: 9600 x 9600 dpi with variable resolution settings from 50 dpi in
sean, copy resolution	increments of 1 dpi
	Best mode: 300 x 300 dpi
	Normal mode: 200 x 200 dpi
	Draft mode: 150 x 150 dpi
Maximum scan width	1067 mm (42 in)
Maximum scan thickness	
	15 mm (0.6 in)
Сору	1 + 10.0000/
Reduction/enlargement	1 to 10,000%
Maximum copies	1000 copies
Copier settings	Type of original, image crop and align preview, lightness, saturation and RGB controls, sharpen/blur, mirror copy, enlarge/reduce, paneling, tiling, nesting, accounting, batch
Media	
Handling	Straight-through scan paper path for sheet and cardboard originals
Types	Non-abrasive paper, vellum, mylar, sepia, blueprints, plastic, film, plastic laminate, foam
<i>"</i>	board, cardboard. (No plywood, stone plates, metal plates or abrasive, dirty, rough, shar
	edged, metal clamped, or burned surfaces or transparencies)
Processing and memory	Intel Pentium 4 2.8 GHz, 1 GB memory, 40 GB hard disk
Connectivity	
Interfaces	1 Gigabit Ethernet (1000Base-T) port, 1 FireWire (IEEE-1394a compliant) port
Drivers	HP Macroinstaller with Windows drivers for HP Designjet 5x0/800 series, 1000 series,
	40x0/45x0 series, 5x00 series, T610/T11x0 series, Z2100/Z3x00 series and Z6100
Dimensions (b x d x w)	series products
Dimensions (h x d x w)	1000 050 1200
Scanner	1800 x 850 x 1380 mm (70.8 x 33.4 x 54.3 in)
Shipping	1910 x 680 x 615 mm (75.2 x 26.8 x 24.2 in)
Weight	
Scanner	92.5 kg (204 lb)
Shipping	122 kg (269 lb)
What's in the box	
	Scanner, stand, touchscreen (panel PC), keyboard, quick reference guide, setup poster, documentation CD, system recovery DVD, customer service guide, FireWire cables (x2),
	Ethernet cable, power cord
Environmental ranges	
Operating temperature	18 to 32° C (64 to 90° F)
Recommended operating tem	perature 15 to 30° C (59 to 86° F)
Storage temperature	-20 to 55° C (-4 to 131° F)
Operating humidity	20 to 80% RH
Recommended humidity	25 to 75% RH
Acoustic	
Sound pressure, active	46 dB(A)
Sound pressure, standby	41 dB(A)
Sound power, active	6.3 B(A)
Sound power, standby	5.8 B(A)
Power consumption	•••
Active	300 watts maximum
Off	3.5 watts
Power requirements	
	Input voltage (auto ranging): 100 to 240 VAC (+/- 10%), 50/60 Hz, 5 A max
Certification	
Satety	USA and Canada (CSA certified), EU (LVD and EN60950-1 compliant), Russia (GOST), Singapore (PSB), China (CCC), Argentina (IRAM), Mexico (NYCE), Korea (KATS)
Electromagnetic	Compliance for Class A ITE products: EU (EMC Directive), USA (FCC Rules),
	Canada (ICES), Australia (ACA), New Zealand (MoC), China (CCC), Japan
	(VCCI); Certified as Class A product: Korea (KCC), Taiwan (BSMI)
	, <i>n</i> , <u>n</u>
Environmental	EU & China RoHS, WEEE, REACH, EuP
Warranty	
*	One-year limited hardware warranty
Service and support	,,
Care packs	H4518E HP Network Installation
	UL639E HP 3y Next Business Day Onsite
	UL638E HP 4y Next Business Day Onsite
	UL633E HP 1y Post Warranty Next Business Day Onsite
	UL632E HP 3 year 4 hour 13X5
	UL627PE HP 1 year Post Warranty 4 hour 13X5
Works with	
Windows	
N VISLA®	fac Universal FireWire

© 2004, 2009 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. He shall not be liable for technical or additriated romissions contained herein. Pentium is a trademark of Intel Corporation in the U.S. and other countries. Windows is a U.S. registered trademark of Microsoft Corporation. FireWire is a trademark of Apple Computer, Inc., registered in the U.S. and other countries.

For more information, visit our website at:

www.hp.com/go/designjet4520scanner



Ordering information

Product

For a complete list of supported printers, visit: www.hp.com/go/designjet4520scanner

4AA2-4475ENW, March 2009