

Jewelry Spa™

Fine Jewelry Cleaning System



MODEL JW10

OWNER'S MANUAL

READ AND SAVE THESE INSTRUCTIONS



TABLE OF CONTENTS

Important Safeguards	4
Additional Important Safeguards	5
Getting to Know your Jewelry Spa	6
Before Using for the First Time	7
Starting Up the Jewelry Spa	7
Soaking/Electric Cleaning Jewelry	8
Steam Cleaning Jewelry	9
Different Ways of Holding Jewelry While Steam Cleaning	9
How to Use the Polishing Cloth	10
Simple Guide To Jewelry Cleaning	11
Glossary	12
User Maintenance Instructions	14
Cleaning Powder Information	15
Warranty	Back Cover

US Patent No. 4,966,673
Additional Patents Pending

IMPORTANT SAFEGUARDS

When using electrical appliances, basic safety precautions should always be followed, including the following:

1. Read all instructions before using appliance.
 2. Do not touch HOT surfaces. Use handles, tweezers and strainer.
 3. When in use, the appliance is HOT and should not be left unattended.
 4. Do not immerse cord, plug or appliance in water or other liquid. See instructions for cleaning.
 5. This appliance is not for use by childrens or infirmed persons.
 6. Close supervision is necessary when any appliance is used near children or infirmed persons.
 7. Unplug from outlet when not in use. Unplug and allow to cool before putting on or taking off parts and before draining or cleaning.
 8. Do not operate any damaged appliance. Do not operate with a damaged cord or plug, or after the appliance malfunctions or has been dropped or damaged in any manner. Ring Salton Service Center for examination, repair or adjustment.
 9. Use attachments only if recommended by the manufacturer.
 10. Do not use outdoors or while standing in a damp area.
 11. Do not let cord hang over edge of table or counter or touch hot surfaces.
 12. Do not place on or near a HOT gas or electric burner, or in a heated oven.
 13. Prior to connecting or disconnecting plug from wall outlet, turn Jewelry Spa "OFF".
 - 14. Never use appliance without distilled water.**
 15. Only use appliance as indicated in these instructions.
 16. This appliance is not a toy.
- **CAUTION:** NEVER REMOVE JEWELRY BY HAND AFTER CLEANING. ALWAYS USE TWEEZERS SUPPLIED IN KIT TO HANDLE JEWELRY.
 - **CAUTION:** NEVER HOLD JEWELRY IN YOUR HAND DURING STEAM CLEANING PROCESS.
 - Place jewelry on paper towel and allow 5 minutes to cool down.
 - **WARNING:** Do not remove bottom cover. No user serviceable parts are inside. Repairs must be done by Salton Service Centre only.
 - **WARNING:** Do not use any other cleaning agent than the one provided with the Jewelry Spa. (Re-order Code JW1)

SAVE THESE INSTRUCTIONS

For Household Use Only

ADDITIONAL IMPORTANT SAFEGUARDS

CAUTION: This appliance generates heat and steam during use. Proper precautions must be taken to prevent the risk of burns, fires or other injury to persons or damage to property.

1. All users of this appliance must read and understand this Owner's Manual before operating or cleaning this appliance.
2. The cord to this appliance should be plugged into a 220-240V AC electrical outlet only.
3. If this appliance begins to malfunction during use, immediately switch off at power outlet and unplug the cord. Do not use or attempt to repair the malfunctioning appliance.
4. Do not leave this appliance unattended during use.

GETTING TO KNOW YOUR JEWELRY SPA


Congratulations on your purchase of the **Jewelry Spa**, the world's first professional in home jewelry cleaner.

Before using your **Jewelry Spa** for the first time, you must become familiar with all of the parts.

Read all instructions and cautions carefully.

The box containing your **Jewelry Spa** should include the following parts.

- | | |
|--|--|
| 1. On/Off Button and Operation Console | 9. Sponges(2) (P/N 10061) |
| 2. Storage Compartment for Tweezers and Strainer | 10. Removable Water Reservoir (P/N 10062) |
| 3. Steam Nozzle | 11. Safety Cover for Cleaning Tank (P/N 10063) |
| 4. Main Housing | 12. Jewelry Cleaning Basket (P/N 10064) |
| 5. Storage Compartment Lid (P/N 10057) | 13. Cleaning Solution |
| 6. Tweezers (P/N 10058) | 14. Measuring Scoop (P/N 10066) |
| 7. Strainer (P/N 10059) | 15. Polishing Cloth (P/N 10067) |
| 8. Removable Catch Basin (P/N 10060) | |



BEFORE USING FOR THE FIRST TIME

1. Carefully unpack **Jewelry Spa**.
2. Remove any packing materials.
3. Wipe with a soft, clean cloth or sponge.

Never immerse Housing in water or any other liquid.

STARTING UP THE JEWELRY SPA


1. Place The **Jewelry Spa** on a flat firm surface, preferably a countertop in your kitchen or bathroom.
3. Make sure all loose components; Water Reservoir and Cleaning Tank Safety Cover (11), Removable Catch Basin (8), Removable Water Reservoir (10), and Jewelry Cleaning Basket (12) are all securely in place.
2. Plug the **Jewelry Spa** into 220-240V AC household electrical outlet.

4. Open Water Reservoir Safety Cover (11) and fill with **DISTILLED WATER ONLY**, then close lid for operation of jewelry cleaning. **NEVER** add cleaning solution or other substances to the water reservoir.



5. Remove Jewelry Cleaning Basket (12).
6. Fill cleaning tank with **DISTILLED WATER ONLY** to the fill line on cleaning tank wall, Approximately 1.3cm (1/2 inch) from top of tank.

7. Using the provided Measuring Scoop (14) slowly add 10 grams (2 scoops) of cleaning powder to the cleaning tank. Slowly stir solution to help the powder dissolve. Refer to the Cleaning Powder label or Page 15 of this booklet for handling instructions.



NOTE: Never add Cleaning Agent to Cleaning Tank without adding water first. **ALWAYS** add Distilled Water prior to adding Cleaning Agent.

8. Close Cleaning Tank Cover. **NOTE:** You can leave Safety Cover for Cleaning Tank in open position while heating up, if desired.
9. Press On/Off Button (1) once, the indicating light will come on. Allow 10 to 15 minutes for the Cleaning Tank to reach required temperature. The Ready Light will come on when the steamer is ready to operate.




SOAKING/ELECTRIC CLEANING JEWELRY

Check the Simple Guide (see page 11) to select the appropriate cleaning method for your particular jewelry before proceeding.

NOTE: Make sure jewelry to be cleaned is at room temperature before immersing in Cleaning Tank.

1. Place jewelry or multiple pieces of jewelry in the Jewelry Cleaning Basket (12) as it sits in the resting position.

NOTE: Do not allow jewelry to extend through the sides of the Jewelry Cleaning Basket and make contact with the cleaning tank. Jewelry must make contact with the gold plated portion of the Jewelry Cleaning Basket for the cleaning process to be effective.



NOTE: If your jewelry is of a type which is not recommended for electric cleaning, you may still soak the items for 60 seconds in the warm cleaning solution bath before proceeding to steam clean them.

2. Lift up the Jewelry Cleaning Basket from the resting position and submerge it in to the cleaning bath. For proper alignment with electrical contacts, ensure that the two tabs extending out from the Jewelry Cleaning Basket line up with the two inserts extended off back wall of Cleaning Tank. Close the lid to ensure a good connection with the contact points and lock the Jewelry Cleaning Basket into place.
3. Press the **Clean** button to start the 60 second electric cleaning cycle. The



light will come on. When finished the cleaning action will automatically shut itself off indicating the first step of the cleaning is done.


4. Slowly open Safety Cover (11) of Cleaning Tank all the way back and place the Jewelry Cleaning Basket (12) into the resting position for removal of jewelry. Let it drain completely. Proceed to Steam Cleaning Jewelry.

NOTE: After completing the steam cleaning process if there is still dirt and grime stuck in grooves you can repeat the above steps as many times* as needed for removal of dirt and grime.

*See Page 11 "Simple Guide to Jewelry Cleaning" for exceptions.

STEAM CLEANING JEWELRY

1. Using the tweezers supplied with your **Jewelry Spa** remove the jewelry item with the tweezers and holding the supplied strainer in the other hand, carefully place the jewelry into the strainer.
2. Press the **Steam** button, then position the jewelry under the steam nozzle as shown in the picture. A stream of distilled water will be pumped into the dual port steam generator system. As it is doing this you will see some spurts of dry steam vapor, this is normal. Approximately 10-15 seconds after pressing the Steam button it will deliver a burst of wet steam to sterilize and rinse the jewelry item. The pump will automatically shut itself off after 15 seconds. Use the tweezers to help direct the steam into the areas where it is needed to push out residual dirt and grime from the soaking/electric cleaning process.



NOTE: If there is still dirt and grime remaining in grooves you can repeat these steps as many times as needed to assist removal of dirt and grime. Also if you require a burst of steam with more pressure, when the indicator light goes out, immediately press the **Steam** button again.



NOTE: Due to changes in temperature during the heating process variations may occur in the steam burst, this is normal.

NOTE: During periods of extended use, occasional puffs of steam may occur, this is normal.


CAUTION: Always use tweezers and strainer for handling jewelry; jewelry and steam will be HOT.

DIFFERENT WAYS OF HOLDING JEWELRY WHILE STEAM CLEANING

Hold diamond stud earrings, bangle bracelets or rings with your tweezers to direct steam behind the stone to remove the soap, dirt and grime that becomes lodged in the setting.




Use the Jewelry Cleaning Basket to help with large chains, pins, or bracelets. Use the strainer to help with small jewelry items (eg. earrings, thin chains, charms) or anything that you feel is not too big to fit in it.



HOW TO USE THE POLISHING CLOTH

Always clean jewelry in the **Jewelry Spa** before polishing, doing so will remove contaminants that may be abrasive and will attach to the polishing cloth. Bypassing the cleaning steps can result in scratching the highly polished surface of the jewelry during polishing.

1. Lay the polishing cloth down on a flat surface with the white inner cloth facing up. The inner side of the cloth contains a polishing compound. Then with smooth even strokes slide the jewelry back and forth. This will help in brightening the high spots on the jewelry where it tends to become dulled by wear.



2. Next buff to a high luster with the outer cloth. The outer cloth does not contain polishing compound. Then rinse the jewelry in the Steam Clean cycle of The **Jewelry Spa** only. The steam will rinse off the black residue that is left from the polishing cloth. This will clean the jewelry of polishing compound and eliminate black rings that could otherwise appear around your finger, wrist or neck.



3. **Tip:** If, after a first cleaning in the **Jewelry Spa**, you find that soap or paint etc. has hardened in the holes behind the gemstones, or in hard to get crevasses in the back side of a ring, or the link of a chain, you need to help break up the deposit. Use a round tooth pick, dip it in the cleaning bath until it becomes soaked and somewhat soft, then press it on the counter until you see what looks like bristles on a small paint brush. This is perfect for getting into the areas of dirt deposits. Then repeat the cleaning process in the **Jewelry Spa**.



SIMPLE GUIDE TO JEWELRY CLEANING

Metals that can be cleaned: Platinum, Gold, Sterling Silver, Titanium, and Stainless Steel

Precious gemstones that can be cleaned: Diamond, Emerald, Ruby, and Sapphire

Semiprecious gemstones that can be cleaned: Agate, Alexandrite, Amethyst, Aquamarine, Azurite, Bloodstone, Carnelian, Cat's eyes, Chalcedony, Chrysoberyl, Citrine, Garnet, Iolite, Jade, Jasper, Kunzite, Lapis Lazuli, Marcasite, Malachite, Moonstone, Onyx, Opal, Peridot, Quartz, Spinel, Tanzanite, Topaz, Tourmaline, Turquoise, and Zircon.

Semiprecious Organic Gemstones / Soft that can be cleaned: Pearl, Coral, Ivory, Shell (Cameo) can be cleaned in the **Jewelry Spa** using all three methods but can only be immersed for one 60 second cycle in the electric cleaning bath. **IMPORTANT:** DO NOT leave Organic Gemstones soaking in the cleaning bath for an extended length of time or you will dull the luster.

Artificial Gemstones that can be cleaned: Cubic Zirconia (CZ), Moissanite, All Lab Created Gemstones.

IMPORTANT: NEVER clean Jet (fossilized wood) or Amber (fossilized resin of extinct trees) in The Jewelry Spa.

IMPORTANT: Jewelry with inlaid Opal, Onyx, or Mother of Pearl that are held in by a form of glue, have Enameling or Colored Epoxy can only soak for 60 seconds or less. **Do not electric clean.** Steam clean from a minimum distance of 2 inches from the steam nozzle.

Type of Jewelry	Soak	Clean (Electric)	Steam
Platinum Plain also Platinum with Precious, Semiprecious, Artificial or Organic Gemstones)))
Platinum with Precious, Semiprecious, Artificial or Organic Gemstones with Antique Finish (Black) or Antique Finish (Black) Only)	No)
Gold Plain Yellow, White or Pink also Gold Yellow, White or Pink with Precious, Semiprecious, Artificial or Organic Gemstones 10 Karat, 14 Karat, 18 Karat, 22 Karat, Etc.)))
Gold Yellow, White or Pink with Precious, Semiprecious, Artificial or Organic Gemstones with Antique Finish (Black) or Antique Finish (Black) Only 10 Karat, 14 Karat, 18 Karat, 22 Karat, Etc.)	No)
Sterling Silver Plain also Sterling Silver with Precious, Semiprecious, Artificial or Organic Gemstones)))
Sterling Silver with Precious, Semiprecious, Artificial, Organic Gemstones also Marcasite with Antique Finish (Black) or Antique Finish (Black) Only)	No)
Titanium Plain also Titanium with Precious, Semiprecious, Artificial or Organic Gemstones)))
Titanium with Precious, Semiprecious, Artificial or Organic Gemstones with Antique Finish (Black) or Antique Finish (Black) Only)	No)
Stainless Steel Plain also Stainless Steel with Precious, Semiprecious, Artificial or Organic Gemstones)))
Platinum, Gold, Sterling Silver, Titanium or Stainless Steel with inlaid Opal, Onyx, Mother of Pearl, that are being held in by a form of glue or have Enameling or Colored Epoxy)	No)
Pearl Strands)))

GLOSSARY

This glossary is designed to help you in understanding the terminology used in Our Simple Guide, Fine Jewelry you can clean in The **Jewelry Spa**

Important:

Read this first before you use The **Jewelry Spa** it will help you:

1. Understand how our simple guide works in helping you identify your own personal types of jewelry to be cleaning in The **Jewelry Spa**.
2. Which of the three steps you will be using. This will ensure simple, safe and effective results in the cleaning of the jewelry.

Platinum

A silver-white highly reflective precious metal. One of the main advantages of platinum for jewelry fabrication is its strength and resistance to tarnish.

Gold

A soft, yellow, corrosion-resistant metal, gold is generally alloyed to increase its strength. This is known as Karat Gold (Karat). Karat is a unit of measure for the fineness of gold, equal to 1/24 part. Pure gold is 24 karat; gold that is 50 percent pure is 12 Karat or 50.0, 10 Karat is 41.7 , 14 Karat is 58.5, 18 Karat is 75.0, 22 Karat is 91.3

Silver - Sterling Silver

A lustrous white metallic element, silver is highly valued for jewelry, tableware, and other ornamental use and is widely used in coinage, photography, dental and soldering alloys, electrical contacts and printed circuits. Sterling Silver is an alloy of 92.5 percent silver with copper or another metal. That is the reason Sterling Silver is stamped 925.

Titanium

A strong, low-density, highly corrosion-resistant, lustrous gray-white metallic element that is used to alloy aircraft metals for low weight, strength and high-temperature stability. Now also used in jewelry manufacturing with gemstones.

Stainless Steel

Any of various steels alloyed with at least 10 percent chromium and sometimes containing other elements and that are resistant to corrosion or rusting associated with exposure to water and moist air.

GLOSSARY

Gemstone

A precious or semiprecious stone that may be used as a jewel when cut and polished. Most gemstones are minerals that have formed in a variety of environments within the Earth. Ideally, gemstones should be hard and unaffected by the temperatures, pressures, abrasive dusts and chemicals encountered in our everyday lives.

Precious

Of high cost or worth; valuable.

Semi-Precious

Half, partial or partially valuable. Resembling or having some of the characteristics of precious.

Organic

Plants and animals are the sources of the more fragile 'organic' gems that have been used for ornaments since ancient times. Jet and Amber are the fossilized wood and resin of extinct trees, while pearls shells and most corals are calcium carbonate structures formed by aquatic animals. Ivories are the tusks and teeth of land and sea mammals.

Artificial Gems

Man-made; produced rather than natural. Made in imitation of something natural; simulated. Not genuine or natural. The demand for rare gemstones has led to the production of countless imitations, some more successful than others.

These copies fall into three categories:

1. Gems that look like the real thing , but have a different composition;
2. Synthetic gems, which are made in laboratories and are almost exact copies of natural gems;
3. Composite stones, which consist of several parts cemented together.

Antique Finish

Gives the appearance of an antique. Usually a black Indian ink is applied to the jewelry, when it dries the high spots are wiped off with a solvent leaving the shiny metal exposed, giving the jewelry an old appearance.

Enameling

A decorative finish which usually has the appearance of candy apple. It is fired in a kiln. The enamel finish comes in an array of bright colors.

USER MAINTENANCE INSTRUCTIONS

This appliance requires little maintenance, it contains no user-serviceable parts. Any servicing requiring disassembly other than instructed below must be performed by Salton Customer Service. See last page for details. **CAUTION: Always unplug Jewelry Spa from electrical outlet when not in use and before cleaning. Never immerse Jewelry Spa, cord or plug in water or any other liquid.**

DRAINING, CARE AND CLEANING:

CAUTION: Always allow **Jewelry Spa** and cleaning solution to cool down before preparing to drain for storage.


CAUTION: When lifting machine, always lift from both sides. See Picture for example.



- 1.Remove the Catch Basin (8) and Work Area as it will have water accumulated in the sponges, use care not to spill. Drain in the sink. Next remove the Safety Cover (11) for cleaning tank, the reservoir lid assembly place and Jewelry Cleaning Basket. Rinse with warm water and dry with paper towels or a soft towel. Rinse and wring out the sponges.
- 2.Next remove the Distilled Water Reservoir (10) from the back of the **Jewelry Spa**. Use the handle and pull up gently. Pour the unused Distilled Water back into its original container for re-use.
- 3.Next, carefully drain the cleaning solution from the stainless steel tank into the sink using the built in spout of the cleaning tank as shown in the picture. Note: It is safe to pour the used cleaning solution down household sink drains. After draining, fill the tank with warm water and drain again. Dry with paper towels or a soft towel. After the above steps have been completed, run tap water down the drain for 10 seconds to clear the drainage line.
- 4.Rinse the tweezers and small strainer. Dry with paper towels or a soft towel.
- 5.When cleaning has been completed, thoroughly wash hands and any other areas of the skin exposed to the cleaning solution.



NOTE: Periodic cleaning of the electrical contacts on the Jewelry Cleaning Basket and Cleaning Tank should be performed. Gently rub the contacts using a clean pencil eraser to remove any residue buildup that develops on them. Keeping the contacts clean will provide higher efficiency cleaning during the electrical clean cycle.



Jewelry Spa

FINE JEWELRY CLEANING SYSTEM

Cleaning Powder Information Model JW1

For use with Sodon JW15 Jewelry Spa Only, not intended for any other use.
Manufactured for Sodon by Dasta Products Inc, 51 Valley Road, Berkeley Heights, NJ 07922 USA

POISON

**NOT TO BE SWALLOWED OR INHALED
KEEP OUT OF REACH OF CHILDREN
BURNS SKIN AND EYES ON DIRECT CONTACT
READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

CAUTION: 280 contains Sodium Carbonate 20%-45%, Sodium Hydroxide 20%-25%, Sodium Metasilicate 20%-30%
Each 10.43g contains: 100grams/3.5ounces Net

DIRECTIONS FOR USE:

1. Fill cleaning tank with distilled water.
2. Slowly add 2 scoops (5 grams each) to the cleaning tank. Avoid contact with skin and eyes.
3. Turn on Jewelry Spa and stir slowly with arrow to avoid dissolving of powder.
NEVER add powder prior to adding water. Do not add powder to water over 140°F (100°F)

Storage: Store in a cool dry place. Keep container tightly closed when not in use.

Disposal: Dispose according to federal, state, and local regulations.

Safety and Handling Precautions:

- Direct contact causes burning of eyes and skin.
- Avoid contact with eyes, skin and clothes.
- Wash thoroughly after handling.
- Do not take internally.
- Harmful if swallowed or inhaled.
- Accessible to wear rubber gloves when handling.
- Use appropriate ventilation when in use.

FIRST AID DIRECTIONS:

Eyes: Immediately flush with large amounts of water for at least 15 minutes while holding eyelids open. Get prompt medical attention.

Skin: Immediately remove contaminated clothing and shoes. Wash skin with large amounts of water for at least 15 minutes. Get prompt medical attention. Wash clothes and shoes before reuse.

Ingestion: Contact local poison control center or physician **IMMEDIATELY!** Do NOT induce vomiting.

Inhalation: Move victim to fresh air and restore breathing if necessary. Stay with victim until emergency help arrives.

For more contact a Poisons Information Centre.
Australia phone 13 11 26.
New Zealand phone 0800 764 764 or a doctor.

GUARANTEE

This product is guaranteed for a period of one year from the date of purchase against mechanical and electrical defects. It is particularly important that the purchaser should carefully read the instructions provided, in order to get maximum use from this product.

This guarantee is only valid if the appliance is used solely for domestic purposes in accordance with the instructions and provided that it is not connected to an unsuitable electricity supply or dismantled or interfered with in any way or damaged through misuse or damaged due to faults directly related to scale build-up. Under this guarantee we undertake to repair or replace free of charge any parts found to be defective.

Nothing in this guarantee or the instructions relating to the product excludes, restricts or otherwise affects your statutory rights.

In line with our policy of continuous product development we reserve the right to change the product, packaging and documentation specifications without notice.

220-240V 50Hz AC Only

This product conforms to radio frequency interference requirements.

CUSTOMER SERVICE



AUSTRALIAN CUSTOMER SERVICE
 Salton (Aust) Pty. Ltd.
 P.O. Box 683
 Mordialloc Victoria 3185
 Australia
 Freecall: 1800 427 824
 Hours: 9am-6pm (EST) Mon-Fri



NEW ZEALAND CUSTOMER SERVICE
 Salton NZ Limited
 P.O. Box 300 201
 Albany, Auckland
 New Zealand
 Freecall: 0908 629 777
 Hours: 9am-5pm Mon-Fri

0505

RE-ORDER FORM for Jewelry Spa Cleaning Powder

for Use with Salton Jewelry Spa Only

Model Number: JW1 Cleaning Powder 100gr **Price ea:** \$4.95 **Postage & Handling:** \$3.30

PAYMENT DETAILS: Qty: bottles

Enclosed is a cheque/money order payable to Salton Australia for \$..... OR charge my

Mastercard Bankcard Visa

Expires:...../.....

Cardholder's name:..... Signature:.....

Direct Deposit - Phone Salton for details.

