

# I Series

Small footprint.  
Ergonomic design.



Compact footprint saves on space.

OneTouch voice mail retrieval.

Comfortable ergonomic handset.

# I Series



Choose single or two-line  
corded, cordless, analog,  
or VoIP configurations.

## The original small footprint phone.

Teledex I Series (formerly Teledex iPhone®) is the original small footprint telephone built specifically for the hospitality guestroom. Designed to embrace the sleek style of the modern hotel guestroom, I Series provides a familiar user interface for your guests in your choice of single and two-line, analog and VoIP, corded and cordless configurations. Choose 0, 3, 5, or 10 programmable guest service keys, an optional speakerphone, and our patented OneTouch voice mail retrieval technology.

I Series cordless telephones reduce the need for multiple telephone jacks in the guestroom, supporting up to 3 additional AC-powered RediDock charging stations, and providing guests with a cordless home-like environment. Like all of our cordless Teledex phones, I Series phones are also available with optional battery backup for use during power outage situations.



## I Series Specifications

- Available in single- and two-line, analog, VoIP, corded, and cordless configurations.
- Trimline and RediDock models available.
- Professional quality speakerphone (optional).
- Patented OneTouch voice mail retrieval technology.
- Dual NEON/LED message-waiting indicator compatible with all major PBXs (Siemens, FSK, or Reverse Polarity message light options available)
- Choose up to 11 (VoIP) or 10 (analog) guest service keys.
- Cordless phones support up to three additional handsets per base.
- EasyAccess™ data port.
- Three-way conferencing on two-line models.

### VoIP Part Numbers

#### Single-Line VoIP Cordless

NDC2105S (1.9GHz)—

IPN96459IP-N Ash, IPN964591IP-N Black

NDC2110S (1.9GHz)—

IPN96559IP-N Ash, IPN965591IP-N Black

IRD9110 (1.9GHz)—

IPN96559IPHKT-N Ash, IPN965591IPHK-N Black

#### Two-Line VoIP Cordless

NDC2205S (1.9GHz)—

IPN98459IP-N Ash, IPN984591IP-N Black

NDC2210S (1.9GHz)—

IPN98559IP-N Ash, IPN985591IP-N Black

IRD9210 (1.9GHz)—

IPN98559IPHKT-N Ash, IPN985591IPHK-N Black

#### Single-Line VoIP Corded

ND2105S—

IPN33149IP-N Ash, IPN331491IP-N Black

ND2110S—

IPN33339IP-N Ash, IPN333391IP-N Black

#### Two-Line VoIP Corded

ND2205S—

IPN34149IP-N Ash, IPN341491IP-N Black

ND2210S—

IPN34359IP-N Ash, IPN343591IP-N Black

### Analog Part Numbers

#### Single-Line Analog Cordless

AC9105S (1.9GHz)—

IPN96459 Ash,

IPN964591 Black

AC9110S (1.9GHz)—

IPN96559 Ash,

IPN965591 Black

RD9110 (1.9GHz)—

IPN96559HDKIT Ash, IPN965591HDKIT Black

#### Two-Line Analog Cordless

AC9205S (1.9GHz)—

IPN98459 Ash,

IPN984591 Black

AC9210S (1.9GHz)—

IPN98559 Ash,

IPN985591 Black

RD9210 (1.9GHz)—

IPN98559HDKIT Ash, IPN985591HDKIT Black

#### Single-Line Analog Corded

A100—

IPN33309 Ash, IPN333091 Black

A101 – Lobby—

IPN33009 Ash, IPN330091 Black

A102—

IPN33039 Ash, IPN330391 Black

A103—

IPN33739 Ash, IPN337391 Black

A105—

IPN33139 Ash, IPN331391 Black

A110—

IPN33239 Ash, IPN332391 Black

A103S—

IPN33749 Ash, IPN337491 Black

A105S—

IPN33149 Ash, IPN331491 Black

A110S—

IPN33339 Ash, IPN333391 Black

AT1101—

IPN33019 Ash, IPN330191 Black

AT1102—

IPN33119 Ash, IPN331191 Black

#### Two-Line Analog Corded

A203S—

IPN34749 Ash, IPN347491 Black

A205S—

IPN34149 Ash, IPN341491 Black

A210S—

IPN34359 Ash, IPN343591 Black

AT1201—

IPN34059 Ash, IPN340591 Black

AT1202—

IPN34159 Ash, IPN341591 Black

1.8GHz and 2.4GHz versions available.

Telephone +31 23 5670000

Fax +31 23 5670009

info@stheurope.com  
www.teledexeurope.com