

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>3Com</b>	3101	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>3Com</b>	3102	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>3Com</b>	3103	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>3Com</b>	3C10228	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>3Com</b>	MBX100	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>3CX</b>	VOIP Phone	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	6771	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	6773	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	6773IP	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	6775	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	6775IP	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	Alpha Comfort	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	B102+	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	BeeTel 340/345	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	Beetel 450i	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	Beetel 455i	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	BeeTel 52i	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Aastra DeTeWe</b>	Comfort Pro CM 300	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	Comfort Pro P 500 PC	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	D2680	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	Eurix 240/245	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	Euromaster/Euromaster data	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	Forum iphone 525	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	Forum Iphone 535	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	Forum Iphone 535	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	Opencom 100 DECT	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	Opencom 1000 DECT	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	OpenPhone 12	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	OpenPhone 13	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	OpenPhone 19plus	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	OpenPhone 25	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	OpenPhone 27	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	OpenPhone 28	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	OpenPhone 52	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Aastra DeTeWe</b>	OpenPhone 61 an Handhoerer-Port	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	OpenPhone 63 an Handhoerer-Port	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	OpenPhone 63 mit AZ	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	OpenPhone 63 mit elektronischen Hook-Switch			Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	OpenPhone 63I IP-Phone an Handhoerer-Port	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	OpenPhone 63IP an Headset-Port	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	OpenPhone 65 an Handhoerer-Port	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	OpenPhone 65 IP-Phone an Handhoerer-Port	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	OpenPhone 65 mit AZ	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	OpenPhone 65 mit elektronischen Hook-Switch	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	OpenPhone 65IP an Headset-Port	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	OpenPhone 65IPC	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	OpenPhone 71	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	OpenPhone 73	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	OpenPhone 73IP	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	Openphone 75	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	OpenPhone 75IP	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Aastra DeTeWe</b>	OpenPhone 7x IPC	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	OpenPhone23	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	S16	No experience try switch settings step by step		Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	S2501	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	S2531	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	S2561	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	S2562	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	S30	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	S31	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	S32	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	S33	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	S35	No experience try switch settings step by step		Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	S42	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	S43	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	S44	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	S47	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	S52	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Aastra DeTeWe</b>	S53	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	S54	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	S55	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra DeTeWe</b>	SD48	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	3656	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	480i	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	480i CT	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	5360	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	5360IP	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	5370	Switch position: 1	Switch position: 1	IPN621 cable Switch on base HS-2016 set to DHSG/ IPN EHS550 Box for HS-2014
<b>Aastra</b>	5370 IP	Switch position: 1	Switch position: 1	IPN621 cable Switch on base HS-2016 set to DHSG/ IPN EHS550 Box for HS-2014
<b>Aastra</b>	5380	Switch position: 1	Switch position: 1	IPN621 cable Switch on base HS-2016 set to DHSG/ IPN EHS550 Box for HS-2014
<b>Aastra</b>	5380 IP	Switch position: 1	Switch position: 1	IPN621 cable Switch on base HS-2016 set to DHSG/ IPN EHS550 Box for HS-2014
<b>Aastra</b>	51i			
<b>Aastra</b>	53i	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	55i	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Aastra</b>	5730	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	57i	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	610d	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	620d	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	630d	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	6735i	Switch position: 1	Switch position: 1	IPN621 cable Switch on base HS-2016 set to DHSG/ IPN EHS550 Box for HS-2014
<b>Aastra</b>	6737i	Switch position: 1	Switch position: 1	IPN621 cable Switch on base HS-2016 set to DHSG/ IPN EHS550 Box for HS-2014
<b>Aastra</b>	6739i	Switch position: 1	Switch position: 1	IPN621 cable Switch on base HS-2016 set to DHSG/ IPN EHS550 Box for HS-2014
<b>Aastra</b>	6753i	Switch position: 1	Switch position: 1	IPN621 cable Switch on base HS-2016 set to DHSG/ IPN EHS550 Box for HS-2014
<b>Aastra</b>	6755i	Switch position: 1	Switch position: 1	IPN621 cable Switch on base HS-2016 set to DHSG/ IPN EHS550 Box for HS-2014
<b>Aastra</b>	6757i	Switch position: 1	Switch position: 1	IPN621 cable Switch on base HS-2016 set to DHSG/ IPN EHS550 Box for HS-2014
<b>Aastra</b>	6757i CT	Switch position: 1	Switch position: 1	IPN621 cable Switch on base HS-2016 set to DHSG/ IPN EHS550 Box for HS-2014
<b>Aastra</b>	6771	Switch position: 1	Switch position: 1	IPN621 cable Switch on base HS-2016 set to DHSG/ IPN EHS550 Box for HS-2014
<b>Aastra</b>	6773	Switch position: 1	Switch position: 1	IPN621 cable Switch on base HS-2016 set to DHSG/ IPN EHS550 Box for HS-2014

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Aastra</b>	6773 IP	Switch position: 1	Switch position: 1	IPN621 cable Switch on base HS-2016 set to DHSG/ IPN EHS550 Box for HS-2014
<b>Aastra</b>	6775	Switch position: 1	Switch position: 1	IPN621 cable Switch on base HS-2016 set to DHSG/ IPN EHS550 Box for HS-2014
<b>Aastra</b>	6775 IP	Switch position: 1	Switch position: 1	IPN621 cable Switch on base HS-2016 set to DHSG/ IPN EHS550 Box for HS-2014
<b>Aastra</b>	70	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	7433ip	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	7434ip	Switch position: 1	Switch position: 1	IPN621 cable Switch on base HS-2016 set to DHSG/ IPN EHS550 Box for HS-2014
<b>Aastra</b>	7444ip	Switch position: 1	Switch position: 1	IPN621 cable Switch on base HS-2016 set to DHSG/ IPN EHS550 Box for HS-2014
<b>Aastra</b>	7446ip	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	90	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	9112i	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	9116	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	9133i	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	9143i	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	9480i	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	9480i CT	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Aastra</b>	Aastra 2380i	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	Arte 20/30/40	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	Chorus	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	Chorus Ambiance	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	Comoc	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	Contact Espace	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	Dialog 5446	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	Excella 40	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	i2001	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	i2004/i2002	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	i2007	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	i2052	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	M1250	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	M2006	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	M2008	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	M2216	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	M2250	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering



<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Aastra</b>	M2317	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	M2616	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	M3901/M3902	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	M3903/M3904	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	M3905	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	M5208	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	M5209	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	M5212	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	M5216	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	M5316	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	M5317	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	M6310	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	M710	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	M7100	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	M720	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	M7208	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	M730	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Aastra</b>	M7308	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	M7310	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	M7316	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	M7324	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	M740	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	M760	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	M780	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	MC110	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	MC210	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	MC210	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	MC25	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	MC30	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	MC36	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	MC40	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	MC400	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	MC401	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	MC405	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with Zum eco-DECT Pro HS-2014</b>	<b>Compatible with Zum eco-Set HS- 2016</b>	
<b>Phone Brand</b>	<b>Type</b>			<b>EHS</b>
<b>Aastra</b>	MC410	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	MC420	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	MC420E	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	MC46	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	MC50	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	MC510	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	MC520	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	MC520N	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	MC540	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	MC550	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	MC56	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	MC60	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	MC610	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	MC620	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	MC640	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	MC901			Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	MC902			Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Aastra</b>	Minitel 10			Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	Norstar	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	Office 130			Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	Office 135			Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	Office 150			Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	Office 155			Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	Office 20	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	Office 25	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	Office 30	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	Office 35	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	Office 35IP	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	Office 40	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	Office 45	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	Office 60	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	Office 60IP	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	Office 70	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	Office 70IP	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Aastra</b>	Office 80IP	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	PO 45XX	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	PO 55XX	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	PO 65XX	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	PO sur PC	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	Powertouch 350			Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	T7100	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	T7208	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Aastra</b>	T7316	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Adept</b>	e.50	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>AEG</b>	Dolphi 2011	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>AEG</b>	Dolphi 2011	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Agfeo</b>	DECT 30	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Agfeo</b>	DECT System	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Agfeo</b>	DECT15	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Agfeo</b>	ST15			Not compatible with EHS, need Lifter for remote answering
<b>Agfeo</b>	ST20	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Agfeo</b>	ST21	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Agfeo</b>	ST25	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Agfeo</b>	ST30	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Agfeo</b>	ST31	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Agfeo</b>	ST40	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Agfeo</b>	ST40	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Agfeo</b>	T10	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Agfeo</b>	T15	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	200EX	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	2592 T1	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	2592 T2	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	2592 TR1	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	4001	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	4003	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	4004	Switch position: 2		Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	4008	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	4010	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Alcatel Lucent</b>	4011	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	4012	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	4018	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	4019	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	4022	Switch position: 2	Switch position: 2	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	4020	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	4023	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	4028	Switch position: 1	Switch position: 1	IPN EHS550 headset connection box Switch on base HS-2016 set to RHL
<b>Alcatel Lucent</b>	4029	Switch position: 1	Switch position: 1	IPN EHS550 headset connection box Switch on base HS-2016 set to RHL
<b>Alcatel Lucent</b>	4034	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	4035	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	4037 IP	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	4038	Switch position: 1	Switch position: 1	IPN EHS550 headset connection box Switch on base HS-2016 set to RHL
<b>Alcatel Lucent</b>	4039	Switch position: 1	Switch position: 1	IPN EHS550 headset connection box Switch on base HS-2016 set to RHL
<b>Alcatel Lucent</b>	4040	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	4048	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	4049	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Alcatel Lucent</b>	4058	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	4059	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	4068	Switch position: 1	Switch position: 1	IPN EHS550 headset connection box Switch on base HS-2016 set to RHL
<b>Alcatel Lucent</b>	4074GI	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	4074H	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	4076	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	8002	Switch position: 1	Switch position: 1	IPN EHS550 headset connection box Switch on base HS-2016 set to RHL
<b>Alcatel Lucent</b>	8012	Switch position: 1	Switch position: 1	IPN EHS550 headset connection box Switch on base HS-2016 set to RHL
<b>Alcatel Lucent</b>	8028IP	Switch position: 1	Switch position: 1	IPN EHS550 headset connection box Switch on base HS-2016 set to RHL
<b>Alcatel Lucent</b>	8029 TDM	Switch position: 1	Switch position: 1	IPN EHS550 headset connection box Switch on base HS-2016 set to RHL
<b>Alcatel Lucent</b>	8038 IP	Switch position: 1	Switch position: 1	IPN EHS550 headset connection box Switch on base HS-2016 set to RHL
<b>Alcatel Lucent</b>	8039 TDM	Switch position: 1	Switch position: 1	IPN EHS550 headset connection box Switch on base HS-2016 set to RHL
<b>Alcatel Lucent</b>	8028 IP	Switch position: 1	Switch position: 1	IPN EHS550 headset connection box Switch on base HS-2016 set to RHL
<b>Alcatel Lucent</b>	8029 TDM	Switch position: 1	Switch position: 1	IPN EHS550 headset connection box Switch on base HS-2016 set to RHL
<b>Alcatel Lucent</b>	Omnitouch 2082	Switch position: 1	Switch position: 1	IPN EHS550 headset connection box Switch on base HS-2016 set to RHL
<b>Alcatel Lucent</b>	8082 Omnitouch	Switch position: 1	Switch position: 1	IPN EHS550 headset connection box Switch on base HS-2016 set to RHL
<b>Alcatel Lucent</b>	4097	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering



<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Alcatel Lucent</b>	4121	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	4123	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	4125	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	4202	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	4203	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	4205	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	4210	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	4304	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	4321	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	4980 IP Phone	Connect to USB connection	IPN110/IPN111	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	5101	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	510X	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	5625 Vermittlung			Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	5630 Vermittlung			Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	8010	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	8030	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	8040	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Alcatel Lucent</b>	901	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	910	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	925	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	927	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Advanced (4035)	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	ALBEDO 12	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	ALBEDO 34	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Altiset	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Alto	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Arpoge	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Arpoge 91	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Audience 12	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Audience 22	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Audience 32	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Audience 42	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Audience 52	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Audience 91	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Alcatel Lucent</b>	Carman	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Charade	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	D616	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	D616N	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Domo	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Easy (4010)	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	EP9800	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	EP9810	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	EP9820S	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	First (4004)	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Flat Bed Ops Console	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Futura	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	IDS IP310	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Indianapolis 2	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Insip	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	INSIP	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	IPdeskphonesoftphone	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Alcatel Lucent</b>	IPTouch 300	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	IPTouch 600	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	ISN 20 Poste 4000	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	ISN 20 Poste 8000	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	ISN 40 Poste 4000	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	ISN 40 Poste 8000	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	ISN 80 Poste 4000	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	ISN 80 Poste 8000	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Minitel 10	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Minitel 12	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	MIPT 310			Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	MIPT 610			Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Mobile 400			Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Monotel	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Multivox	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	MyPhone	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Omni PCX DECT	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Alcatel Lucent</b>	Op. Console	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Opus 128	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Opus 20	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Opus 30	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Opus 300	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Opus 300 3rd generation	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Opus 300 series 9000	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Opus 40	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Opus 40 ISDN	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Opus 4000	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Opus 4000 2nd generation	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Opus 80	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	P20	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	P30	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	P40	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	PIMPhony	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	PQS 72xx	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Alcatel Lucent</b>	PQS 75xx	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	PQS 76xx	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Premium (4020)	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Quark 816 Affari	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Reflexes	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Reflexes mobile 100	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Reflexes mobile 200	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Screen Based Ops Console	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	SEL 1030	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	SEL 1032	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	SEL 1034	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	SEL 1036	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	SEL 1070	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	SEL 1072	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	SEL 1074	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	System OXO mit C65	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	T160	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Alcatel Lucent</b>	T161	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	T168	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	T169	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	T261	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	T28X	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	TAU 240	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Temporis	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Temporis 12	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Temporis 12 PRO	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Temporis 22	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Temporis 22 PRO	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Temporis 25 PRO	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Temporis 300	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Temporis 300	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Temporis 32	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Temporis 350	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Temporis 350	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Alcatel Lucent</b>	Temporis 45 PRO N	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Temporis 700	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Temporis 700	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	TNA	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	TTN2	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	Type 27	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	versatis 500	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Alcatel Lucent</b>	versatis 700	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Agfeo</b>	ST30	Switch position: 1	Switch position: 1	IPN621 cable Switch on base HS-2016 set to DHSG/ IPN EHS550 Box for HS-2014
<b>Agfeo</b>	ST40	Switch position: 1	Switch position: 1	IPN621 cable Switch on base HS-2016 set to DHSG/ IPN EHS550 Box for HS-2014
<b>Algoral</b>	PABX	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Allnet</b>	All7950	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Altigen</b>	MaxCommunicator	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Altigen</b>	Softphone	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Amper</b>	Europa contestador	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Amper</b>	Iris	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering



<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Amper</b>	Nova 1 Y 10	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Amper</b>	SB10/11 y 11ML	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Amper</b>	SPC	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Amstrad</b>	Emailer	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>APD</b>	Cortex	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Com</b>		No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	9D24	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	Ascotel PO	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	Aura 1	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	Aura 10	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	Aura 11	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	Aura 2	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	Aura 20	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	Aura 3	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	Aura 30	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	Aura 33	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	Aura 40	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Ascom</b>	Berkshire MR30	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	Bonneville	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	Caraŋbe	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	Confident 21	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	Confident 22	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	Confident 42	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	Confident 62	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	Crystal	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	Crystal S	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	Crystal V24	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	Datel Double Appel	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	DECT system	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	Elitis	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	eurit 20	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	eurit 22	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	eurit 25	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	eurit 30	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Ascom</b>	eurit 33	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	eurit 35	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	eurit 40	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	eurit 4000	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	eurit 65	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	Evoluzione	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	Fidji	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	Hendon	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	HPF 1 SBT	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	HPF 2 SBT	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	Joker	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	Megeve	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	Megeve 1st generation	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	Megeve 2nd generation	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	Megeve MG F	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	Megeve MG FV	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	Ondeos 30	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Ascom</b>	Op. Console	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	Opal	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	SD30	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	SD40	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	System Ascotel	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	Topas	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	TS 308 Standard	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ascom</b>	Zelcom Aura ZTE 30	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aspect</b>	DCP E1-HA	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aspect</b>	Teleset 2 (Europe)	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aspect</b>	Teleset 2 (UK)	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aspect</b>	Teleset 3	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Aspect</b>	Winset	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>AT&amp;T</b>	2500 Series	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>ATEA</b>	Console	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>ATL</b>	Berkshire 200	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>ATL</b>	Berkshire 400	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>ATL</b>	Berkshire 5000	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>ATL</b>	Berkshire 600	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>ATL</b>	Berkshire 600AG	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>ATL</b>	Berkshire 800	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>ATL</b>	Delta 700	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>ATL</b>	IP250	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>ATL</b>	IP300S	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Audiocodes</b>	310HD	Switch position: 1	Switch position: 1	Audiocodes EHS adapter, Only HS-2016 switch to DHSG
<b>Audiocodes</b>	320HD	Switch position: 1	Switch position: 1	Audiocodes EHS adapter, Only HS-2016 switch to DHSG
<b>Audiocodes</b>	350HD	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Audioline</b>	15HS	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Audioline</b>	19	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Audioline</b>	4055	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Audioline</b>	4056	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Audioline</b>	6000	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Audioline</b>	7066	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Audioline</b>	AUB1	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Audioline</b>	AUB3	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Audioline</b>	AUB4	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Audioline</b>	Casino	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Audioline</b>	Doro 8085	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Audioline</b>	Doro X100	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Audioline</b>	Orb	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Audioline</b>	Sensor 500	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Audioline</b>	TAB935	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Audioline</b>	Tel-17	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Audioline</b>	Tel-18	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Audioline</b>	Tel-25	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Audioline</b>	Tel-51	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Audioline</b>	Tel-6	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Audioline</b>	Tel-7	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Audioline</b>	Tel-8	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Audioline</b>	TEL18	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Audioline</b>	TEL28	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Audioline</b>	Tel30	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Audioline</b>	TEL38 clip	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Audioline</b>	TEL48G	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Audioline</b>	TEL49 clip	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Audioline</b>	TEL8	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Audioline</b>	Terminal2	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Audioline</b>	X100	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Audioline</b>	X50	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Auerswald</b>	Comfort 1000	Switch position: 1	Switch position: 1	Lifter needed
<b>Auerswald</b>	COMfort 1000 mit EHS	No headset available	No headset available	IPN621 EHS cable Switch on base HS-2016 set to DHSG
<b>Auerswald</b>	Comfort 1200	Switch position: 1	Switch position: 1	Lifter needed
<b>Auerswald</b>	COMfort 1200 mit EHS	No headset available	No headset available	IPN621 EHS cable Switch on base HS-2016 set to DHSG
<b>Auerswald</b>	Comfort 2000	Switch position: 1	Switch position: 1	Lifter needed
<b>Auerswald</b>	COMfort 2000 mit EHS	No headset available	No headset available	IPN621 EHS cable Switch on base HS-2016 set to DHSG
<b>Auerswald</b>	COMfort DECT 800	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Auerswald</b>	COMfort DECT 900	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Auerswald</b>	COMfort300	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Auerswald</b>	COMfortel 1500	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Auerswald</b>	COMfortel 2500	Switch position: 1	Switch position: 1	IPN621 DHSG cord Switch on base HS-2016 set to DHSG/ not for HS-2014

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Auerswald</b>	COMfortel 2600	Switch position: 1	Switch position: 1	IPN621 DHSG cord Switch on base HS-2016 set to DHSG/ not for HS-2014
<b>Auerswald</b>	COMfortel 2600 IP	Switch position: 1	Switch position: 1	IPN621 DHSG cord Switch on base HS-2016 set to DHSG/ not for HS-2014
<b>Auerswald</b>	COMfortel 3200	Switch position: 1	Switch position: 1	IPN621 DHSG cord Switch on base HS-2016 set to DHSG/ not for HS-2014
<b>Auerswald</b>	COMfortel 3500C	Switch position: 1	Switch position: 1	IPN621 DHSG cord Switch on base HS-2016 set to DHSG/ not for HS-2014
<b>Auerswald</b>	COMfortel IP DECT	Switch position: 1	Switch position: 1	IPN621 DHSG cord Switch on base HS-2016 set to DHSG/ not for HS-2014
<b>Auerswald</b>	COMfortel 500	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Auerswald</b>	DECT 610	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Auerswald</b>	smar-tel-i	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Austin Taylor</b>	Sprite Op. Console	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Austin Taylor</b>	Talisman Op. Console	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Austin Taylor</b>	Telset Op. Console	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	1408	Switch position: 1	Switch position: 1	IPN627 Cable for Avaya 14/16/94/96 Switch on base HS-2016 set to RHL
<b>Avaya</b>	1416	Switch position: 1	Switch position: 1	IPN627 Cable for Avaya 14/16/94/96 Switch on base HS-2016 set to RHL
<b>Avaya</b>	1603			Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	1608	Switch position: 1	Switch position: 1	IPN627 Cable for Avaya 14/16/94/96 Switch on base HS-2016 set to RHL
<b>Avaya</b>	1616	Switch position: 1	Switch position: 1	IPN627 Cable for Avaya 14/16/94/96 Switch on base HS-2016 set to RHL
<b>Avaya</b>	16CC	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering



<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Avaya</b>	20CC	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	2402	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	2410	Switch position: 1	Switch position: 1	IPN627 Cable for Avaya 14/16/94/96 Switch on base HS-2016 set to RHL
<b>Avaya</b>	2420	Switch position: 1	Switch position: 1	IPN628 Cable for 2420/46/54/56 Switch on base HS-2016 set to RHL
<b>Avaya</b>	3616	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	3626	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	3641	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	3645	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	3711	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	4424D+	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	4601	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	4602	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	4606	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	4610	Switch position: 1	Switch position: 1	IPN628 Cable for 2420/46/54/56 Switch on base HS-2016 set to RHL
<b>Avaya</b>	4610SW	Switch position: 1	Switch position: 1	IPN628 Cable for 2420/46/54/56 Switch on base HS-2016 set to RHL
<b>Avaya</b>	4612	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	4620	Switch position: 1	Switch position: 1	IPN628 Cable for 2420/46/54/56 Switch on base HS-2016 set to RHL

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Avaya</b>	4620SW	Switch position: 1	Switch position: 1	IPN628 Cable for 2420/46/54/56 Switch on base HS-2016 set to RHL
<b>Avaya</b>	4621	Switch position: 1	Switch position: 1	IPN628 Cable for 2420/46/54/56 Switch on base HS-2016 set to RHL
<b>Avaya</b>	4621SW	Switch position: 1	Switch position: 1	IPN628 Cable for 2420/46/54/56 Switch on base HS-2016 set to RHL
<b>Avaya</b>	4621SW IP	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	4622	Switch position: 1	Switch position: 1	IPN628 Cable for 2420/46/54/56 Switch on base HS-2016 set to RHL
<b>Avaya</b>	4622SW	Switch position: 1	Switch position: 1	IPN628 Cable for 2420/46/54/56 Switch on base HS-2016 set to RHL
<b>Avaya</b>	4624	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	4625	Switch position: 1	Switch position: 1	IPN628 Cable for 2420/46/54/56 Switch on base HS-2016 set to RHL
<b>Avaya</b>	4625SW	Switch position: 1	Switch position: 1	IPN628 Cable for 2420/46/54/56 Switch on base HS-2016 set to RHL
<b>Avaya</b>	4630	Switch position: 1	Switch position: 1	IPN628 Cable for 2420/46/54/56 Switch on base HS-2016 set to RHL
<b>Avaya</b>	4630SW	Switch position: 1	Switch position: 1	IPN628 Cable for 2420/46/54/56 Switch on base HS-2016 set to RHL
<b>Avaya</b>	5402	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	5410	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	5410 on IP Switch	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	5420	Switch position: 1	Switch position: 1	IPN628 Cable for 2420/46/54/56 Switch on base HS-2016 set to RHL
<b>Avaya</b>	5601	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	5602	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Avaya</b>	5610	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	5620	Switch position: 1	Switch position: 1	IPN628 Cable for 2420/46/54/56 Switch on base HS-2016 set to RHL
<b>Avaya</b>	5621	Switch position: 1	Switch position: 1	IPN628 Cable for 2420/46/54/56 Switch on base HS-2016 set to RHL
<b>Avaya</b>	5625	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	6201	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	6210	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	6220	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	6402	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	6402D	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	6408+	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	6416D+	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	6416D+M	Switch position: 1	Switch position: 1	IPN627 Cable for Avaya 14/16/94/96 Switch on base HS-2016 set to RHL
<b>Avaya</b>	6424D+	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	6424D+M	Switch position: 1	Switch position: 1	IPN627 Cable for Avaya 14/16/94/96 Switch on base HS-2016 set to RHL
<b>Avaya</b>	8101	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	8102	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	8403	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Avaya</b>	8405	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	8410	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	8410D	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	8411	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	8434	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	8500	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	8503	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	8510	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	8520 isdn	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	90	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	9110 Analog FeAp	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	9330-AV	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	9403	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	9404	Switch position: 1	Switch position: 1	IPN627 Cable for Avaya 14/16/94/96 Switch on base HS-2016 set to RHL
<b>Avaya</b>	9408	Switch position: 1	Switch position: 1	IPN627 Cable for Avaya 14/16/94/96 Switch on base HS-2016 set to RHL
<b>Avaya</b>	9410	Switch position: 1	Switch position: 1	Not compatible with EHS
<b>Avaya</b>	9434	Switch position: 1	Switch position: 1	Not compatible with EHS
<b>Avaya</b>	9504	Switch position: 1	Switch position: 1	IPN627 Cable for Avaya 14/16/94/96 Switch on base HS-2016 set to RHL

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Avaya</b>	9508	Switch position: 1	Switch position: 1	IPN627 Cable for Avaya 14/16/94/96 Switch on base HS-2016 set to RHL
<b>Avaya</b>	9601	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	9608	Switch position: 1	Switch position: 1	IPN627 Cable for Avaya 14/16/94/96 Switch on base HS-2016 set to RHL
<b>Avaya</b>	9610	Switch position: 1	Switch position: 1	IPN627 Cable for Avaya 14/16/94/96 Switch on base HS-2016 set to RHL
<b>Avaya</b>	9611	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	9611G	Switch position: 1	Switch position: 1	IPN627 Cable for Avaya 14/16/94/96 Switch on base HS-2016 set to RHL
<b>Avaya</b>	9620	Switch position: 1	Switch position: 1	IPN627 Cable for Avaya 14/16/94/96 Switch on base HS-2016 set to RHL
<b>Avaya</b>	9620C	Switch position: 1	Switch position: 1	IPN627 Cable for Avaya 14/16/94/96 Switch on base HS-2016 set to RHL
<b>Avaya</b>	9620L	Switch position: 1	Switch position: 1	IPN627 Cable for Avaya 14/16/94/96 Switch on base HS-2016 set to RHL
<b>Avaya</b>	9621	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	9621G	Switch position: 1	Switch position: 1	IPN627 Cable for Avaya 14/16/94/96 Switch on base HS-2016 set to RHL
<b>Avaya</b>	9630	Switch position: 1	Switch position: 1	IPN627 Cable for Avaya 14/16/94/96 Switch on base HS-2016 set to RHL
<b>Avaya</b>	9640	Switch position: 1	Switch position: 1	IPN627 Cable for Avaya 14/16/94/96 Switch on base HS-2016 set to RHL
<b>Avaya</b>	9640G	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	9641	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	9641G	Switch position: 1	Switch position: 1	IPN627 Cable for Avaya 14/16/94/96 Switch on base HS-2016 set to RHL
<b>Avaya</b>	9650	Switch position: 1	Switch position: 1	IPN627 Cable for Avaya 14/16/94/96 Switch on base HS-2016 set to RHL

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Avaya</b>	9650C	Switch position: 1	Switch position: 1	IPN627 Cable for Avaya 14/16/94/96 Switch on base HS-2016 set to RHL
<b>Avaya</b>	9670	Switch position: 1	Switch position: 1	IPN627 Cable for Avaya 14/16/94/96 Switch on base HS-2016 set to RHL
<b>Avaya</b>	ACD Turrets	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Analog Basic	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Analog Handsfree	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	B85	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	B85 model 1	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	B85 model 2	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	B85 model 3	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Balmain	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Callmaster DCP Attendant Controller	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Callmaster II	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Callmaster III	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Callmaster IV	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Callmaster V	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Callmaster VI	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Callmaster VI	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Avaya</b>	Concerto	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Console 302A	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Console 302B	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Console 302C	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Console 302D	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Definity	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Definity DECT System	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	DT1	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	DT3	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	DT4	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	DT5	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	FT1	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	FT2	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	FT3	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	FT4	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	FT5	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Galilee 910	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Avaya</b>	Galilei 920	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Galilei 930a	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Galilei 960a	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Helios (All)	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Index 2010	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Index 2030	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Index 2050	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Index 2060	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Index 20AT	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Index DECT System	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Index DT Phones	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	IP Agent	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	IP Softphone	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Leader	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Network Alchemy	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	one-X Communicator	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Op. Console	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering



<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Avaya</b>	Opera	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Phone Manager PCS Softphone	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Softconsole	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Solaris	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Soliste	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Swing (All)	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Symbol	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Symphonie	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Symphony	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Terminaux DECT			Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	TT phones	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Vega	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	Virtuose	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	WT9610	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Avaya</b>	WT9620	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	CH585	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	Classic	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Avaya Tenovis</b>	Classic CON LA CONEXION CTI	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	Comfort	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	Comfort CON LA CONEXION CTI	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	Compact	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	Compact CON LA CONEXION CTI	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	D3 DECT	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	DECT System	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	Eloka	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	Eloka 20	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	I33, I55, ICC systems with TH13, TM13 Terminals	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	Jistel	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	KS2	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	KS5	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	OS13	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	OS13 an AEI-Schnittstelle	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	PO	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	Prima 900T	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Avaya Tenovis</b>	Prima 910T	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	secom-classico	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	System I3/I5	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	System I33, I55, ICC für T1 und T3 Systemterminals	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	T144	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	T3 Classic an Handhoerer-Schnittstelle	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	T3 Classic mit CTI-/Audio-Link Adapter	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	T3 Classic with Interface Adapter	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	T3 Comfort an Handhoerer-Schnittstelle	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	T3 Comfort mit CTI-/Audio-Link Adapter	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	T3 Comfort with Interface Adapter	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	T3 compact an AEI-Schnittstelle	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	T3 Compact an Handhoerer-Schnittstelle	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	TB13	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	TE11	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	TE13	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	TH13	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Avaya Tenovis</b>	TH13 Anschluss an die AEI-Schnittstelle	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	TH13 AEI	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	TM13	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	TM13 AEI	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	TM13 Anschluss an die AEI-Schnittstelle	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	TS	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	TS13	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	TS13 an AEI-Schnittstelle	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	TS13 Anschluss an die AEI-Schnittstelle	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Avaya Tenovis</b>	TX2	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>B&amp;O</b>	BeoCom 1600	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>B&amp;O</b>	BeoCom 2000 HST	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>B&amp;O</b>	BeoCom 2100	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>B&amp;O</b>	BeoCom 2400	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>B&amp;O</b>	BeoCom 2500	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Cisco IP Phone 7902	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Cisco IP Phone 7905	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Belgacom</b>	Cisco IP Phone 7912	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Cisco IP Phone 7920	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Cisco IP Phone 7940	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Cisco IP Phone 7960	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	DDS100	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	DDS200	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Forum 315	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Forum 320	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Forum 325	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Forum 500 DECT Network	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Forum 500 IP Softphone	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Forum 700 DECT Network	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Forum Free 566	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Forum Free 576	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Forum Free 586	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Forum iPhone 515	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Forum Iphone 520	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Belgacom</b>	Forum Iphone 530	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Forum Iphone 720	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Forum Phone 510	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Forum Phone 510	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Forum Phone 515			Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Forum Phone 520	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Forum Phone 525			Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Forum Phone 530	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Forum Phone 535	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Forum Phone 720	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Forum Phone 730	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Forum Phone 740	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Forum Phone Free 565	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Forum Phone Free 570	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Forum Phone Free 575	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Forum Phone Free 585	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	IDS IP260	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Belgacom</b>	IDS110	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	IDS210	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	IDS260	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	IDS310	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Maestro 1060	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Maestro 2005	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Maestro 2030	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Maestro 2035	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Maestro 2040	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Maestro 2055	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Maestro 2056	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Maestro 2060	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Maestro 300	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Maestro 350	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Maestro Classic	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	PIMPhony	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Twist 346	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Belgacom</b>	Twist 356	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Twist 366	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Twist 397	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Twist 456	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Twist 476	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Twist 505	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Twist 566	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Twist 567	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Twist 576	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Twist 577	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Twist 686	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Twist 905	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Belgacom</b>	Twist 906	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Betacom</b>	CTT1000	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Binatone</b>	Avon 100S	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Binatone</b>	e3250	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Binatone</b>	e3300	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering



<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Binatone</b>	e3800	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Binatone</b>	G10	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Binatone</b>	MD1000	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Binatone</b>	MD1500	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Binatone</b>	Micro Dect	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Binatone</b>	TEL30	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Bosch</b>	All	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Brondi</b>	2464	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Brondi</b>	616	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Brondi</b>	820	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Brondi</b>	BR 100	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Brondi</b>	BR Vivavoce	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Brondi</b>	Comodo	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Brondi</b>	DK1	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Brondi</b>	Excalibur	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Brondi</b>	Halisam	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Brondi</b>	Meeting U.V.	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Brondi</b>	Mike	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Brondi</b>	Oscar 13 M	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Brondi</b>	Oscar TS	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Brondi</b>	Oscar Vivavoce	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Brondi</b>	PF10	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Brondi</b>	Spider	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Brondi</b>	Vivi Plus	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	375515	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Adeks Op console	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Ambassador Extensions	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	BT Freestyle 2200	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Calypso 1100	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Calypso 225	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Companion	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Converse 100	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Converse 1100	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Converse 120	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>BT</b>	Converse 1200	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Converse 1300	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Converse 1400	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Converse 180	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Converse 200	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Converse 2015	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Converse 2025			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Converse 220	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Converse 225	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Converse 300	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Converse 320	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Converse 325	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Converse 420	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Converse 425	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Decor 100	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Decor 110	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Decor 200	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>BT</b>	Decor 210	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Decor 300	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Decor 400	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Diverse 2016			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Diverse 3010 Micro			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Diverse 3016			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Diverse 4010 Classic			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Diverse 4010 Executive			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Diverse 4016 Classic			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Diverse 4016 Executive			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Diverse 5110			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Diverse 5210			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Diverse 5300			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Diverse 5310			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Diverse 5350			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Diverse 5410			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Diverse 5450			Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>BT</b>	Diverse 6210			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Diverse 6250			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Diverse 6410			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Diverse 6450			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Diverse X10			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Diverse X5			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Duet 200	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Elements			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Equinox 1200			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Equinox 1350			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Esprit 1250			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Featureline Featurephone	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Featurenet	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Freelance XD500			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Freestyle 2010			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Freestyle 210			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Freestyle 2100			Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>BT</b>	Freestyle 250			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Freestyle 310			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Freestyle 310			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Freestyle 3200			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Freestyle 350			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Freestyle 3500			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Freestyle 4100			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Freestyle 4100			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Freestyle 610			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Freestyle 6100			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Freestyle XD100			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Glide			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Home Hub 2.0			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Innovator Extensions	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Inspiration	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	ITS	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	M1250	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>BT</b>	M2216	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	M2216D	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	M2250	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	M2616	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	M3110	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	M3310	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	M3820	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	M3901	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	M3902	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	M3903	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	M3904	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	M3905	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	M5212	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	M5312			Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	M6310	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	M6320	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	M7100	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>BT</b>	M7324	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Mango	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Marquis Extensions	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Merlin All Extensions	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Merlin Op Console	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Modular	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Monarch Op Console	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Navigator	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Octara	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	On-Air 1100	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	On-Air 1300	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	On-Air 1800 Classic	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	On-air 2000 Classic	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	On-Air 2000 Executive	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	On-air 2100 Classic	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	On-Air 2100 SMS	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	On-air 2250 Classic	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering



<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>BT</b>	Paragon 200	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Paragon 400	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Paragon 450	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Paragon 500	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Paragon 550	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Paragon 650	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Pathway Console	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Pentara	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Regent Op Console	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Relate 100	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Relate 1500	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Relate 250	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Relate 3000	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Relate 550	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Relate 600	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Relate 700	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Relate 80	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>BT</b>	Response	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Reveal	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Revelation Extensions	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	S6022	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Senator Extension	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Senator Op Console	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Studio	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Synergy 1000	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Synergy 2150	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Synergy 3100	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Synergy 3105	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Synergy 3200 SMS	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Synergy 3205	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Synergy 3500	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Synergy 3505	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Synergy 4100	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Synergy 4500	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>BT</b>	T7100	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	T7208	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	T7316	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	TSX50 Op Console	No experience try switch settings step by step		Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	TXS50 Extensions	No experience try switch settings step by step		Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Vanguard Extensions	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Versatility V16 Featurephone	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Versatility V8 Featurephone	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Verve 3010 Executive	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Verve 450	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>BT</b>	Viceroy Extensions	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT Syntegra</b>	Dealer Board PV405	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BT Syntegra</b>	Dealer Board PV705	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>BTC</b>	Minc	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Burnside-Telecom</b>	P230	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Burnside-Telecom</b>	P300	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Burnside-Telecom</b>	P355	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>C4B</b>	Xphone	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Cable &amp; Wireless</b>	CWB 500	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Cable &amp; Wireless</b>	CWB100	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Cable &amp; Wireless</b>	CWB200	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Cable &amp; Wireless</b>	CWB200H	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Cable &amp; Wireless</b>	CWB300	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Cable &amp; Wireless</b>	CWB400	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Cable &amp; Wireless</b>	DMS100	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>CallBox</b>	Model 200	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>CIE</b>	832	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>CIE</b>	D616 vvd	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>CIE</b>	Fd 112	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	12VIP	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	30VIP	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	521G	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	524G	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	6921	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Cisco</b>	6941	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	6961	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	7821	Switch position: 1	Switch position: 1	IPN625 Cable for Cisco 97XX series Switch on base HS-2016 set to RHL
<b>Cisco</b>	7841	Switch position: 1	Switch position: 1	IPN625 Cable for Cisco 97XX series Switch on base HS-2016 set to RHL
<b>Cisco</b>	7861	Switch position: 1	Switch position: 1	IPN625 Cable for Cisco 97XX series Switch on base HS-2016 set to RHL
<b>Cisco</b>	7902	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	7905	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	7905G	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	7906	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	7910	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	7910+SW	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	7911	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	7911G	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	7912	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	7920	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	7921	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	7921G	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Cisco</b>	7929	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	7931G	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	7940	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	7940G	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	7941	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	7941G	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	7942G	Switch position: 4	Switch position: 4	IPN625 Cable for Cisco 97XX series Switch on base HS-2016 set to RHL
<b>Cisco</b>	7945G	Switch position: 4	Switch position: 4	IPN625 Cable for Cisco 97XX series Switch on base HS-2016 set to RHL
<b>Cisco</b>	7960	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	7960G	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	7961	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	7961G	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	7962G	Switch position: 4	Switch position: 4	IPN625 Cable for Cisco 97XX series Switch on base HS-2016 set to RHL
<b>Cisco</b>	7965G	Switch position: 4	Switch position: 4	IPN625 Cable for Cisco 97XX series Switch on base HS-2016 set to RHL
<b>Cisco</b>	7970	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	7970G	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	7971	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Cisco</b>	7971G	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	7975	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	7975G	Switch position: 4	Switch position: 4	IPN625 Cable for Cisco 97XX series Switch on base HS-2016 set to RHL
<b>Cisco</b>	7985	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	7985G	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	8961	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	9951	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	9971	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	Cisco Unified Personal Communicator	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	CTS 500	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	IP Communicator >2.0	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	IP Communicator >7.0	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	IP Softphone	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	SPA501G	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	SPA502G	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	SPA504G	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	SPA508G	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Cisco</b>	SPA509G	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Cisco</b>	SPA525G	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Clarity</b>	C710	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Clarity</b>	Exl-30	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Codis</b>	ISDN phoneboard +	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Comdial</b>	EP200 Softphone	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Commend</b>	EE811A	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Commend</b>	EE872A	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Concerto Software</b>	Davox	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>CounterPath</b>	Bria	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>CounterPath</b>	eyeBeam Softphone	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Crane</b>	GDK	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Crane</b>	GSX	No experience try switch settings step by step		Not compatible with EHS, need Lifter for remote answering
<b>Crane</b>	KDE series	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>DataVoice</b>	Dharma (gama antigua)	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>DataVoice</b>	Dharma (gama nueva)	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>DBA</b>	Extension	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering



<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>DECTsys</b>	deskDECT	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>DELCO</b>	Aci 116	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>DELCO</b>	dal 64 al 1024	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Depaepe</b>	Austral	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Depaepe</b>	HD	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Depaepe</b>	Intercom	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Depaepe</b>	POT	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Actron AB	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Actron B	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Actron C1	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Actron C2	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Actron C3	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Actron Card	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Alea	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Baleno	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Connex T	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Deutsche Telekom F20 + acoustic adapter	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Deutsche Telekom</b>	Deutsche Telekom F30 + acoustic adapter	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Deutsche Telekom F31IP + acoustic adapter	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Deutsche Telekom F40 + acoustic adapter	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Deutsche Telekom F41 + acoustic adapter	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Deutsche Telekom F41IP + acoustic adapter	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Deutsche Telekom F50 + acoustic adapter	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Display Tel	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Ergotel 2	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Ergotel 3	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Europa 10	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Europa 11	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Europa 12	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Europa 20	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Europa 30	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Europa 40	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Kallisto	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Lombard S	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Deutsche Telekom</b>	Monaco 2	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	OctoClient 130	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon 10	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon 11	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon 11k	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon 20	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon 2000	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon 2010	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon 21	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon 22	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon 24			Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon 26 an Handhoerer-Schnittstelle	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon 26 HSG			Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon 28 an Handhoerer-Schnittstelle	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon 28 HSG	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon 30 CTX	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon 32 CTX	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Deutsche Telekom</b>	Octophon 320	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon 325	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon 330	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon 340	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon 44	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon 45	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon 47	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon 55	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon 55D	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon 70	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon 70D	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon 75	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon 80	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon 80D	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon 81	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon 81D	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon 85	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Deutsche Telekom</b>	Octophon 85D	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon 86	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	octophon F10 an Handapparat-Schnittstelle	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	octophon F20 an Akustik Adapter	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	octophon F20 an Handapparat-Schnittstelle	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	octophon F30 an Akustik Adapter	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	octophon F30 an Handapparat-Schnittstelle	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	octophon F40 an Akustik Adapter			Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	octophon F40 an Handapparat-Schnittstelle	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	octophon F40 an Headset-Port	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	octophon F50 an Handapparat-Schnittstelle	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon F620	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon F630	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon F640	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon F660	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon F680	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	octophon open 10	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Deutsche Telekom</b>	Octophon Open 130IP	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon Open 131	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon Open 140IP	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon Open 141	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon Open 150IP	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon Open 151	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octophon Open 160IP	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	octophon open 20	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	octophon open 30	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	octophon open 40D			Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	octophon open 50D			Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	octophone F50 an Akustik Adapter	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	octopus 180i	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Octopus Open CTI	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	P 412	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	PA412	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	PC AFT für Octopus E300	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Deutsche Telekom</b>	PX722 T-Concept an Handhorer-Schnittstelle	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Signo 2	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Sinus 43ab	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Sinus 43i	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Sinus 45P analog	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Sinus 45P ISDN	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Sinus 54AB	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Sinus 61			Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Sinus 62K			Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Speech AB	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Comfort 730	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Comfort 730	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-comfort 730 Mobilteil			Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Comfort 830	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Comfort 830	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-comfort 830 Mobilteil	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-comfort mit Audio-Adapter	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Deutsche Telekom</b>	T-Concept CP710	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Concept CP720	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Concept CPA710	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Concept CPA720	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Concept P211	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Concept P411	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Concept P510	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Concept P520	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Concept P521	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Concept P522	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Concept P710	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Concept P711	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Concept P712	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Concept P720	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Concept P721	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Concept P722	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Concept PA510	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering



<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Deutsche Telekom</b>	T-Concept PA710	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Concept PA711	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Concept PA720	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Concept PA721	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Concept PA722	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Concept PA821	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Concept PC	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Concept PX720	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Concept PX721	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Concept PX722 an Headset-Port	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Easy FP110	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Easy P210	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Easy P310	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Easy P520	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Easy PA310	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Easy PA520	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Fax 301T	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Deutsche Telekom</b>	T-Fax 301TA	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Fax 304T	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Fax 304TA	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Sinus 701M	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-sinus 702K	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Sinus 710P	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Sinus 720	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Sinus 720PA	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Sinus 721P	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Sinus 721PA	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-Sinus Ergo	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	T-View 100	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Tarsis B	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Tarsis C	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Tectra	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Telekom Comfort Pro 300IP	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Deutsche Telekom</b>	Telekom Comfort Pro 500IP	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Dial Face</b>	Digital ISDN	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Dial Face</b>	EuropHONE	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Dial Face</b>	Memovox SMS	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Dial Face</b>	Minivox	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Dial Face</b>	Minivox View	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Dial Face</b>	TwinnY	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Dial Face</b>	Vox 100	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Doro AB</b>	610	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Doro AB</b>	615R	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Doro AB</b>	640	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Doro AB</b>	650R	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Doro AB</b>	670	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Doro AB</b>	680R	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Doro AB</b>	AUB200	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Doro AB</b>	AUB200H	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Doro AB</b>	AUB300i	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Doro AB</b>	Congress 100	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Doro AB</b>	Congress 200	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Doro AB</b>	Congress 205	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Doro AB</b>	Congress 305	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Doro AB</b>	Doro 855			Not compatible with EHS, need Lifter for remote answering
<b>Doro AB</b>	X50	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>DrayTek</b>	VigorPhone 350	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Eicon Diehl</b>	Diva ISDN+CT	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Elmeg</b>	40	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Elmeg</b>	400	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Elmeg</b>	60	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Elmeg</b>	C100	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Elmeg</b>	C100	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Elmeg</b>	C200	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Elmeg</b>	C300	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Elmeg</b>	C310	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Elmeg</b>	C48M	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Elmeg</b>	C88M	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Elmeg</b>	C90	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Elmeg</b>	CA50	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Elmeg</b>	CA50 an Headset-Port	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Elmeg</b>	CS100	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Elmeg</b>	CS290	Switch position: 1	Switch position: 1	IPN621 set base HS-2016 to DSHG/HS-2014 with IPN600 EHS box
<b>Elmeg</b>	CS290 Anschluss schnurgebunden	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Elmeg</b>	CS290-U Anschluss schnurgebunde	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Elmeg</b>	CS290U mit elektronischen Gabelumschalter	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Elmeg</b>	CS300	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Elmeg</b>	CS305-I	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Elmeg</b>	CS310	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Elmeg</b>	CS320	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Elmeg</b>	CS410	Switch position: 1	Switch position: 1	IPN621 set base HS-2016 to DSHG/HS-2014 with IPN600 EHS box
<b>Elmeg</b>	CS410 mit elektronischen Gabelumschalter	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Elmeg</b>	CS410-U Anschluss schnurgebunden	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Elmeg</b>	CS410U mit elektronischen Gabelumschalter	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Elmeg</b>	CS410xt Anschluss schnurgebunden	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Elmeg</b>	DECT 100	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Elmeg</b>	DECT 50	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Elmeg</b>	DECT System	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Elmeg</b>	DECT300	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Elmeg</b>	DECT400	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Elmeg</b>	DECT70	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Elmeg</b>	FEC SIP-Serv	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Elmeg</b>	IP-S400 Anschluss schnurgebunden	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Elmeg</b>	IP-S400 mit elektronischen Gabelumschalter	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Elmeg</b>	IP290	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Elmeg</b>	Systel 100	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Elmeg</b>	Systel 200	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Agent	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Budget	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Business	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Compact	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	D2663	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Ericsson (Aastra)</b>	D3201 Economy Plus	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	D3202 Standard	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	D3203 Executive	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DBC 21001	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DBC 21101	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DBC 21201	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DBC 21301	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DBC 3210 BASIC	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DBC 3211 ECONOMY plus	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DBC 3212 STANDARD	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DBC 3213 EXECUTIVE	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DBC 3214 OPERATOR	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DBC 40201	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DBC 40301	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DBC 40401	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DBC201	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DBC202	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Ericsson (Aastra)</b>	DBC203	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DBC210	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DBC211	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DBC212	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DBC213	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DBC214	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DBC663	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DBCN 212	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DCS2000	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DFG 22010	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DFG 22201	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DGF 22001-10	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DGF 22001-12	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DGF 22001-15	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DGF 22001-4	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DGF 22002-1	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DGF 22010/1	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering



<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Ericsson (Aastra)</b>	DGFP 40501/1	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Dialog 1401	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Dialog 1402	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Dialog 1403	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Dialog 1404	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Dialog 2144	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Dialog 2400	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Dialog 2500	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Dialog 2500 Op console	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Dialog 2600	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Dialog 2601	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Dialog 2631	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Dialog 2661	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Dialog 2662	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Dialog 2700	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Dialog 3105	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Dialog 3145	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Ericsson (Aastra)</b>	Dialog 3199	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Dialog 3201	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Dialog 3202	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Dialog 3203	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Dialog 3210	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Dialog 3211	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Dialog 3212	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Dialog 3213	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Dialog 3214	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Dialog 3220	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Dialog 3222	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Dialog 3413 IP Phone	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Dialog 3502	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Dialog 3699	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Dialog 4220 Lite	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Dialog 4222 Office	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Dialog 4223 Profesional	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Ericsson (Aastra)</b>	Dialog 4224 Operator	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Dialog 4225	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Dialog 4422 IP Office	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Dialog 4425 IP Vision	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DNA	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DT120	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DT130	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DT260	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DT310	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DT360	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DT368	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DT570	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	DT590	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Freeset 1 & 2	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	IP-Softphone	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	ISD Analogico	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	MD110 CONSOLA NUEVA	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Ericsson (Aastra)</b>	MD110 DECT System	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	MD110 Newer consoles	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	OPI 3000	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Phoenix	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Select	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	Symbolic System	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	BusinessPhone 50/250	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	System BusinessPhone cordless	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Ericsson (Aastra)</b>	System MD110	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Esseti</b>	T3001	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Esseti</b>	T3002 View	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Esseti</b>	Time 3000	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>ETE</b>	Digital	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>ETE</b>	Digital Delta KE7	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>ETE</b>	Ixos 820	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Etrali</b>	Etradeal	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Etrali</b>	Etradeal Vision	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Etrali</b>	Mach 2	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Etrali</b>	Mach 3d	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Euracom</b>	P4	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Euromacro</b>	Excel 308	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Euromacro</b>	Excel 816	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Euromacro</b>	Mh 16	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Euromacro</b>	Ud-k	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Evoluzione</b>	Centralino MOD K64	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Flair Systems</b>	DigiBeta System	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>FMN</b>	Alpha Base	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>FMN</b>	Alpha Euro 10	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>FMN</b>	Alpha Euro 20	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>FMN</b>	Alpha Euro 30 ab	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>FMN</b>	alpha euro 3000 a/b DECT	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>FMN</b>	Alpha Euro dat	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>FMN</b>	Alpha Komfort	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>FMN</b>	B122 plus	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>FMN</b>	ISDN 200	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Fortune</b>	Radius 100	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Fortune</b>	Radius 300	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>France Telecom</b>	Alto	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>France Telecom</b>	Amarys 100	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>France Telecom</b>	Amarys 200	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>France Telecom</b>	Amarys 210	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>France Telecom</b>	Amarys 220	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>France Telecom</b>	Amarys 300	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>France Telecom</b>	Amarys 3400	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>France Telecom</b>	Amarys 420	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>France Telecom</b>	Amarys 510	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>France Telecom</b>	Celesta	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>France Telecom</b>	Diatonis xxx	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>France Telecom</b>	Fidelio	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>France Telecom</b>	Galeo	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>France Telecom</b>	Minitel 12	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>France Telecom</b>	Rondo	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>France Telecom</b>	Silage	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>France Telecom</b>	Soprano	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Funkwerk</b>	CS290-U	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Funkwerk</b>	CS410	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Funkwerk</b>	CS410-U	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Funkwerk</b>	IP-S400	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>GE</b>	BCA	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Gesko</b>	Ikarus 1000	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Gesko</b>	Ikarus 1200	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Gesko</b>	Ikarus 1400	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Giugiaro</b>	Evolution Design	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>GN Netcom</b>	TOPICS	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Grandstream</b>	BudgeTone 101	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Grandstream</b>	BudgeTone 102	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Grandstream</b>	BudgeTone 200	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Grandstream</b>	GXE502x IPPBX	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Grandstream</b>	GXP Enterprise	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Grandstream</b>	GXP 1160/5	Switch position: 1		Not compatible with EHS, need Lifter for remote answering
<b>Grandstream</b>	GXP-1200	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Grandstream</b>	GXP 1400/5	Switch position: 1		Not compatible with EHS, need Lifter for remote answering
<b>Grandstream</b>	GXP 1450	Switch position: 1		Not compatible with EHS, need Lifter for remote answering
<b>Grandstream</b>	GXP-2000	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Grandstream</b>	GXP-2010	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Grandstream</b>	GXP-2020	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Grandstream</b>	GXP 2130	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Grandstream</b>	GXP 2140	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Grandstream</b>	GXP 2160	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Grandstream</b>	GXV 3240 (videophone)	No experience try switch settings step by step	No experience try switch settings step by step	
<b>Grandstream</b>	GXV 3275 (videophone)	No experience try switch settings step by step	No experience try switch settings step by step	
<b>GTE</b>	Omni	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Hagenuk</b>	EuroPhone L	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Hagenuk</b>	EuroPhone M	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Hagenuk</b>	Europhone XL	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Hagenuk</b>	hatec DT 4010	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering



<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Hagenuk</b>	hatec DT 4020	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Harpax</b>	VOISpeed > Rev 3.8	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Harris-DTS</b>	Agent	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>HI-TEL</b>	Family	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Hitachi</b>	Wireless IP5000	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>IBM</b>	Sametime	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Innovaphone</b>	innovaphone 200	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Innovaphone</b>	IP100	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Innovaphone</b>	IP230	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Innovaphone</b>	IP240	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Innovaphone</b>	IP240-1000	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Intec</b>	Argus 10	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Intec</b>	Argus 2	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Intec</b>	Argus 20	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Intec</b>	Argus 22	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Intec</b>	Argus 25	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Intec</b>	Argus 2u	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Intec</b>	Argus 30	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Intec</b>	Argus 35	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Intec</b>	Argus 3u	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Intercom</b>	Extensions	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Interconnect</b>	3000	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Intermec</b>	700	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Interquartz</b>	Enterprise Basic (98390)	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Interquartz</b>	Enterprise Discovery (9859)	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Interquartz</b>	Enterprise Speakerphone (98393)	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Interquartz</b>	Gemini Basic (9330)	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Interquartz</b>	Gemini CLI (9335)	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Interquartz</b>	Gemini Speakerphone (9333)	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Intertel</b>	8500	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Intertel</b>	8520	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Intertel</b>	8560	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Intertel</b>	8600	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Intertel</b>	8620	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Intertel</b>	8622	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Intertel</b>	8660	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Intertel</b>	8662	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Intertel</b>	8690	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Intertel</b>	Axxess Basic	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Intertel</b>	Axxess Executive	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Intertel</b>	Axxess Standard	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Intertel</b>	Ibox	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Intertel</b>	IP Phone	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Intertel</b>	IP Softphone 8601	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Intertel</b>	IP Softphone 8602	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>IP Blue</b>	VT Go	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>IP Trade</b>	Turret	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>IP Trade</b>	Turret-Lite	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>IPC</b>	Dealer Board	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>IPC</b>	IQMX	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Italtel</b>	AKS	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Italtel</b>	AKS16	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Italtel</b>	AKS8	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Italtel</b>	Andromeda	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Italtel</b>	Bravo	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Italtel</b>	Bx1000	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Italtel</b>	Bx10000	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Italtel</b>	Bx5000	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Italtel</b>	Centrex	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Italtel</b>	Coro	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Italtel</b>	Definity	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Italtel</b>	Lineatel	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Italtel</b>	Motivo	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Italtel</b>	Nexcom	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Italtel</b>	Office 1000	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Italtel</b>	Office 5000	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Italtel</b>	Soprano	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Italtel</b>	Td7205	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Italtel</b>	Td7206	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Italtel</b>	Traffic n	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>JabloCOM</b>	GDP-02	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Jablotron</b>	GDP-04	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Jistell</b>	Alpha I	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Jistell</b>	Alpha II	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Jistell</b>	J200	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Jistell</b>	KS20	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Jistell</b>	KS5	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Jistell</b>	TE 93	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Jistell</b>	TK 93	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Kapsch</b>	M21C	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Kapsch</b>	M21S	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Kapsch</b>	M3905 ACD	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Kapsch</b>	MIKA	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Karel</b>	Iris	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Karel</b>	Iris	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Kathrein</b>	KT120	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Kathrein</b>	KT220	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Kathrein</b>	KT600	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Kathrein</b>	KX212	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Kathrein</b>	KX308	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Kathrein</b>	KX316	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Kathrein</b>	KX322	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Kirk</b>	3040	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Kirk</b>	4020	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Kirk</b>	4040	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Kirk</b>	5020	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Kirk</b>	5040	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Kirk</b>	DECT	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Kirk</b>	DECT System	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Kirk</b>	Delta 943	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Kirk</b>	Delta 951	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Kirk</b>	Delta 952	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Kirk</b>	Sistema DECT	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Kirk</b>	Z-3020	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Kirk</b>	Z-3040 DECT	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Kirk</b>	Z-4040	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Kirk</b>	Z-4080	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Konftel</b>	300	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>KPN</b>	54XX	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>KPN</b>	A232 (Vox 2300)	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>KPN</b>	A234 (Vox 2300)	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>KPN</b>	A271 (Vox Nuance)	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>KPN</b>	A272 (Vox Nuance)	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>KPN</b>	A273 (Vox Nuance)	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>KPN</b>	A274 (Vox Nuance)	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>KPN</b>	A292 (Vox Progress)	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>KPN</b>	A293 (Vox Progress)	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>KPN</b>	A295 (Vox Alliance)	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>KPN</b>	A32x (Vox Supreme)	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
KPN	A33x (Vox Supreme)	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	ACD set octofoon 80D en 85D	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Alpha	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
KPN	Aspect Console ACD	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	BT Arbi Analoge set en digitale set	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	BT Arbi Koolmicrofoon	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	BT Arbi nieuwe hybrid	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Chicago 330 micro	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
KPN	D272 (Vox DaVo)	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	D275 (Vox DaVo)	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	D407	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	D408	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	D410	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
KPN	D415	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
KPN	Delux	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Distrivox Console	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Kopenhagen 22	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering



<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
KPN	Lausanne 10	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	M2250	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	M3110	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
KPN	M3310	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
KPN	M3820	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
KPN	M3901/M3902	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
KPN	M3903/M3904	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
KPN	M3905 ACD	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	M9617 (IP tel.)	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Malibu 630	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
KPN	MD110 OPI (bedieningstoestel met elektret micr. en	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	MD110 OPI (bedieningstoestel met elektret micr. en	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	MD110 OPI (bedieningstoestel met kool micr. en LEM	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Prestigue	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Sopho iS Ergoline 1	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Sopho iS Ergoline 2	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Sopho iS Ergoline 3	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
KPN	Sopho iS Ergoline 4	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Sopho iS Supervisor 60	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Sopho iS Supervisor 60E	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Speaker	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox 1110	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox 120 nieuw	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox 120 oud	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox 122	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox 150	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox 160	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox 170	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox 180	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox 251 (Vox Allure)	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox 253 (Vox Allure)	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox 255 (Vox Allure)	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox 2800 Systeemtoestellen	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox 3200 Systeemtoestellen	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
KPN	Vox 4200 Systeemtoestellen	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox 5xx incl. Vox Palermo (Siemens)	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox 6200	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox 920	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
KPN	Vox 930	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
KPN	Vox 935	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
KPN	Vox Bari 10	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox Bari Deluxe	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox Benjamin	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox Bordeaux 20	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox D275	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
KPN	Vox D282	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
KPN	Vox D285	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
KPN	Vox d34X	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
KPN	Vox d350	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
KPN	Vox d351	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
KPN	Vox d352	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
KPN	Vox d354	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
KPN	Vox d35X	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
KPN	Vox d55x	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox d56X	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
KPN	Vox d57x	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
KPN	Vox d61x	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox d622	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox d622 S (Deluxe)	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox d623	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox d623 S	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox d623 S	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox d623 S/2	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox d624	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox d624 S	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox d624 S	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox d624 S/2	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox d625	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
KPN	Vox d630 Basic	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox d630 bediening	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox d630 Comfort	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox d635	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox d635 bediening	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox d635E	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox d64x	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox d806	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox d808	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox d816	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox d836 ACD tst.	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox d850 bediening	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox DaVo d272 Handset-Port	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox DaVo d275 Handset-Port	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox Delta	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox Denver 25 HV	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
KPN	Vox Dialog 321x	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>KPN</b>	Vox Florence 12	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>KPN</b>	Vox Malmo	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>KPN</b>	Vox Novo Compact Systeemtoestellen	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>KPN</b>	Vox Supreme Novo Systeemtoestellen	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>KPN</b>	Vox Supreme Systeemtoestellen	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>KPN</b>	Vox Washington 50	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Kroma</b>	Digital	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Kroma</b>	Kromax 820	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Kroma</b>	Sd 12	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Kroma</b>	Sd 24	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Lake</b>	Broadlink 3200 Executive	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Lake</b>	Broadlink 3200 Standard	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Lake</b>	CP0 Operator Console	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Lake</b>	CP1 Feature Set	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Lake</b>	CP2 Feature Set	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Lake</b>	EP1 Feature Set	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Lake</b>	Netlink Feature Set	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Lake</b>	Officelink	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Lake</b>	System Phone	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Lazerbuilt</b>	905K	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Lazerbuilt</b>	906K	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Lazerbuilt</b>	907K	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>LG</b>	Centrales GDK (16/100/162/FPII/20W )	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>LG</b>	GDC-340H			Not compatible with EHS, need Lifter for remote answering
<b>LG</b>	GDK	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>LG</b>	GDK 200 DECT system			Not compatible with EHS, need Lifter for remote answering
<b>LG</b>	GSX21	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>LG</b>	GSX33	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>LG</b>	GSX8	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>LG</b>	KD24	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>LG</b>	KD33	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>LG</b>	KD36	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>LG</b>	KDE-24EXE	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>LG</b>	KDE-36EXE	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>LG</b>	KDE-36LD	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>LG</b>	KDE-8BTN	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>LG</b>	LDK 100 DECT System	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>LG</b>	LDK 300 DECT system	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>LG</b>	LIP-6812	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>LG</b>	LIP-6824LD	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>LG</b>	LIP-6830	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>LG</b>	LKD Series	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>LG</b>	LKD-2	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>LG</b>	LKD-30	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>LG</b>	LKD-8	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>LG</b>	Nexera DECT system	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>LG</b>	SB10/SB11/SB11ML/ F1000/F7070 WING	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>LG-Nortel</b>	8501	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>LG-Nortel</b>	8540	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>LG-Nortel</b>	LDP7004	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>LG-Nortel</b>	LDP7008	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering



<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>LG-Nortel</b>	LDP7016	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>LG-Nortel</b>	LDP7024	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>LG-Nortel</b>	LDP7024LD	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>LG-Nortel</b>	LIP-6812	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>LG-Nortel</b>	LIP-6824LD	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>LG-Nortel</b>	LIP-6830	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>LG-Nortel</b>	LIP-8004D	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>LG-Nortel</b>	LIP-8012D	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>LG-Nortel</b>	LIP-8024D	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>LG-Nortel</b>	Phontage	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Linksys</b>	CIT200	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Linksys</b>	CIT300	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Linksys</b>	CIT310	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Linksys</b>	CIT400	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Linksys</b>	PHB1100	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Linksys</b>	PHM1200	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Linksys</b>	SPA-922	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Linksys</b>	SPA-941	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Linksys</b>	SPA-942	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Linksys</b>	SPA-962	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Loewe</b>	Alphatel 2200F	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Logicom</b>	L460	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Logicom</b>	L470	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Logicom</b>	L540	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Logicom</b>	L559	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Logicom</b>	L575	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Logicom</b>	L900	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Macrotel</b>	EMC102	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Macrotel</b>	Excel 308	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Macrotel</b>	MT-5TD	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Macrotel</b>	MT24 TX	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Macrotel</b>	UD-K	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Main Sequence</b>	IP Softphone	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Marconi</b>	Flexicall	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>MDS Gateway</b>	Executive	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>MDS Gateway</b>	Operafone 24	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>MDS Gateway</b>	Operafone 26	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>MDS Gateway</b>	Operafone 56	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>MDS Gateway</b>	Operafone Standard	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Mercury</b>	Centrex	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Mercury</b>	Conveyant Console	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Mercury</b>	ISTDX Op Console	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Mercury</b>	SDX Extension	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Mercury</b>	Trinity All	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Meridian (also see Nortel)</b>	i2001	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Meridian (also see Nortel)</b>	i2004/i2002	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Meridian (also see Nortel)</b>	i2007	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Meridian (also see Nortel)</b>	M1250	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Meridian (also see Nortel)</b>	M2006	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Meridian (also see Nortel)</b>	M2008	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Meridian (also see Nortel)</b>	M2216	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Meridian (also see Nortel)</b>	M2250	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Meridian (also see Nortel)</b>	M2317	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Meridian (also see Nortel)</b>	M2616	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Meridian (also see Nortel)</b>	M3901/M3902	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Meridian (also see Nortel)</b>	M3903/M3904	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Meridian (also see Nortel)</b>	M3905	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Meridian (also see Nortel)</b>	M5208	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Meridian (also see Nortel)</b>	M5209	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Meridian (also see Nortel)</b>	M5212	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Meridian (also see Nortel)</b>	M5216	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Meridian (also see Nortel)</b>	M5316	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Meridian (also see Nortel)</b>	M5317	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Meridian (also see Nortel)</b>	M6310	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Meridian (also see Nortel)</b>	M7208	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Meridian (also see Nortel)</b>	M7308	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Meridian (also see Nortel)</b>	M7316	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Meridian (also see Nortel)</b>	MOD.2216	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Meridian (also see Nortel)</b>	Norstar	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Meridian (also see Nortel)</b>	OPZIONE ST	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Metrega</b>	M7310	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Metrega</b>	Metrega	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Microsoft</b>	Katalina	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Microsoft</b>	Lync	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Microsoft</b>	MSN Messenger	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Microsoft</b>	Netmeeting	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Microsoft</b>	Office Communicator 2007 R1 and R2	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Microsoft</b>	Office Communicator 2007 R1 and R2	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Microsoft</b>	Office Communicator	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Microsoft</b>	Office Communicator	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Microsoft</b>	Tanjay	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Miniset</b>	MOD. 330	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	5010	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	5020	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	5050	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Mitel</b>	5201	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	5205	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	5212	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	5215	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	5220	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	5224	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	5230	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	5235	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	5240	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	5312	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	5324	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	5330	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	5340	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	5550 IP console	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	5560IPT	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	8500	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	8520	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Mitel</b>	8560	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	8600	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	8601	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	8602	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	DECT System (newer)	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	IP5001	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	IP5005	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	Millennium 110	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	Millennium 210	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	Millennium 410	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	Navigator	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	OpenPhone 27	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	SS3 SS4 - SS7	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	Super 7000 Op. Console	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	Super Console 1000	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	Super Console 2000	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	Superset 1 Analogici	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Mitel</b>	Superset 2000 Series	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	Superset 3	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	Superset 4 DN V24	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	Superset 4 TM	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	Superset 4001	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	Superset 401	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	Superset 4015 > Rev G	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	Superset 4025 > Rev G	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	Superset 4025IP > Rev G	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	Superset 410	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	Superset 4125 > Rev G	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	Superset 4150 > Rev G	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	Superset 420	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	Superset 430	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	Superset 4DN	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	Superset 6 DN	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	Superset 700 Ops Console	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering



<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Mitel</b>	Superset 7000	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	Superset Extension	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	SUPERSET SX200	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	SX 50 Konsole	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	SX10	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	SX20	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	SX50	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Mitel</b>	SX6DN Op. Console	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Motorola</b>	4052	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>MSI</b>	MSI-100	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Mybelle</b>	955	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Myjabber</b>	myJabberAE	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Nakayo</b>	DKDA	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>NEC</b>	12 Display	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>NEC</b>	12 Standard	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>NEC</b>	12TH	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>NEC</b>	12TXH	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
NEC	24 Display	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	24 Display IP	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	24BTSX Super Display	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	24TIXH	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	24TSXH	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	24TXH	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	4TIXH	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	4TXH	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	Analogue phone	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
NEC	Aspire	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	AX Series	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
NEC	Basic Station	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	DECT M4	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
NEC	DSL T	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	DT330	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	DT730	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	DT750	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
NEC	DTL-12D	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	DTL-24D	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	DTL-32D	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	DTL-8LD	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	DX-G	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	DX2E-12BT-A	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	DX2E-12BTXH-A	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	DX2E-16	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	DX2E-16T	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	DX2E-16TXH	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	DX2E-24BTSXH-A	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	DX2E-24BTUXH-A	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	DX2E-24TS	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	DX2E-24TSXH	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	DX2E-24TXH	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	DX2E-32TXH	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	DX2E-DSL-T-A	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
NEC	DX2E-OT	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	Electra 616	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
NEC	I740	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	I760	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	IP Dterm	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	IP1NA 12 TXH	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	IP1NA 12 TXH	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	IP1NA 24 TIXH	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	IP1NA 24 TIXH	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	IP2AT-12TD	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
NEC	IP2AT-12TXD	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
NEC	IP2AT-16TXD	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
NEC	IP2AT-22TXD	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
NEC	M740	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	M760	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
NEC	NiCE 288	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
NEC	NICE 32i Series	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>NEC</b>	NR 5.25178	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>NEC</b>	NX Series	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>NEC</b>	seriesNX.E12TXD19 P.V4(intercom.te)	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>NEC</b>	SP30 Softphone	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>NEC</b>	Super Display	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>NEC</b>	TX Series	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>NEC</b>	WebDial	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>NEC</b>	XN120 Talk	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>NEC Philips</b>	DT310	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>NEC Philips</b>	DT710	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>NEC Philips</b>	DT730	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>NEC Philips</b>	DT750	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>NEC Philips</b>	G355	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>NEC Philips</b>	G955	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>NEC Philips</b>	ITL-12D	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>NEC Philips</b>	ITL-24D	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>NEC Philips</b>	ITL-2E	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>NEC Philips</b>	ITL-320C	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>NEC Philips</b>	ITL-32D	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>NEC Philips</b>	ITL-6DE	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>NEC Philips</b>	ITL-8LD	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>NEC Philips</b>	MH250	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Nexcom</b>	MOD. 06	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Nexcom</b>	MOD. 08	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Nexcom</b>	MOD. 12	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Nexcom</b>	MOD. 16	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Nexcom</b>	MOD. 20	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Nexcom</b>	Modello Executive	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>NeXspan</b>	i2052 V3.1C06	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>NeXspan</b>	M725	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nextel</b>	Big Display	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nextel</b>	Deluxe Isdn	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nextel</b>	Deluxe2	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nextel</b>	DKK PLUS	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Nextel</b>	Executive	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Nextel</b>	Standard	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Nextel</b>	V100B	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	1120e	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	1140e	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	1150e	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	1210	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	1210	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	1220	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	1220	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	1230	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	1230	No headset available	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	2210	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	2211	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	401	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	4027	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	405	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Nortel</b>	4070	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	4070	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	410	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	420	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	420D	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	520	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	640	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	Aries	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	C3060	Switch position: 2	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	C4020	No headset available	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	C4030	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	C4040	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	C4060	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	C4070	No headset available	No headset available	
<b>Nortel</b>	Companion	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	DECT System	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	Featurenet	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	i2001	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering



<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Nortel</b>	i2002	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	i2004	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	i2004 IP	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	i2007	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	i2052	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	IP Softphone 2050	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	IP Softphone i2050	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	M1250	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	M2006	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	M2008	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	M2008HF	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	M2216	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	M2216ACD	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	M2250	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	M2317	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	M2616	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	M3110	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Nortel</b>	M3310	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	M3820	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	M3820EE	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	M3901	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	M3902	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	M3903/M3904	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	M3905 ACD	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	M5208	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	M5209	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	M5212	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	M5216	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	M5316	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	M5317	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	M6310	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	M6320	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	M7100	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	M7208	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Nortel</b>	M7308	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	M7310	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	M7310N	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	M7316	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	M7324	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	M901	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	M902	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	Meridian 1 Attendant PC Interface unit	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	Moblie USB Adapter	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	MOD. 2006	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	MOD. 2008	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	MOD. 2616	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	Norstar	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	Nortel C4050	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	NT DU 92	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	NTEX14MA	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	NTGA58BA	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Nortel</b>	Smile	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	T7100	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	T7208	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	T7316	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Nortel</b>	Tarus	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>NRX</b>	Evo 150	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>NRX</b>	Evo 250	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>NRX</b>	Evo 350	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>NRX</b>	Evo 450	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>NRX</b>	Evo 500EH	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>NRX</b>	Evo 550	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>NTL</b>	5101	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Olivetti</b>	Markab	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Olympia</b>	Berlin	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Olympia</b>	Dualbase	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Olympia</b>	Dualphone	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Olympia</b>	Frankfurt	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Olympia</b>	Hamburg	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Olympia</b>	Hamburg/Frankfurt	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Olympia</b>	München	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Olympus</b>	DSS	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Olympus</b>	Olycom OP6205	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	123 Digitale	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-DT321	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-NT321	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-NT343	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-NT346	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-NT366	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T2070G-E	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T2130AP	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T2315	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T2365	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T2365	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T2727	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Panasonic</b>	KX-T3110	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7020	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7030	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7050	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7052	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7055	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7130	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7220	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7225	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7230	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7235	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7240	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7250	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7310	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7315	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7330	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7420	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Panasonic</b>	KX-T7425	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7431	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7433	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7436	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7451	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7531	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7533	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7536	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7550	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7565	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7625	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7630	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7633	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7636	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7665	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7667	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7668	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Panasonic</b>	KX-T7710	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7720	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7730	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7731	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7735	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-T7750	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TCA155	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TCA175	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TCA181	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TCA255	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TCA275	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TCD 705	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TCD 706	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TCD 707	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TCD 715	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TCD 725	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TCD 735	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering



<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with Zum eco-DECT Pro HS-2014</b>	<b>Compatible with Zum eco-Set HS- 2016</b>	
<b>Phone Brand</b>	<b>Type</b>			<b>EHS</b>
<b>Panasonic</b>	KX-TCD 755	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TCD 775	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TCD200	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TCD202	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TCD203	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TCD210	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TCD212	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TCD220	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TCD300	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TCD320	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TCD322	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TCD400	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TCD410	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TCD412	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TCD420	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TCD422	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TCD455	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Panasonic</b>	KX-TCD505	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TCD515	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TCD535	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TCD545	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TCD560	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TCD580	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TD-7500	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TD-7590	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TD1232 DECT	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TDA 15/30/100/200 DECT System	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TG7100	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TG8100	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TG8120	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TG8320	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TG9120	Register only headset	Register only headset	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TNT136	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TS-10	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Panasonic</b>	KX-TS-85	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-TS-85	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KXA-118	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KXNT 136	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KXT-D816 DECT	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KXT-S85EXW	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KXT7580	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-UT113	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-UT123	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	KX-UT133	Switch position: 1	Switch position: 1	IPN630 set switch HS-2016 base to RHL/HS-2014 with IPN600 EHS box
<b>Panasonic</b>	KX-UT136	Switch position: 1	Switch position: 1	IPN630 set switch HS-2016 base to RHL/HS-2014 with IPN600 EHS box
<b>Panasonic</b>	VA12020	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	VA12022	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	VA30920	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	VA82430	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	VB-3011	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Panasonic</b>	VB-3411	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	VB-D411B	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	VB-D411DS	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	VB-D411LDS	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	VB-D611DSB	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	VB9211	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Panasonic</b>	VB9411	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	375	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	380	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	385	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	BaseLine Pro	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	C922	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	C933	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	C944	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	C944	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	CD235	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	D500	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Philips</b>	DECT 511	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	DECT 513	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	DECT 515	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	DECT 521	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	DECT 525	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Dterm Digital 16D an Handhoerer-Schnittstelle	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Dterm Digital 16D an Headset-Port	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Dterm Digital 2 an Handhoerer-Schnittstelle	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Dterm Digital 32D an Handhoerer-Schnittstelle	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Dterm Digital 32D an Headset-Port	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Dterm Digital 8 an Handhoerer-Schnittstelle	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Dterm Digital 8 an Headset-Port	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Dterm Digital 8D an Handhoerer-Schnittstelle	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Dterm Digital 8D an Headset-Port	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Ergoline 20	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Ergoline 25	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Ergoline 30	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Philips</b>	Ergoline 35	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Ergoline 50	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Ergoline D310	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Ergoline D320	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Ergoline D325	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Ergoline D330	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Ergoline D340	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Ergoline E320	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	I600	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	ID937	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	IP Phone ITR-16D an Handhoerer-Schnittstelle	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	IP Phone ITR-16D an Headset-Port	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	IP Phone ITR-8D an Handhoerer-Schnittstelle	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	IP Phone ITR-8D an Headset-Port	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Kala 300	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Magic 2	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Onis 200	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Philips</b>	Op. Console	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	P171	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	P195	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	P271	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	P271	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	P370	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	P370D	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	P375	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	P375D	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	PPF585	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	S170	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	S3030	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	S310	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	S370	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	S370D	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	S375	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	S375D	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Philips</b>	SET 196/08	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Set I380	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Set I380D GE	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Set I385	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Set I385D GE	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Set P171	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Set P271	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Set P370	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Set P370D	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Set P375	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Set P375D	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Sopho	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Sopho 50e	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Sopho 50s	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Sopho S	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Supervisor 15	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Supervisor 20	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering



<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Philips</b>	Supervisor 25	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Supervisor 30	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Supervisor 3030	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Supervisor 3050	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Supervisor 35	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Supervisor 35	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Supervisor 50	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Swingline Multifon	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	TBX	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	TBX 50	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	TD 9048	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	TD 9064	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	TD 9136	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	TD 9141	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	VOIP 841	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Xalio 200	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Zenia 300 Vox	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with Zum eco-DECT Pro HS-2014</b>	<b>Compatible with Zum eco-Set HS- 2016</b>	
<b>Phone Brand</b>	<b>Type</b>			<b>EHS</b>
<b>Philips</b>	Zenia 6326	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Zenia 6626	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Philips</b>	Zenia Voice	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Pingtel</b>	Instant Expressa	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Plantronics</b>	Calisto P540-M	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Plantronics</b>	Personsuite	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Plantronics</b>	StarBase 2000	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Plantronics</b>	StarBase 2010	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Plantronics</b>	T10	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Pocket UK</b>	POT	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Polycom</b>	CX200	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Polycom</b>	CX300	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Polycom</b>	CX600	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Polycom</b>	CX700	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Polycom</b>	IP300	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Polycom</b>	IP301	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Polycom</b>	IP320	Switch position: 1	Switch position: 1	IPN629 Cable for Polycom set switch HS-2016 base to RHL

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Polycom</b>	IP321	Switch position: 1	Switch position: 1	IPN629 Cable for Polycom set switch HS-2016 base to RHL
<b>Polycom</b>	IP330	Switch position: 1	Switch position: 1	IPN629 Cable for Polycom set switch HS-2016 base to RHL
<b>Polycom</b>	IP331	Switch position: 1	Switch position: 1	IPN629 Cable for Polycom set switch HS-2016 base to RHL
<b>Polycom</b>	IP335	Switch position: 1	Switch position: 1	IPN629 Cable for Polycom set switch HS-2016 base to RHL
<b>Polycom</b>	IP340	Switch position: 1	Switch position: 1	IPN629 Cable for Polycom set switch HS-2016 base to RHL
<b>Polycom</b>	IP410		Switch position: 1	IPN629 Cable for Polycom set switch HS-2016 base to RHL
<b>Polycom</b>	IP450	Switch position: 1	Switch position: 1	IPN629 Cable for Polycom set switch HS-2016 base to RHL
<b>Polycom</b>	IP500	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Polycom</b>	IP501	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Polycom</b>	IP550	Switch position: 1	Switch position: 1	IPN629 Cable for Polycom set switch HS-2016 base to RHL
<b>Polycom</b>	IP560	Switch position: 1	Switch position: 1	IPN629 Cable for Polycom set switch HS-2016 base to RHL
<b>Polycom</b>	IP600	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Polycom</b>	IP601	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Polycom</b>	IP650	Switch position: 1	Switch position: 1	IPN629 Cable for Polycom set switch HS-2016 base to RHL
<b>Polycom</b>	IP670	Switch position: 1	Switch position: 1	IPN629 Cable for Polycom set switch HS-2016 base to RHL
<b>Polycom</b>	SE-220	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Polycom</b>	SE-225	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Polycom</b>	Soundpoint Pro	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Polycom</b>	Star2Star IP301	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Polycom</b>	Star2Star IP560	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Polycom</b>	Via Video	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Polycom</b>	View Station	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Polycom</b>	VVX1500	Switch position: 1	Switch position: 1	IPN629 Cable for Polycom set switch HS-2016 base to RHL
<b>Promelit</b>	Advance Intercomunicante	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Promelit</b>	Facile	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Promelit</b>	Kromax SD24	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Promelit</b>	Next 30	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Promelit</b>	Next 8	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Promelit</b>	Progetto D	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Quante</b>	Bisy	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Retell</b>	703N	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Rockwell</b>	Spectra View	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Rockwell</b>	Spectrum ACD	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Safnat</b>	Aura 33	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Safnat</b>	Berkshire	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Safnat</b>	Confident	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Safnat</b>	Crystal	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Safnat</b>	Crystal S	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Safnat</b>	Evoluzione	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Safnat</b>	Executive	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Safnat</b>	Hendon	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Safnat</b>	MOD. K64 Evoluzione	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Safnat</b>	Office 20/30/40	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Safnat</b>	Opal	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Safnat</b>	Topaz	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Safnat</b>	TS 308	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Safnat</b>	Versilia-Riviera	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Sagem</b>	85C	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Sagem</b>	Adagio	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Sagem</b>	D15T	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Sagem</b>	DCP12-300	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Sagem</b>	DCP21-300	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Sagem</b>	DCP22-300	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Sagem</b>	WP1130	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Sagem</b>	WP1232	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Saiet</b>	1+	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Saiet</b>	2+	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Saiet</b>	2001	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Saiet</b>	2002	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Saiet</b>	3+	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Saiet</b>	ID Phone	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Samsung</b>	8000	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Samsung</b>	Compact II	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Samsung</b>	DCS 12B	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Samsung</b>	DCS 24C	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Samsung</b>	DCS 408/816	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Samsung</b>	DCS 6C	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Samsung</b>	DS-5007	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Samsung</b>	DS-5012L	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Samsung</b>	DS-5014D	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Samsung</b>	DS-5021D	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Samsung</b>	DS-5038	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Samsung</b>	IPT-5114D	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Samsung</b>	ITP-5012L	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Samsung</b>	ITP-5014D	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Samsung</b>	ITP-5017S	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Samsung</b>	ITP-5021D	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Samsung</b>	ITP-5112L	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Samsung</b>	ITP-5121D	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Samsung</b>	Officeserv Softphone	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Samsung</b>	SMT-P2110	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Samsung</b>	SP-R6100	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Samsung</b>	SP-R6150	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Samsung</b>	SPR-5200	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Samsung</b>	SPR-7000	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>SAT</b>	Club	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>SAT</b>	Joker Plus	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>SAT</b>	Joker Plus Main libre	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>SAT</b>	Manhattan	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>SAT</b>	PO 540	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>SAT</b>	S25 si nouvelle generation	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>SAT</b>	S300	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>SAT</b>	S320	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>SAT</b>	S322	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>SAT</b>	S430	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>SAT</b>	S431	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>SAT</b>	Symbole SYF	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>SAT</b>	Tonic	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Schrack</b>	Multiset	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Securicor</b>	DS1000	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Securicor</b>	DS2000	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Securicor</b>	Interconnect 3000	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering



<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Securicor</b>	Rhapsody Rio	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Sedeca</b>	Equateur	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Sedeca</b>	Privilege	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Selta</b>	Datiphon	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Selta</b>	EMC101	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Selta</b>	EMC103	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Selta</b>	MOD. 2010	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Selta</b>	MOD. 240	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Selta</b>	MOD. 480	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Selta</b>	OP 2	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Selta</b>	Puesto Operadora	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Selta</b>	S2	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Selta</b>	SAE 120	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Selta</b>	SAE 200	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Selta</b>	SAE ISPABX	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Selta</b>	SAE32	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Selta</b>	Saefon B	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Selta</b>	Saefon E	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Selta</b>	Saefon LE	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Selta</b>	Saefon M	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Selta</b>	Saefon ME	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Selta</b>	Saefon MK	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Selta</b>	Saefon T	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Selta</b>	Saefon TK	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Sapura</b>	SRM2000	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>ShoreTel</b>	IP100	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>ShoreTel</b>	IP110	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>ShoreTel</b>	IP115	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>ShoreTel</b>	IP210	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>ShoreTel</b>	IP212K	Switch position: 1	Switch position: 1	IPN627cable set base HS-2016 to RHL
<b>ShoreTel</b>	IP230 / IP230G	Switch position: 1	Switch position: 1	IPN627cable set base HS-2016 to RHL
<b>ShoreTel</b>	IP265	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>ShoreTel</b>	IP530	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>ShoreTel</b>	IP560	Switch position: 1	Switch position: 1	IPN627cable set base HS-2016 to RHL
<b>ShoreTel</b>	IP560g	Switch position: 1	Switch position: 1	IPN627cable set base HS-2016 to RHL
<b>ShoreTel</b>	IP565 / IP565G	Switch position: 1	Switch position: 1	IPN627cable set base HS-2016 to RHL

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>ShoreTel</b>	ShoreTel 5/8	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>ShoreTel</b>	ShoreTel5	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>ShoreTel</b>	Shoreware CallManager 8.1	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>ShoreTel</b>	SP100 Softphone	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Sidcom</b>	Monotel	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	40021	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	40031	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	40041	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	40051-T24	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	40051-T24R	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	40051-T25	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	40051-T25FD	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	40051-T8R	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	410 Economy	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	410 Entry	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	700051	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	810 Analogico	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Unify / Siemens</b>	812 Analogico	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	ACD Agent	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Andromeda	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	AT200	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	AT600	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	AT600+	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Basic 300 E	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	BizIP 410a + acoustic adapter	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	BTEX Agent	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Censet advance	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Censet business	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	City 100	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	City 200	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	City 300	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Comfort 300 E	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Comfort 300 E + headset adapter	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Comfort F 300 E + headset adapter	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Unify / Siemens</b>	CSL1000	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	CSL2000	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	CSL3000	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Dispatcher	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	DT40	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	DT50	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	DT60	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	DT70	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Entry 300 E	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Europa Galaxy	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Euroset 20xx	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Euroset 221	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Euroset 230	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Euroset 50xx	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Euroset 8xx	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	F31 IP	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	F41 IP	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Unify / Siemens</b>	Featurephone 420			Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Gama 8xx	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset A1	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset A100	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset A110	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset A120	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset A140	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset A180	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset A200	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset A245	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset A250	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset A400	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset A400A	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset A585	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset active M neu	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset AS185	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset C150	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Gigaset</b>	Gigaset C200	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset C250	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset C300	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset C300A	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset C340	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset C345	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset C353	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset C380	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset C45	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset C45	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset C450	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset C450	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset C450 IP	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset C450 IP	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset C455	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset C455	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset C46	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Gigaset</b>	Gigaset C46	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset C470	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset C470	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset C475	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset C475	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset C590	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset C595	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset CL100	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset CX203	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset CX253	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset DX800A	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset E1 Handset	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset E150	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset E36	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset E36	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset E365	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset E45	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering



<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Gigaset</b>	Gigaset E45	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset E450	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset E450	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset E490	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset E490	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset E495	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset E500	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset E500A	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset S100	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset S150	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	gigaset S2 professional	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset S200	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset S44	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset S440	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset S45	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset S45	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset S450	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Gigaset</b>	Gigaset S450	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset S455	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset S455	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset S645	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset S670	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset S675IP	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset S790	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset S790	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset S795	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset S795	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset SL 740	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset SL1	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset SL100	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset SL150	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset SL370	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset SL375	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset SL400	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Gigaset</b>	Gigaset SL400A	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset SL55	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset SL550	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset SL555	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset SL56 (DECT)	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset SL560	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset SL565	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset SL74	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset SL74 WLAN	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset SL740isdn	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset SLX 740	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset SX303	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset SX440	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset SX445	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset SX455	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset SX685 ISDN	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Gigaset</b>	Gigaset WL2	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Unify / Siemens</b>	Hicom (100,150,300)	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Hicom Trader	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	HiNet LP5100	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	HiPath 8000	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	iSDX / Realitis Attendant Console For Windows	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	ISDX Agent	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	iSDX Screen Based Console	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	iSDX/Realitis Op Console MK2	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	iSDX/Realitis Op Console Mk3	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	iSDX/Realitis Op Console MK4	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	iSDX/Realitis Op Console Mk5	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	iSLX/iSDX/Realitis Op Console Mk1	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Italk, PC-Talk	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	IView	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	M2 professional	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	M34	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	MC35	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Unify / Siemens</b>	MCX Op Console	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Memory 300 E	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Memory 300 E + headset adapter	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	ML16	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Multiline 12	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Multiline 16	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Multiline 16 (analogue)	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Multiline 16e (Digital)	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Multiline 8	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Nexcom 16/20	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	NTX Terminals	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Octophon F615	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	OMNI S 3	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Opeartor Console AC4	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	OpenScape UC	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Openstage 15	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	OpenStage 20	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Unify / Siemens</b>	Openstage 30	Switch position: 1	Switch position: 1	IPN621 set base HS-2016 to DSHG/HS-2014 with IPN600 EHS box
<b>Unify / Siemens</b>	Openstage 30TDM	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	OpenStage 40	Switch position: 1	Switch position: 1	IPN621 set base HS-2016 to DSHG/HS-2014 with IPN600 EHS box
<b>Unify / Siemens</b>	OpenStage 40TDM	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	OpenStage 60	Switch position: 1	Switch position: 1	IPN621 set base HS-2016 to DSHG/HS-2014 with IPN600 EHS box
<b>Unify / Siemens</b>	Openstage 60 G SIP	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	OpenStage 60TDM	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	OpenStage 80	Switch position: 1	Switch position: 1	IPN621 set base HS-2016 to DSHG/HS-2014 with IPN600 EHS box
<b>Unify / Siemens</b>	OpenStage 80TDM	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Operator Console AC Win	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Operator Console AC2	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Operator Console AC3	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Opticlient 130	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	optiClient 130 V2.0 optiPoint handset	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	optiClient 350 V2.5 optiPoint handset	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	optiClient 360 V2.5 Revision 1 optiPoint handset	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	optiClient 370/3801 V2.5 optiPoint handst	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>		<b>DECT Headsets/Phone compatibility, also with EHS</b>		
<b>Phone Brand</b>	<b>Type</b>	<b>Compatible with Zum eco-DECT Pro HS-2014</b>	<b>Compatible with Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Unify / Siemens</b>	optiClient Attendant	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Optipoint 300 Advance	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Optipoint 300 basic	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Optipoint 400 Standard	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	optiPoint 410 advance + acoustic adapter	Switch position: 1	Switch position: 1	IPN621 set base HS-2016 to DSHG/HS-2014 with IPN600 EHS box
<b>Unify / Siemens</b>	optiPoint 410 economy plus	Switch position: 1	Switch position: 1	IPN621 set base HS-2016 to DSHG/HS-2014 with IPN600 EHS box
<b>Unify / Siemens</b>	optiPoint 410 standard + acoustic adapter	Switch position: 1	Switch position: 1	IPN621 set base HS-2016 to DSHG/HS-2014 with IPN600 EHS box
<b>Unify / Siemens</b>	optipoint 420 advance + acoustic adapter	Switch position: 1	Switch position: 1	IPN621 set base HS-2016 to DSHG/HS-2014 with IPN600 EHS box
<b>Unify / Siemens</b>	Optipoint 420 economy	Switch position: 1	Switch position: 1	IPN621 set base HS-2016 to DSHG/HS-2014 with IPN600 EHS box
<b>Unify / Siemens</b>	optiPoint 420 economy plus	Switch position: 1	Switch position: 1	IPN621 set base HS-2016 to DSHG/HS-2014 with IPN600 EHS box
<b>Unify / Siemens</b>	optiPoint 420 standard + acoustic adapter	Switch position: 1	Switch position: 1	IPN621 set base HS-2016 to DSHG/HS-2014 with IPN600 EHS box
<b>Unify / Siemens</b>	Optipoint 500 Advance	Switch position: 1	Switch position: 1	IPN621 set base HS-2016 to DSHG/HS-2014 with IPN600 EHS box
<b>Unify / Siemens</b>	optiPoint 500 basic + acoustic adapter	Switch position: 1	Switch position: 1	IPN621 set base HS-2016 to DSHG/HS-2014 with IPN600 EHS box
<b>Unify / Siemens</b>	optiPoint 500 economy	Switch position: 1	Switch position: 1	IPN621 set base HS-2016 to DSHG/HS-2014 with IPN600 EHS box
<b>Unify / Siemens</b>	Optipoint 500 Entry	Switch position: 1	Switch position: 1	IPN621 set base HS-2016 to DSHG/HS-2014 with IPN600 EHS box
<b>Unify / Siemens</b>	optiPoint 500 standard + acoustic adapter	Switch position: 1	Switch position: 1	IPN621 set base HS-2016 to DSHG/HS-2014 with IPN600 EHS box
<b>Unify / Siemens</b>	optiPoint 600 + acoustic adapter	Switch position: 1	Switch position: 1	IPN621 set base HS-2016 to DSHG/HS-2014 with IPN600 EHS box

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Unify / Siemens</b>	Optipoint Handset	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	optiPoint WL2 professional	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Optiset E Advance	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Optiset E Advance + headset adapter	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Optiset E Advance Plus	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Optiset E Advance Plus + headset adapter	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Optiset E Basic	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Optiset E Comfort	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Optiset E Entry	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Optiset E Memory	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Optiset E memory + headset adapter	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Optiset E Standard	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Profiset 10	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Profiset 20	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Profiset 30	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Profiset 30isdn	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Profiset 40	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering



<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Unify / Siemens</b>	Profiset 51isdn	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Profiset 70	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Profiset 71 isdn	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Realitis ACWIN Op Console	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Realitis Agent	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Realitis DX Model 40	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Realitis DX Model 50	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Realitis DX Model 60	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Realitis DX Model 70	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Set 562	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Set 151	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Set 181	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Set 191	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Set 191 ETB	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Set 311	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Set 311B	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Set 351	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Unify / Siemens</b>	Set 351T2	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Set 421	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Set 431	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Set 451	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Set 451 T24 Serial No Ends in A501	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Set 451 T24 serial number ends in A101	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Set 451 T25	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Set 451 T8 Serial no end in A101	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Set 451 T8 Serial No end in A501	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Set 452 T25FD	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Set 551	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Set 551 T17	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Set 551 T25FD	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Set 562 optiset	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Set 751	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Set 751 T25FD	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Siemens 40051-T8	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Unify / Siemens</b>	Siemens Gigaset DE700 IP Pro	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Siemens Gigaset DE900 IP Pro	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Siemens Gigaset M2			Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Siemens Gigaset S3	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Siemens Gigaset SL3			Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Siemens System HiPath 3000 cordless			Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Siemens System HiPath 4000 cordless			Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	SL2 Pro	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	SL2 professional	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	SL37H	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	SL44	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	SL440	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	SL780	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	SL785	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	SL78H	Register headset to base	Register headset to base	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	SX353	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	SX353 ISDN	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Unify / Siemens</b>	System F200 to F600 an F20/F30/F40	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Team 300	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Team 300 E	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Team 300 E für Teams	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Team F	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Team F 300 E	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Team F 300 E + headset adapter	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Tel 15	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Top 300	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Top F 300 E	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Touch Screen	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Ultraset	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Ultraset Basic	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Ultraset Comfort	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Ultraset Memory	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Unify / Siemens</b>	Vega	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Simtel Global</b>	8300	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Simtel Global</b>	8500	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Simtel Global</b>	8700	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Sipura</b>	SPA-841	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Skype</b>	Internet Telephony	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Skype</b>	Skype Softphone	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Snom</b>	100	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Snom</b>	105	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Snom</b>	190	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Snom</b>	M3	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Snom</b>	200	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Snom</b>	220	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Snom</b>	300	Switch position: 1	Switch position: 1	HS-2016 + SNOM EHS, HS-2016 switched to DHSG
<b>Snom</b>	320	Switch position: 1	Switch position: 1	HS-2016 + SNOM EHS, HS-2016 switched to DHSG
<b>Snom</b>	360	Switch position: 1	Switch position: 1	HS-2016 + SNOM EHS, HS-2016 switched to DHSG
<b>Snom</b>	370	Switch position: 1	Switch position: 1	HS-2016 + SNOM EHS, HS-2016 switched to DHSG
<b>Snom</b>	710	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Snom</b>	720	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Snom</b>	760	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Snom</b>	820	Switch position: 1	Switch position: 1	HS-2016 + SNOM EHS, HS-2016 switched to DHSG
<b>Snom</b>	821	Switch position: 1	Switch position: 1	HS-2016 + SNOM EHS, HS-2016 switched to DHSG
<b>Snom</b>	870	Switch position: 1	Switch position: 1	HS-2016 + SNOM EHS, HS-2016 switched to DHSG
<b>Solac</b>	1610	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Solac</b>	3121	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Solac</b>	3121	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Solac</b>	3143	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Solac</b>	3211	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Solac</b>	3230	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Solac</b>	3241	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Solac</b>	3276	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Solac</b>	3277	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Sony</b>	PCP-500	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Southwestern Bell</b>	Display Phone 100	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Southwestern Bell</b>	Freedom S2200	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Speakerbus</b>	i turret – iD808	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Spectralink</b>	8020	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Spectralink</b>	8030	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Spectralink</b>	Netlink e340	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Spectralink</b>	Netlink i640	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Spectralink</b>	Wireless telephone	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Splicecom</b>	PCS100	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Splicecom</b>	PCS400	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Splicecom</b>	PCS510	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Splicecom</b>	PCS560	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Splicecom</b>	PCS570	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>STS</b>	Supercall 2000 Agent	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>STS</b>	Supercall 3	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>STS</b>	Supercall 600	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Swisscom</b>	A507	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Swissvoice</b>	Avena 233	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Swissvoice</b>	Avena 236	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Swissvoice</b>	Avena 266	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Swissvoice</b>	Eurit 525	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Swissvoice</b>	eurit 525	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Swissvoice</b>	Eurit 535	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Swissvoice</b>	Eurit 545	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Swissvoice</b>	Eurit 555	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Swissvoice</b>	eurit 555	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Swissvoice</b>	eurit 565	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Swissvoice</b>	Eurit 565	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Swissvoice</b>	Eurit 565 Set	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Swissvoice</b>	Eurit 577	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Swissvoice</b>	IP10S	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Swissvoice</b>	IP15	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Swissvoice</b>	IP20	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Swyx</b>	F Netphone Applikationslösung	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Swyx</b>	L400	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Swyx</b>	L420e	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Swyx</b>	L420s mit acoustic adapter	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering



<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Swyx</b>	L440 mit acoustic adapter	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Swyx</b>	L520 mit acoustic adapter	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Swyx</b>	L540 mit acoustic adapter	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Swyx</b>	S315	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Swyx</b>	Swyx L420s + acoustic adapter	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Swyx</b>	Swyx L440 + acoustic adapter	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Swyx</b>	Swyx L520s + acoustic adapter	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Swyx</b>	Swyx L540 + acoustic adapter	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Swyx</b>	SwyxIt! >Rev 5.01	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Swyx</b>	SwyxIt! >Rev 6.0	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Tadiran</b>	Coral II	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Tadiran</b>	Coral III	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Tadiran</b>	DKT	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Tadiran</b>	EKT	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Tadiran</b>	EKT	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Tadiran</b>	EKT 321	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Tandberg</b>	1000 Video Conferencing system	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Tandberg</b>	150MXP	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Tandberg</b>	1700 MXP	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Teis</b>	Eireann	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Telco</b>	Astral	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Telco</b>	Komfort plus HSG	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Telebau</b>	Telnet Julia	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Telebau</b>	Telnet Laura	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Telebau</b>	Telnet Nicola	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Telebau</b>	Telnet Nina	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Telecom</b>	Benjamin	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Telecom</b>	Bit-Bit 2 Isdn	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Telecom</b>	Corrado	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Telecom</b>	e Plexi Lacca	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Telecom</b>	Ecostar	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Telecom</b>	ed Evoluzione K64	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Telecom</b>	ETE TEC 60 351 IT	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Telecom</b>	Ghibli	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Telecom</b>	Multivox	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Telecom</b>	Noksu	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Telecom</b>	Prisma	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Telecom</b>	Pulsar	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Telecom</b>	SI7000	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Telecom</b>	SI7030	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Telecom</b>	Sirio	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Telecom</b>	Sirio 187	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Telecom</b>	Sirio 2000 View	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Telecom</b>	T200	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Telecom</b>	TM2324	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Telecom</b>	Traffic N	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Telecom</b>	Virgola	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Telefonica</b>	Boreal	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Telefonica</b>	Business Phone 50/250	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Telefonica</b>	Crystal (Antigua)	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Telefonica</b>	Crystal S	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Telefonica</b>	De Luxe	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Telefonica</b>	Diana	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Telefonica</b>	DKX ISDN	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Telefonica</b>	Domo	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Telefonica</b>	Euromix (Nuevo)	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Telefonica</b>	Executive	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Telefonica</b>	Forma	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Telefonica</b>	Madrid	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Telefonica</b>	Neris Office 25	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Telefonica</b>	Neris Office 35	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Telefonica</b>	Neris Office 45	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Telefonica</b>	Netcom Basica 4/8	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Telefonica</b>	Netcom DKDA	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Telefonica</b>	Netcom Flexi	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Telefonica</b>	Netcom Flexi	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Telefonica</b>	Netcom Multi 8	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Telefonica</b>	Netcom optima	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Telefonica</b>	Novacom Mix (Antiguo)	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Telefonica</b>	Office 20	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Telefonica</b>	Office 30	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Telefonica</b>	Office 40	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Telefonica</b>	Sima	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Teles</b>	Teles. Fon	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Teles</b>	varix S47	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Telettra</b>	Tau Kts 24	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Telettra</b>	Telemaco isdn	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Telia AB</b>	Vigor 20	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Tellumat</b>	ISX 200	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Telrad</b>	Advantage	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Telrad</b>	Avanti 3020	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Telrad</b>	IS128	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Telrad</b>	Piccolo	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Telular</b>	Phonecell SX5	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Tenovis</b>	See avaya Tenovis	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Thomson</b>	ST2020	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Thomson</b>	ST2022	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Thomson</b>	ST2030	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Thomson</b>	STD51	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Thomson</b>	TB-30	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Tie</b>	Businesscom 16	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Tie</b>	Corex	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Tie</b>	Delphi	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Tie</b>	Eden	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Tie</b>	Eden Junior	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Tie</b>	Ek612	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Tie</b>	M6	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Tie</b>	MOD. 6/12 (e migliore la soluzione Polaris)	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Tie</b>	Onix	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Tie</b>	Onyx	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Tie</b>	TF450 IT/9	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>TietoEnator</b>	KiTel Softphone	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>TietoEnator</b>	KiTel Softphone	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Tiptel</b>	142	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Tiptel</b>	170	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Tiptel</b>	172	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Tiptel</b>	175	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Tiptel</b>	190	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Tiptel</b>	192	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Tiptel</b>	193	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Tiptel</b>	195	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Tiptel</b>	270	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Tiptel</b>	274	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Tiptel</b>	275	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Tiptel</b>	62 system an Handhörer-Schnittstelle	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Tiptel</b>	64 system am Headset-Port	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Tiptel</b>	64 system an Handhörer-Schittstelle	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Tiptel</b>	65	Switch position: 4	Switch position: 4	Not compatible with EHS, need Lifter for remote answering
<b>Tiptel</b>	72	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Tiptel</b>	84	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Tiptel</b>	DECT System	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Tiptel</b>	DECT-Z 500	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Tiptel</b>	easy DECT XL	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Tiptel</b>	easyDECT 3300	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Tiptel</b>	easyDECT 5500	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Tiptel</b>	easyDECT XL2	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Tiptel</b>	Ergovoice C	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Tiptel</b>	Ergovoice CR	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Tiptel</b>	Ergovoice S	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Tiptel</b>	innovaphon 200	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Tiptel</b>	tevitel.82/tevitel.200	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Tiptel</b>	tiptel 160	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Tiptel</b>	tiptel 570 office	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Titan</b>	1000	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Toa</b>	hf-200 m	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Topcom</b>	Deskmaster 120	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering



<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Topcom</b>	Deskmaster 142	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Topcom</b>	Deskmaster 500i	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Topcom</b>	Fidelity 160	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Topcom</b>	Fidelity 160 an Handhoerer-Port	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Topcom</b>	Fidelity 160 an Headset-Port	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	DK24/DK40/DK56/DK96/DK280	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	DKT 2001	Switch position: 1	Switch position: 1	IPN 627 for HS-2014 and HS-2016 set to RHL
<b>Toshiba</b>	DKT 2010	Switch position: 1	Switch position: 1	IPN 627 for HS-2014 and HS-2016 set to RHL
<b>Toshiba</b>	DKT 2010H	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	DKT 2010SD	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	DKT 2020	Switch position: 1	Switch position: 1	IPN 627 for HS-2014 and HS-2016 set to RHL
<b>Toshiba</b>	DKT 2020S	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	DKT 2020SD	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	DKT 2510	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	DKT 2520	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	DKT 3001	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	DKT 3007	Switch position: 1	Switch position: 1	IPN 627 for HS-2014 and HS-2016 set to RHL
<b>Toshiba</b>	DKT 3010	Switch position: 1	Switch position: 1	IPN 627 for HS-2014 and HS-2016 set to RHL
<b>Toshiba</b>	DKT 3010S	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Toshiba</b>	DKT 3014	Switch position: 1	Switch position: 1	IPN 627 for HS-2014 and HS-2016 set to RHL
<b>Toshiba</b>	DKT 3014SD	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	DKT 3014SDL	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	DKT 3020	Switch position: 1	Switch position: 1	IPN 627 for HS-2014 and HS-2016 set to RHL
<b>Toshiba</b>	DKT 3020S	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	DKT 3020SD	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	DKT 3512S	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	DKT 3512SD	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	DKT 3524S	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	DKT 3524SD	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	DP 5008	Switch position: 1	Switch position: 1	IPN 627 for HS-2014 and HS-2016 set to RHL
<b>Toshiba</b>	DP 5008 F	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	DP 5018	Switch position: 1	Switch position: 1	IPN 627 for HS-2014 and HS-2016 set to RHL
<b>Toshiba</b>	DP 5018 F-S	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	DP 5022	Switch position: 1	Switch position: 1	IPN 627 for HS-2014 and HS-2016 set to RHL
<b>Toshiba</b>	DP 5022F-SD	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	DP 5032	Switch position: 1	Switch position: 1	IPN 627 for HS-2014 and HS-2016 set to RHL
<b>Toshiba</b>	DP 5118-DP	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	DP 5122	Switch position: 1	Switch position: 1	IPN 627 for HS-2014 and HS-2016 set to RHL

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Toshiba</b>	DP 5122F-SD	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	DP 5130	Switch position: 1	Switch position: 1	IPN 627 for HS-2014 and HS-2016 set to RHL
<b>Toshiba</b>	DP 5130-SDL	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	DP 5130F-SDL	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	DP 5132	Switch position: 1	Switch position: 1	IPN 627 for HS-2014 and HS-2016 set to RHL
<b>Toshiba</b>	DP 5X22-SD	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	DP 5X32-SD	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	EKT 6010	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	EKT 6020	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	EKT 6050	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	EKT 6510	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	EKT 6520	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	IP 5022	Switch position: 1	Switch position: 1	IPN 627 for HS-2014 and HS-2016 set to RHL
<b>Toshiba</b>	IP 5122	Switch position: 1	Switch position: 1	IPN 627 for HS-2014 and HS-2016 set to RHL
<b>Toshiba</b>	IP 5131	Switch position: 1	Switch position: 1	IPN 627 for HS-2014 and HS-2016 set to RHL
<b>Toshiba</b>	IP 5132	Switch position: 1	Switch position: 1	IPN 627 for HS-2014 and HS-2016 set to RHL
<b>Toshiba</b>	IP 5631	Switch position: 1	Switch position: 1	IPN 627 for HS-2014 and HS-2016 set to RHL
<b>Toshiba</b>	IP 5522	Switch position: 1	Switch position: 1	IPN 627 for HS-2014 and HS-2016 set to RHL
<b>Toshiba</b>	IP 5622	Switch position: 1	Switch position: 1	IPN 627 for HS-2014 and HS-2016 set to RHL
<b>Toshiba</b>	IPT 2008	Switch position: 1	Switch position: 1	IPN 627 for HS-2014 and HS-2016 set to RHL

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Toshiba</b>	IPT 2008 SDL	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	IPT 2010	Switch position: 1	Switch position: 1	IPN 627 for HS-2014 and HS-2016 set to RHL
<b>Toshiba</b>	IPT 2010-SD	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	IPT 2020	Switch position: 1	Switch position: 1	IPN 627 for HS-2014 and HS-2016 set to RHL
<b>Toshiba</b>	IPT 2020-SD	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	Net Phone	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	Perception	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	SoftIPT	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	Strata SE	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	Strata VI	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	Strata XII	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Toshiba</b>	Strata XX	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Trucco</b>	CD 9000	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Trucco</b>	CD 9020	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Trucco</b>	Elmo	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Trucco</b>	Linktop-Link32	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Trucco</b>	SI7060	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Trucco</b>	Tikey si7030	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Trucco</b>	Tikey si7060	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Trucco</b>	TK30 Intercomunicante	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Tunstall</b>	PNC-3	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Tunstall</b>	PNC-4	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ulytel</b>	2	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ulytel</b>	3	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ulytel</b>	4	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ulytel</b>	5	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ulytel</b>	Carrier	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Ulytel</b>	RTNC	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Uno Software</b>	SmartAttendant	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Urmet</b>	4068-2	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Urmet</b>	4068-3	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Urmet</b>	412	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Urmet</b>	824D	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Urmet</b>	EXE 200D-MOD. 3064/16	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Urmet</b>	MOD. 845	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Urmet</b>	Slave 4048	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Urmet</b>	VT308	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Urmet</b>	VT9000	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>V Band</b>	VIAX	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>VCON</b>	Cruiser 150	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>VCON</b>	Cruiser 75	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>VCON</b>	Escort 25	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Vivista</b>	DS1000	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Vivista</b>	DS2000	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Vivista</b>	Interconnect 3000	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Voicelink</b>	Powerdialer Agent	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>VOIP Softphones</b>	Aastra 2380ip	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>VOIP Softphones</b>	Alcatel PIMPhony	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>VOIP Softphones</b>	Microsoft Lync	USB port	USB port	Not compatible with EHS, need Lifter for remote answering
<b>VOIP Softphones</b>	MOC	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>VOIP Softphones</b>	NEC Webdial	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>VOIP Softphones</b>	Nortel i2050	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>VOIP Softphones</b>	Toshiba NetPhone	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>VOIP Softphones</b>	Toshiba SoftIPT	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>VOIP Softphones</b>	Uno Smart Attendant	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Vonage</b>	Softphone	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>VT Telematica</b>	1236nx	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>VT Telematica</b>	2001-XL	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>VT Telematica</b>	308	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>VT Telematica</b>	512nx	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>VT Telematica</b>	824-te824	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>VT Telematica</b>	Divo	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>VT Telematica</b>	Divo 1000	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Vtech</b>	A110	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Vtech</b>	A200	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Vtech</b>	C110	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Walker</b>	Clarity	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Welco</b>	Tel-100C	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Welco</b>	Tel-400C	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering

<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Widmeier</b>	Tropic	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Wyatt</b>	Dealer Board	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>YAHOO</b>	Softphone	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Yealink</b>	T20P	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Yealink</b>	T22P	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Yealink</b>	T26P	Switch position: 1	Switch position: 1	HS-2016 + Yealink EHS36 adapter, Switch HS-2016 to DHSG
<b>Yealink</b>	T28P	Switch position: 1	Switch position: 1	HS-2016 + Yealink EHS36 adapter, Switch HS-2016 to DHSG
<b>Yealink</b>	VP-2009	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Yealink</b>	T19P	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Yealink</b>	T20P	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Yealink</b>	T21P	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Yealink</b>	T32G	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Yealink</b>	T38G	Switch position: 1	Switch position: 1	HS-2016 + Yealink EHS36 adapter, Switch HS-2016 to DHSG
<b>Yealink</b>	T41P	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Yealink</b>	T42G	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Yealink</b>	T46G	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Yealink</b>	T48G	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering



<b>Spracht</b>	<b>DECT Headsets/Phone compatibility, also with EHS</b>			
		<b>Compatible with</b>	<b>Compatible with</b>	
<b>Phone Brand</b>	<b>Type</b>	<b>Zum eco-DECT Pro HS-2014</b>	<b>Zum eco-Set HS-2016</b>	<b>EHS</b>
<b>Yealink</b>	VP-530 (Videophone)	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Zultys</b>	Zip 2x2	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Zultys</b>	ZIP 4x4	No experience try switch settings step by step	No experience try switch settings step by step	Not compatible with EHS, need Lifter for remote answering
<b>Zultys</b>	Zip 4x5	No headset available	No headset available	Not compatible with EHS, need Lifter for remote answering
<b>Zultys</b>	ZIP 51e	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Zultys</b>	ZIP 53e	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Zultys</b>	ZIP 53i	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Zultys</b>	ZIP 55i	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Zultys</b>	ZIP 57i	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Zultys</b>	ZIP 57i CT	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering
<b>Zultys</b>	ZIP 59i	Switch position: 1	Switch position: 1	Not compatible with EHS, need Lifter for remote answering